



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 24-SEP-22 to 18-NOV-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 46			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	30/09	07/10	14/10	21/10	28/10	04/11	11/11	18/11	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1						5	8	17	0	1.5	0.0
Hepatitis B (unspecified)	7	12	12	6	9	5	12	10	393	496	458	36	35.2	1.0
Hepatitis C (newly acquired)			1		1	1	2		44	72	84	4	9.3	0.4
Hepatitis C (unspecified)	12	11	20	26	16	14	20	28	726	831	729	78	72.5	1.1
Hepatitis D			1						7	10	3	0	0.4	0.0
Enteric diseases														
Campylobacteriosis	60	99	105	110	87	101	106	96	3477	2697	2467	390	301.0	1.3
Cryptosporidiosis	1	5	2	4	4	2	6		254	109	486	12	10.7	1.1
Hepatitis A			1						11	1	6	0	0.7	0.0
Listeriosis		1							6	5	6	0	0.4	0.0
Rotavirus	3	10	10	11	7	8	8	3	272	519	162	26	52.6	0.5
STEC/VTEC infection	2	3	5	4	3	3	4	8	185	94	96	18	8.9	2.0
Salmonellosis	12	15	24	24	20	20	22	17	791	838	1595	79	136.1	0.6
Shigellosis	3	6	4	3	6	7	4		155	88	209	17	18.1	0.9
Typhoid			1			1	1		14	2	5	2	1.4	1.4
Vibrio parahaemolyticus									4	37	3	0	2.7	0.0
Yersiniosis	3	1	1	1	1	2	3	2	38	30	13	8	2.1	3.9
Sexually transmissible infections														
Chlamydia (genital)	201	242	231	249	231	231	218	208	9910	9862	9696	888	862.9	1.0
Gonorrhoea	57	67	66	73	69	73	67	58	2872	2639	3276	267	255.3	1.0
Syphilis (congenital)						1			3	4	3	1	0.1	7.5
Syphilis - Infectious	27	15	19	14	14	16	11	8	726	732	647	49	48.3	1.0
Syphilis - Non-Infectious	2	3	3	5	4	2	4	5	199	227	205	15	15.3	1.0
Vaccine preventable diseases														
Diphtheria	1								1	0	0	0	0.0	0.0
H. influenzae type b									1	0	3	0	0.1	0.0
Influenza	80	101	70	73	79	106	59	64	13551	29	1208	308	247.7	1.2
Mumps									1	1	10	0	0.9	0.0
Pertussis	1	1		1					24	45	119	0	52.6	0.0
Pneumococcal infection	7	7	7	4	8	4	4	5	212	163	155	21	16.1	1.3
Rubella (non-congenital)									1	3	1	0	0.1	0.0
Varicella (chicken pox)	9	8	15	5	11	9	8	10	369	436	562	38	60.4	0.6
Varicella (shingles)	41	43	45	68	43	63	37	15	2055	2406	2252	158	195.5	0.8
Varicella (unspecified)	51	54	60	48	51	59	54	64	2238	1567	1498	228	137.9	1.7
Vector-borne diseases														
Barmah Forest virus			1	2		2			21	17	21	2	2.3	0.9
Chikungunya		1							8	0	7	0	0.2	0.0
Dengue fever	1	3		6	3	2	2		54	0	62	7	9.6	0.7
Malaria	1		1	1	2	2	3		32	11	28	7	2.4	2.9
Murray Valley encephalitis virus									1	0	0	0	0.0	0.0
Ross River virus	5	2	1	4	2	2	5		429	619	389	9	47.5	0.2
Typhus	1	1				1			15	17	17	1	1.5	0.7
Zoonotic diseases														
Q Fever									4	2	5	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									13	8	5	0	0.9	0.0
COVID-19	1163	942	1055	1197	1374	1468	251	1	465136	266	797	3094	13.3	232.1
Creutzfeldt-Jakob disease									3	3	6	0	0.6	0.0
Legionellosis		2	1		2	1	2		54	60	66	5	5.3	0.9
Leprosy								1	3	4	2	1	0.3	3.0
Melioidosis									4	6	5	0	0.1	0.0
Meningococcal infection		1							15	8	9	0	2.5	0.0
Monkeypox virus									7	0	0	0	0.0	0.0
RSV	629	455	377	285	249	218	189	113	10068	11	0	769	16.2	47.5
Tuberculosis	1	2	5	3	3	2	5	4	89	115	120	14	10.1	1.4
iGAS	4	4	2	4	5	7	4	6	181	7	0	22	0.5	41.3
Grand Total	2385	2117	2147	2231	2304	2433	1111	726						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 46			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	30/09	07/10	14/10	21/10	28/10	04/11	11/11	18/11	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1						4	7	8	0	1.2	0.0
Hepatitis B (unspecified)	6	12	9	4	8	5	12	7	326	373	388	32	28.5	1.1
Hepatitis C (newly acquired)					1	1	1		34	67	68	3	7.6	0.4
Hepatitis C (unspecified)	9	9	14	21	9	9	13	21	535	614	532	52	53.7	1.0
Hepatitis D									5	7	2	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	46	80	75	78	63	73	66	71	2673	2079	1955	273	231.4	1.2
Cryptosporidiosis	1	3	1	3	3	1	4		186	42	419	8	5.9	1.4
Hepatitis A			1						10	1	5	0	0.7	0.0
Listeriosis		1							6	3	5	0	0.4	0.0
Rotavirus	2	8	8	8	5	5	5	2	217	362	130	17	42.9	0.4
STEC/VTEC infection			3	3	2	1	1	6	106	73	73	10	7.1	1.4
Salmonellosis	10	13	16	16	16	16	18	13	572	568	1227	63	104.1	0.6
Shigellosis	1	1	1	1	4	2	2		76	31	93	8	8.8	0.9
Typhoid			1			1	1		12	1	5	2	1.3	1.6
Vibrio parahaemolyticus									4	30	3	0	2.1	0.0
Yersiniosis	3			1	1	2	1	2	32	24	11	6	1.9	3.1
Sexually transmissible infections														
Chlamydia (genital)	145	187	163	196	164	171	161	163	7677	7800	7502	659	675.1	1.0
Gonorrhoea	32	43	42	44	43	44	47	43	1848	1678	2117	177	168.1	1.1
Syphilis - Infectious	16	7	13	9	6	9	9	5	462	412	423	29	30.5	0.9
Syphilis - Non-Infectious	1	1	1	4	2		2	3	110	149	169	7	10.9	0.6
Vaccine preventable diseases														
Diphtheria	1								1	0	0	0	0.0	0.0
Influenza	56	92	59	62	64	92	55	58	10076	17	968	269	180.2	1.5
Pertussis	1	1		1					19	38	94	0	38.3	0.0
Pneumococcal infection	5	2	4	4	5	4	1	2	112	96	59	12	8.8	1.4
Rubella (non-congenital)									1	2	1	0	0.1	0.0
Varicella (chicken pox)	8	5	12	3	7	8	8	10	285	328	423	33	47.1	0.7
Varicella (shingles)	26	32	29	39	26	44	22	5	1391	1697	1617	97	139.5	0.7
Varicella (unspecified)	49	54	58	47	49	53	52	53	2076	1543	1432	207	133.7	1.5
Vector-borne diseases														
Barmah Forest virus				1		1			7	3	3	1	0.5	2.1
Chikungunya									6	0	3	0	0.2	0.0
Dengue fever	1	2		3	3	1	2		44	0	48	6	8.3	0.7
Malaria	1		1	1	2	1	2		28	9	22	5	2.0	2.5
Ross River virus	2	1	1	2		2	3		280	317	195	5	25.9	0.2
Typhus	1					1			6	6	9	1	1.1	0.9
Zoonotic diseases														
Q Fever									3	1	2	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									3	2	0	0	0.1	0.0
COVID-19	1012	834	939	1041	1209	1277	223		410488	109	468	2709	5.0	541.8
Creutzfeldt-Jakob disease									3	3	5	0	0.5	0.0
Legionellosis		1	1		1	1	2		40	37	48	4	4.3	0.9
Leprosy									1	3	2	0	0.3	0.0
Meningococcal infection									11	3	4	0	1.5	0.0
Monkeypox virus									7	0	0	0	0.0	0.0
RSV	515	339	293	206	183	146	132	69	8003	7	0	530	11.5	46.0
Tuberculosis	1	2	4	3	3	1	3	3	72	106	113	10	9.1	1.1
iGAS	4	3	2	3	5	6	3	3	105	5	0	17	0.2	85.0
Grand Total	1955	1733	1752	1804	1884	1978	851	539						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1						0.4
Hepatitis B (unspecified)		6 (5)	11.4	2	9 (10)	11.5	5	17 (12)	22.3
Hepatitis C (newly acquired)			0.5		2 (2)	2.2		1 (4)	2.0
Hepatitis C (unspecified)	5	10 (10)	13.3	9	18 (26)	29.8	7	24 (22)	32.1
Hepatitis D			0.4			0.3			
Enteric diseases									
Campylobacteriosis	23	91 (79)	120.7	26	90 (73)	130.5	22	92 (86)	122.9
Cryptosporidiosis		3 (1)	9.2		1 (3)	4.8		4	11.6
Hepatitis A			0.1			0.1			1.1
Listeriosis		(1)	0.5			0.1			0.1
Rotavirus	1	4 (42)	7.9		3 (30)	10.4	1	10 (60)	12.1
STEC/VTEC infection	1	2 (4)	3.5	2	4 (2)	5.1	3	4 (4)	6.2
Salmonellosis	4	24 (9)	26.0	5	21 (10)	27.0	4	18 (16)	27.0
Shigellosis		3	3.4		2	3.1		3 (2)	4.1
Typhoid		1	0.1			0.7		1	0.8
Vibrio parahaemolyticus								(3)	0.5
Yersiniosis		1	1.4	1	4 (1)	2.4	1	1 (1)	0.8
Sexually transmissible infections									
Chlamydia (genital)	48	200 (223)	319.0	53	211 (218)	335.9	62	248 (261)	415.7
Gonorrhoea	11	54 (37)	65.5	13	40 (54)	74.1	19	83 (76)	117.4
Syphilis (congenital)									
Syphilis - Infectious	3	13 (11)	15.6		3 (10)	16.4	2	13 (11)	32.1
Syphilis - Non-Infectious	1	2 (1)	4.5		(2)	3.6	2	5 (4)	7.2
Vaccine preventable diseases									
Diphtheria						0.1			
H. influenzae type b									
Influenza	25	96 (1)	480.7	16	96 (1)	435.9	17	77 (1)	488.0
Mumps									
Pertussis		(1)	0.9		(1)	1.0		(2)	0.7
Pneumococcal infection		2 (4)	3.9		3 (4)	5.4	2	7 (1)	6.4
Rubella (non-congenital)									0.1
Varicella (chicken pox)	4	11 (9)	14.9		7 (17)	14.3	6	15 (12)	10.7
Varicella (shingles)	1	32 (65)	66.8	4	35 (59)	70.5		30 (43)	57.6
Varicella (unspecified)	22	83 (77)	98.4	15	59 (74)	102.9	16	65 (54)	89.3
Vector-borne diseases									
Barmah Forest virus			0.1		1	0.6			0.3
Chikungunya			0.4			0.3			0.1
Dengue fever		1	2.3			1.5		5	2.3
Malaria		2	1.9			0.9		3	1.1
Murray Valley encephalitis virus									
Ross River virus		2 (2)	6.6		2 (15)	18.6		1 (6)	14.4
Typhus					(1)	0.1		1	0.7
Zoonotic diseases									
Q Fever						0.1			0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1		(1)	0.1
COVID-19		968 (2)	19945.6		948 (2)	17998.8		793 (2)	19302.8
Creutzfeldt-Jakob disease			0.1			0.1			0.1
Legionellosis		1 (1)	3.1		2 (4)	1.0		1 (2)	1.4
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.5			0.7			0.3
Monkeypox virus			0.3						0.7
RSV	32	225 (2)	387.4	21	144	382.2	16	161	349.3
Tuberculosis	1	4	3.7	1	3 (2)	1.8	1	3 (6)	4.5
iGAS	1	7 (1)	4.9		4 (1)	4.3	2	6	5.4
Grand Total	183	1848 (588)		168	1712 (622)		188	1692 (692)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1 (1)	6.0		(2)	4.9		(5)	5.4
Hepatitis C (newly acquired)			1.6			6.5			1.3
Hepatitis C (unspecified)	2	5 (2)	25.6	2	6 (3)	52.1	1	3 (3)	21.5
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis	12	40 (25)	156.6	2	11 (17)	162.7	1	18 (16)	144.1
Cryptosporidiosis		2	10.9		1	14.6			2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus	1	3 (8)	6.5		(2)	4.9		2 (1)	10.8
STEC/VTEC infection		2	12.0	2	3	16.3		(1)	16.2
Salmonellosis		7 (4)	31.0		(2)	19.5	1	1 (1)	24.2
Shigellosis			1.1			1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis		1 (1)	0.5		1	3.3			4.0
Sexually transmissible infections									
Chlamydia (genital)	6	47 (39)	235.4	5	17 (4)	205.0	7	19 (15)	212.7
Gonorrhoea		4 (4)	24.5		1	29.3		2 (2)	39.0
Syphilis (congenital)									
Syphilis - Infectious	1	3 (1)	6.5	1	2	13.0		(1)	6.7
Syphilis - Non-Infectious	1	1 (1)	5.4		1	8.1		2	12.1
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	2	17	326.2	1	4	603.6			197.9
Mumps									
Pertussis						1.6			1.3
Pneumococcal infection			3.8			4.9	1	1	8.1
Rubella (non-congenital)									
Varicella (chicken pox)		(5)	16.3			8.1		1 (1)	13.5
Varicella (shingles)	7	33 (24)	182.7		4 (7)	115.5		5 (9)	94.2
Varicella (unspecified)		1	0.5	6	11	91.1	1	2 (1)	35.0
Vector-borne diseases									
Barmah Forest virus			1.1		1 (1)	3.3			
Chikungunya			1.1						
Dengue fever		1	2.2						1.3
Malaria		1	1.1						
Murray Valley encephalitis virus									
Ross River virus		2 (6)	31.0		(2)	34.2		(2)	20.2
Typhus			2.2			8.1			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	88	12099.6		41	6725.7		49	5820.5
Creutzfeldt-Jakob disease									
Legionellosis		(1)	2.2			3.3			
Leprosy									1.3
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	10	72	265.8	10	39	637.8	1	13	152.1
Tuberculosis		(1)	2.2			3.3			
iGAS	1	1	4.3			6.5			5.4
Grand Total	45	332 (123)		29	143 (40)		13	118 (58)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									1.7
Hepatitis B (unspecified)		(1)	21.9		(1)	15.8	1	1 (1)	16.9
Hepatitis C (newly acquired)		1	1.7						1.7
Hepatitis C (unspecified)	1	3 (2)	55.6		1 (1)	27.7			33.8
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis	3	11 (5)	154.9	2	7 (7)	110.8	4	15 (5)	132.0
Cryptosporidiosis			8.4			11.9			18.6
Hepatitis A									
Listeriosis									
Rotavirus		1 (9)	5.1		1 (4)	15.8		(12)	13.5
STEC/VTEC infection		2 (1)	21.9			7.9			5.1
Salmonellosis	2	2 (1)	43.8		(4)	7.9		1 (5)	57.5
Shigellosis		(1)	13.5	2		27.7		1	22.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	18 (18)	407.5	3	30 (31)	534.2	12	39 (31)	568.5
Gonorrhoea	4	6 (4)	102.7	3	16 (18)	290.8	1	19 (24)	375.6
Syphilis (congenital)						2.0		1	3.4
Syphilis - Infectious		1 (1)	38.7		2 (1)	39.6	1	7 (9)	138.8
Syphilis - Non-Infectious		1	23.6		1 (1)	33.6		1 (6)	30.5
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									1.7
Influenza		2	710.6	1	4 (1)	643.0		4	994.9
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection	1	1	15.2		3 (3)	53.4		3 (1)	38.9
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	10.1		(3)	11.9		1 (1)	25.4
Varicella (shingles)	1	8 (3)	52.2		2 (7)	110.8	1	3 (6)	42.3
Varicella (unspecified)	3	3	97.7			4.0			
Vector-borne diseases									
Barmah Forest virus		(2)	1.7			4.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(3)	13.5		(3)	5.9		1	18.6
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19		45	7897.8		37	5492.4		47	10294.6
Creutzfeldt-Jakob disease									
Legionellosis		1 (1)	3.4			2.0			3.4
Leprosy							1	1	1.7
Melioidosis									
Meningococcal infection									1.7
Monkeypox virus									
RSV	5	39	377.2	1	14 (1)	589.6	5	26 (2)	326.6
Tuberculosis	1	1 (1)	3.4		2	5.9			
iGAS	1	1	16.8			13.8	1	2	33.8
Grand Total	28	147 (55)		10	122 (86)		27	173 (103)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (0)	0.2
Hepatitis B (unspecified)			34.9	10	36 (38)	14.7
Hepatitis C (newly acquired)				0	4 (6)	1.6
Hepatitis C (unspecified)		6	61.0	28	78 (70)	27.4
Hepatitis D				0	0 (1)	0.3
Enteric diseases						
Campylobacteriosis	1	5 (1)	116.2	96	390 (318)	130.2
Cryptosporidiosis		1 (2)	37.8	0	12 (6)	9.5
Hepatitis A				0	0 (0)	0.4
Listeriosis				0	0 (1)	0.2
Rotavirus		1	32.0	3	26 (168)	10.2
STEC/VTEC infection		1	32.0	8	18 (12)	6.9
Salmonellosis	1	4 (7)	145.3	17	79 (60)	29.6
Shigellosis		5 (2)	107.5	0	17 (5)	5.8
Typhoid				0	2 (0)	0.5
Vibrio parahaemolyticus				0	0 (28)	0.1
Yersiniosis				2	8 (3)	1.4
Sexually transmissible infections						
Chlamydia (genital)	6	48 (56)	1626.9	208	888 (907)	371.1
Gonorrhoea	5	38 (38)	1374.2	58	267 (258)	107.6
Syphilis (congenital)				0	1 (0)	0.1
Syphilis - Infectious		5 (15)	308.0	8	49 (62)	27.2
Syphilis - Non-Infectious			34.9	5	15 (18)	7.3
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
H. influenzae type b				0	0 (0)	0.0
Influenza		2	2504.3	64	308 (4)	507.5
Mumps				0	0 (0)	0.0
Pertussis				0	0 (4)	0.9
Pneumococcal infection		(1)	49.4	5	21 (14)	7.9
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		3 (2)	23.2	10	38 (53)	13.8
Varicella (shingles)	1	4 (4)	165.6	15	158 (227)	77.0
Varicella (unspecified)			2.9	64	228 (208)	83.8
Vector-borne diseases						
Barmah Forest virus			14.5	0	2 (3)	0.8
Chikungunya				0	0 (0)	0.3
Dengue fever				0	7 (0)	2.0
Malaria				0	7 (0)	1.2
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus		1 (2)	84.3	0	9 (42)	16.1
Typhus				0	1 (3)	0.6
Zoonotic diseases						
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			26.1	0	0 (1)	0.5
COVID-19		9	13959.5	1	3094 (8)	17418.3
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			5.8	0	5 (10)	2.0
Leprosy				1	1 (0)	0.1
Melioidosis			11.6	0	0 (0)	0.1
Meningococcal infection			8.7	0	0 (0)	0.6
Monkeypox virus				0	0 (0)	0.3
RSV	11	30	755.4	113	769 (5)	377.0
Tuberculosis				4	14 (10)	2.7
iGAS		1	61.0	6	22 (2)	6.8
Grand Total	25	164 (130)		726	6574 (2556)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 46	
	30/09	07/10	14/10	21/10	28/10	04/11	11/11	18/11	2022	2021
	Salmonella Total	12	15	24	24	20	20	22	17	791
Serotype/Phage										
Salmonella Aberdeen									1	2
Salmonella Agona						1			11	4
Salmonella Amsterdam									1	0
Salmonella Anatum							1		9	9
Salmonella Anatum var 15+				1					2	0
Salmonella Bareilly									2	3
Salmonella Bispebjerg									1	0
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans						1		1	9	5
Salmonella Braenderup									1	0
Salmonella Brandenburg									1	0
Salmonella Bredeney									1	1
Salmonella Cerro									1	3
Salmonella Chailey			1						1	1
Salmonella Chester				1	2		1		19	15
Salmonella Choleraesuis bv Australia	1								7	6
Salmonella Choleraesuis bv Decatur									7	9
Salmonella Corvallis									5	2
Salmonella Eastbourne									5	4
Salmonella Enteritidis		3	5	3	1	4		2	37	11
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	4
Salmonella Give									7	5
Salmonella Give var 15+		1							1	0
Salmonella Havana									3	3
Salmonella Hessarek									1	2
Salmonella Houten subsp IV									1	3
Salmonella Hvittingfoss			1				1		8	4
Salmonella Infantis		1				1			12	31
Salmonella Irumu									1	1
Salmonella Javiana									4	0
Salmonella Johannesburg									4	2
Salmonella Kentucky	1					2			6	1
Salmonella Kiambu		2							11	4
Salmonella Kinondoni							1		1	0
Salmonella Litchfield									3	4
Salmonella Mbandaka	1								1	1
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo									2	2
Salmonella Muenchen				1	1		1		17	16
Salmonella Newport		1	1				3	1	14	14
Salmonella Ohio									1	1
Salmonella Ohlstedt									3	1
Salmonella Oranienburg		1							17	10
Salmonella Orientalis									1	3
Salmonella Orion									8	9
Salmonella Orion var 15+									1	0

Weekly Report for period 24-SEP-22 to 18-NOV-22

	30/09	07/10	14/10	21/10	28/10	04/11	11/11	18/11	Cumulative Total to end of Week 46	
									2022	2021
Salmonella Total	12	15	24	24	20	20	22	17	791	792
Serotype/Phage										
Salmonella Paratyphi B bv Java		1	4	2	4	2	1		34	8
Salmonella Poona									3	6
Salmonella Potsdam			1						6	8
Salmonella Reading				1		1			13	6
Salmonella Rissen									3	4
Salmonella Rubislaw									4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1			2				1	37	38
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg									4	2
Salmonella Singapore									1	3
Salmonella Stanley					1		2		20	9
Salmonella Tennessee									3	4
Salmonella Thompson									1	1
Salmonella Typhimurium	3	1	3	10	8	5	7	3	250	424
Salmonella Virchow			1						20	27
Salmonella Wandsbek subsp II									2	3
Salmonella Wandsworth									1	2
Salmonella Welikade									3	3
Salmonella Weltevreden	1	1							10	2
Salmonella Worthington									2	0
Salmonella Zanzibar									1	3
Salmonella species	4	3	7	3	3	3	4	9	102	38
Salmonella subsp 1 ser 4,5:d:-									5	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									3	0
Salmonella subsp IIIb ser									1	0