



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 06-NOV-22 to 31-DEC-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 06-NOV-22 to 31-DEC-22

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 0			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	12/11	19/11	26/11	03/12	10/12	17/12	24/12	31/12	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				2			1		0	0	0	1	1.8	0.6
Hepatitis B (unspecified)	10	11	5	10	4	6	7	1	0	0	0	18	33.6	0.5
Hepatitis C (newly acquired)	3	3	2	1		1			0	0	0	1	8.3	0.1
Hepatitis C (unspecified)	15	23	19	12	11	14	11	15	0	0	0	51	67.7	0.8
Hepatitis D									0	0	0	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	118	105	96	95	106	94	81	38	0	0	0	319	294.1	1.1
Cryptosporidiosis	7	2	6	2	4	1	1	2	0	0	0	8	17.7	0.5
Hepatitis A			1		1		1		0	0	0	2	0.7	2.7
Listeriosis		1	1				1		0	0	0	1	0.5	1.9
Paratyphoid fever							1		0	0	0	1	0.3	3.0
Rotavirus	8	14	10	6	11	14	12	7	0	0	0	44	41.9	1.0
STEC/VTEC infection	5	8	4	5	5	10	8	5	0	0	0	28	10.5	2.7
Salmonellosis	26	26	28	32	35	23	17	11	0	0	0	86	142.1	0.6
Shigellosis	4	4	7	5	2	3	5	2	0	0	0	12	21.9	0.5
Typhoid	1		1			1			0	0	0	1	1.7	0.6
Vibrio parahaemolyticus			1						0	0	0	0	2.4	0.0
Yersiniosis	3	3	4	3		2	2	1	0	0	0	5	1.7	3.0
Sexually transmissible infections														
Chlamydia (genital)	226	242	196	214	255	217	171	49	0	0	0	692	840.3	0.8
Gonorrhoea	74	76	84	73	77	73	63	8	0	0	0	221	260.0	0.9
Syphilis (congenital)					1				0	0	0	1	0.2	5.0
Syphilis - Infectious	13	20	13	10	10	9	8		0	0	0	27	46.7	0.6
Syphilis - Non-Infectious	2	8	2	4	4	6	3		0	0	0	13	15.2	0.9
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.1	0.0
H. influenzae type b					1				0	0	0	1	0.2	5.0
Influenza	61	66	78	91	89	95	98	57	0	0	0	339	192.3	1.8
Mumps									0	0	0	0	1.1	0.0
Pertussis	1			1			1		0	0	0	1	44.9	0.0
Pneumococcal infection	7	4	3	3	4	2	3	3	0	0	0	12	12.7	0.9
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	11	15	5	8	9	12	4	1	0	0	0	26	45.5	0.6
Varicella (shingles)	43	35	53	45	55	34	17	8	0	0	0	114	186.2	0.6
Varicella (unspecified)	55	45	62	51	61	66	80	44	0	0	0	251	132.5	1.9
Vector-borne diseases														
Barmah Forest virus		1	2	1		1			0	0	0	1	1.8	0.6
Chikungunya	1		1						0	0	0	0	0.3	0.0
Dengue fever	1		3	4	3	3	1		0	0	0	7	10.0	0.7
Malaria	3			2	1	1	2		0	0	0	4	2.4	1.7
Murray Valley encephalitis virus									0	0	0	0	0.0	0.0
Ross River virus	5		2	2	1	2	2		0	0	0	5	54.7	0.1
Typhus									0	0	0	0	1.7	0.0
Zika virus		1							0	0	0	0	0.0	0.0
Zoonotic diseases														
Leptospirosis				1					0	0	0	0	0.5	0.0
Q Fever					2				0	0	0	2	0.5	3.8
Other diseases														
Acute post-streptococcal glomerulonephritis			1						0	0	0	0	0.9	0.0
COVID-19	101	11	14	4	4	3	2		0	0	0	9	38.1	0.2
Creutzfeldt-Jakob disease									0	0	0	0	0.6	0.0
Legionellosis	2	1		2					0	0	0	0	3.9	0.0
Leprosy		1			1				0	0	0	1	0.1	15.0
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection			1		1		1		0	0	0	2	2.4	0.8
Monkeypox virus									0	0	0	0	0.0	0.0
RSV	190	120	79	86	78	79	52	34	0	0	0	243	75.5	3.2
Tuberculosis	7	2	2	5	3	1	1		0	0	0	5	9.3	0.5
iGAS	7	5	7	6	5	4	12	4	0	0	0	25	1.9	13.4
Grand Total	1010	853	793	786	844	777	668	291						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 0			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	12/11	19/11	26/11	03/12	10/12	17/12	24/12	31/12	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1					0	0	0	0	1.4	0.0
Hepatitis B (unspecified)	10	8	3	9	3	4	5		0	0	0	12	26.3	0.5
Hepatitis C (newly acquired)	2	3	1	1		1			0	0	0	1	6.7	0.1
Hepatitis C (unspecified)	10	17	12	7	9	10	9	5	0	0	0	33	48.9	0.7
Hepatitis D									0	0	0	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	78	79	73	67	80	74	64	29	0	0	0	247	232.3	1.1
Cryptosporidiosis	3		3		1		1	1	0	0	0	3	12.5	0.2
Hepatitis A					1		1		0	0	0	2	0.7	2.7
Listeriosis			1				1		0	0	0	1	0.5	2.1
Paratyphoid fever							1		0	0	0	1	0.3	3.0
Rotavirus	5	10	7	6	8	11	11	6	0	0	0	36	35.9	1.0
STEC/VTEC infection	3	5	2	1	3	5	4	2	0	0	0	14	8.1	1.7
Salmonellosis	23	17	20	24	22	14	11	7	0	0	0	54	108.9	0.5
Shigellosis	1	4	5	2	1	2	3		0	0	0	6	11.7	0.5
Typhoid	1		1			1			0	0	0	1	1.5	0.7
Vibrio parahaemolyticus			1						0	0	0	0	2.1	0.0
Yersiniosis	1	3	3	3		2	1	1	0	0	0	4	1.6	2.5
Sexually transmissible infections														
Chlamydia (genital)	171	183	157	160	207	173	137	41	0	0	0	558	658.1	0.8
Gonorrhoea	56	54	58	48	52	53	52	4	0	0	0	161	172.0	0.9
Syphilis (congenital)					1				0	0	0	1	0.1	7.5
Syphilis - Infectious	11	12	7	6	8	7	5		0	0	0	20	28.9	0.7
Syphilis - Non-Infectious		5	1	2	2	3	3		0	0	0	8	10.8	0.7
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.1	0.0
Influenza	57	57	72	74	73	80	81	45	0	0	0	279	143.5	1.9
Pertussis				1					0	0	0	0	32.7	0.0
Pneumococcal infection	2	2	2	3	1	2	2	3	0	0	0	8	7.1	1.1
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	11	14	4	6	6	10	2		0	0	0	18	35.3	0.5
Varicella (shingles)	28	19	36	29	29	22	2		0	0	0	53	134.8	0.4
Varicella (unspecified)	52	39	58	46	59	64	75	40	0	0	0	238	128.2	1.9
Vector-borne diseases														
Barmah Forest virus				1		1			0	0	0	1	0.4	2.5
Chikungunya	1		1						0	0	0	0	0.3	0.0
Dengue fever	1		3	4	3	3	1		0	0	0	7	8.9	0.8
Malaria	2			2	1	1	1		0	0	0	3	2.0	1.5
Ross River virus	3			1		1	2		0	0	0	3	31.3	0.1
Typhus									0	0	0	0	0.9	0.0
Zika virus		1							0	0	0	0	0.0	0.0
Zoonotic diseases														
Q Fever					2				0	0	0	2	0.2	10.0
Other diseases														
Acute post-streptococcal glomerulonephritis									0	0	0	0	0.0	0.0
COVID-19	88	8	12						0	0	0	0	28.1	0.0
Creutzfeldt-Jakob disease									0	0	0	0	0.5	0.0
Legionellosis	2	1		2					0	0	0	0	3.1	0.0
Leprosy					1				0	0	0	1	0.1	15.0
Meningococcal infection					1			1	0	0	0	2	1.5	1.3
Monkeypox virus									0	0	0	0	0.0	0.0
RSV	132	74	49	52	34	34	30	22	0	0	0	120	52.6	2.3
Tuberculosis	4	2	1	5	2				0	0	0	2	8.2	0.2
iGAS	6	3	5	5	3	2	8	4	0	0	0	17	1.1	15.9
Grand Total	764	620	598	568	613	580	513	211						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1						0.5
Hepatitis B (unspecified)		4 (7)	12.6		3 (6)	12.5		5 (6)	23.6
Hepatitis C (newly acquired)		(1)	0.7			3.3		1 (2)	2.8
Hepatitis C (unspecified)		4 (12)	14.4	2	12 (23)	30.0	3	17 (18)	34.4
Hepatitis D		(1)	0.4			0.3			
Enteric diseases									
Campylobacteriosis	9	91 (71)	139.6	10	79 (62)	151.1	10	77 (74)	141.7
Cryptosporidiosis	1	2 (2)	9.6		1 (4)	4.9		(4)	11.9
Hepatitis A			0.1		2	0.4			1.1
Listeriosis			0.5			0.3		1	0.3
Paratyphoid fever					1	0.1			
Rotavirus	1	12 (30)	10.6	3	14 (22)	13.6	2	10 (33)	14.4
STEC/VTEC infection	1	4 (1)	4.5	1	3	5.5		7 (3)	7.3
Salmonellosis		15 (19)	31.1	6	23 (17)	32.5	1	16 (12)	32.0
Shigellosis		(1)	3.9		3 (4)	4.0		3	5.0
Typhoid			0.3			0.7		1	0.9
Vibrio parahaemolyticus			0.1					(2)	0.5
Yersiniosis	1	2 (1)	1.9		2 (5)	3.3			0.9
Sexually transmissible infections									
Chlamydia (genital)	11	168 (153)	357.5	18	192 (171)	381.8	12	198 (232)	461.5
Gonorrhoea	1	42 (37)	77.2	3	47 (24)	86.8		72 (56)	134.1
Syphilis (congenital)								1	0.1
Syphilis - Infectious		8 (11)	17.5		3 (10)	18.0		9 (16)	34.7
Syphilis - Non-Infectious		3 (3)	5.4		3 (3)	4.5		2 (1)	7.6
Vaccine preventable diseases									
Diphtheria						0.1			
H. influenzae type b									
Influenza	12	117	504.3	18	67 (1)	451.9	15	95 (1)	509.0
Mumps									
Pertussis		(1)	0.9			1.2		(1)	0.7
Pneumococcal infection		2 (6)	4.6	2	4 (1)	5.8	1	2 (2)	7.0
Rubella (non-congenital)									0.1
Varicella (chicken pox)		3 (9)	16.0		7 (18)	16.3		8 (17)	12.6
Varicella (shingles)		18 (44)	75.3		13 (49)	76.1		22 (49)	64.5
Varicella (unspecified)	18	89 (66)	114.0	9	66 (70)	118.0	13	83 (56)	104.7
Vector-borne diseases									
Barmah Forest virus			0.1		(1)	0.7		1	0.4
Chikungunya			0.4			0.6			0.1
Dengue fever		3	2.7		4	3.0			2.6
Malaria		2	2.3		1	1.0			1.2
Murray Valley encephalitis virus									
Ross River virus		1 (6)	6.8		2 (16)	19.1		(19)	14.4
Typhus						0.1			0.7
Zika virus						0.1			
Zoonotic diseases									
Leptospirosis									
Q Fever					1	0.3		1	0.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1			0.1
COVID-19		(5)	19947.0		(11)	17999.9		(16)	19303.4
Creutzfeldt-Jakob disease			0.1			0.1		(2)	0.3
Legionellosis		(4)	3.4			1.3		(2)	1.4
Leprosy								1	0.3
Melioidosis									
Meningococcal infection			0.5	1	1	0.9		1 (2)	0.4
Monkeypox virus			0.3						0.7
RSV	11	50 (54)	436.0	7	34 (94)	422.2	4	36 (105)	442.5
Tuberculosis		1 (1)	4.2		1 (4)	1.9		(11)	4.9
iGAS	2	6 (5)	6.4	1	4 (1)	5.7	1	7 (1)	7.0
Grand Total	68	647 (551)		81	593 (617)		62	677 (743)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.1						
Hepatitis B (unspecified)		(1)	6.0		2	8.1		(2)	6.7
Hepatitis C (newly acquired)			2.2			8.1			1.3
Hepatitis C (unspecified)	2	6 (2)	27.7		1 (3)	53.7	2	4 (1)	31.0
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis	5	37 (35)	189.7	2	8 (5)	185.5	1	8 (10)	165.6
Cryptosporidiosis		(7)	12.5		(1)	14.6			2.7
Hepatitis A			1.1						
Listeriosis									
Paratyphoid fever									
Rotavirus		4 (5)	9.2		(1)	4.9		1 (2)	13.5
STEC/VTEC infection	1	4	14.1		2	21.1			17.5
Salmonellosis		10 (3)	40.8		5	32.5		2	31.0
Shigellosis			1.1			1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis		1	1.6			3.3			4.0
Sexually transmissible infections									
Chlamydia (genital)	1	33 (26)	265.8	2	8 (16)	227.8		9 (10)	230.2
Gonorrhoea	2	11 (4)	32.1		(1)	29.3	1	1 (2)	40.4
Syphilis (congenital)									
Syphilis - Infectious		(2)	6.5		(2)	9.8			6.7
Syphilis - Non-Infectious		1	6.0			9.8			13.5
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b					1	1.6			
Influenza	2	14 (1)	337.6	1	11	628.0		2	200.6
Mumps									
Pertussis			0.5		1	3.3			1.3
Pneumococcal infection		1 (1)	4.9			6.5			8.1
Rubella (non-congenital)									
Varicella (chicken pox)		3 (2)	19.0		1 (3)	11.4	1	2	16.2
Varicella (shingles)	4	30 (29)	207.7	1	7 (8)	143.2	1	5 (4)	109.1
Varicella (unspecified)					1	86.2	2	7 (1)	44.4
Vector-borne diseases									
Barmah Forest virus		(3)	1.1			4.9			1.3
Chikungunya			1.1						
Dengue fever			2.2						1.3
Malaria			1.1						
Murray Valley encephalitis virus									
Ross River virus		1 (9)	32.6		(8)	34.2		(5)	21.5
Typhus		(1)	2.2		(1)	8.1			
Zika virus									
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		3 (1)	12103.9		1 (1)	6730.6		1	5823.2
Creutzfeldt-Jakob disease									
Legionellosis		(2)	2.2			3.3			
Leprosy									1.3
Melioidosis									
Meningococcal infection			0.5						
Monkeypox virus									
RSV		4 (30)	285.4		17 (4)	693.1	1	9 (6)	184.5
Tuberculosis		(1)	2.2			3.3			
iGAS		(1)	4.9		(1)	6.5			5.4
Grand Total	17	164 (166)		6	66 (55)		9	51 (43)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									1.7
Hepatitis B (unspecified)		1 (3)	23.6		1	15.8		1 (1)	20.3
Hepatitis C (newly acquired)			3.4			2.0			1.7
Hepatitis C (unspecified)	1	1 (4)	55.6	1	1 (2)	25.7	3	3 (4)	42.3
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis		1 (7)	166.7	1	5 (3)	122.7		1 (8)	147.2
Cryptosporidiosis		(1)	8.4			11.9		(1)	20.3
Hepatitis A									
Listeriosis									1.7
Paratyphoid fever									
Rotavirus		(3)	5.1		1 (3)	19.8		(2)	20.3
STEC/VTEC infection		3	32.0		2	11.9			5.1
Salmonellosis		3 (2)	50.5	1	1 (4)	11.9		1 (5)	60.9
Shigellosis		1	15.2		(2)	29.7		(2)	22.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		16 (18)	439.5		13 (13)	591.6	2	20 (18)	643.0
Gonorrhoea	1	5 (6)	117.9		6 (11)	334.4		6 (17)	404.4
Syphilis (congenital)						2.0			3.4
Syphilis - Infectious		1 (1)	43.8		(2)	43.5		4 (8)	157.4
Syphilis - Non-Infectious			25.3		1 (2)	33.6		3 (2)	33.8
Vaccine preventable diseases									
Diphtheria									1.7
H. influenzae type b									
Influenza	1	2	720.7	1	2	649.0	1	8	1013.6
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection			15.2			53.4		(2)	38.9
Rubella (non-congenital)									
Varicella (chicken pox)		1 (2)	13.5		1	15.8			25.4
Varicella (shingles)		6 (7)	62.3		1 (9)	124.6		5 (3)	54.1
Varicella (unspecified)	1	1 (1)	106.1			5.9			
Vector-borne diseases									
Barmah Forest virus			1.7			5.9			1.7
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(2)	13.5		1 (1)	7.9		(1)	18.6
Typhus									
Zika virus									
Zoonotic diseases									
Leptospirosis									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19		3	7904.5		(1)	5494.3			10294.6
Creutzfeldt-Jakob disease									
Legionellosis			1.7			2.0			3.4
Leprosy									1.7
Melioidosis									
Meningococcal infection									1.7
Monkeypox virus									
RSV	2	30 (17)	533.8		1 (2)	599.5	5	27 (62)	385.8
Tuberculosis		1 (1)	5.1		1	7.9			
iGAS			18.5		1	15.8		2	37.2
Grand Total	6	76 (75)		4	39 (55)		11	81 (136)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.0
Hepatitis B (unspecified)		(2)	34.9	1	18 (29)	0.0
Hepatitis C (newly acquired)				0	1 (3)	0.0
Hepatitis C (unspecified)		1 (3)	66.8	15	51 (73)	0.0
Hepatitis D				0	0 (2)	0.0
Enteric diseases						
Campylobacteriosis		6 (3)	136.5	38	319 (280)	0.0
Cryptosporidiosis	1	5 (1)	66.8	2	8 (21)	0.0
Hepatitis A				0	2 (0)	0.0
Listeriosis				0	1 (0)	0.0
Paratyphoid fever				0	1 (0)	0.0
Rotavirus		(1)	32.0	7	44 (103)	0.0
STEC/VTEC infection	2	3	46.5	5	28 (5)	0.0
Salmonellosis	1	7 (6)	177.2	11	86 (69)	0.0
Shigellosis	2	5	136.5	2	12 (9)	0.0
Typhoid				0	1 (0)	0.0
Vibrio parahaemolyticus				0	0 (2)	0.0
Yersiniosis				1	5 (6)	0.0
Sexually transmissible infections						
Chlamydia (genital)	3	26 (32)	1798.3	49	692 (696)	0.0
Gonorrhoea		29 (29)	1539.8	8	221 (188)	0.0
Syphilis (congenital)				0	1 (0)	0.0
Syphilis - Infectious		2 (12)	331.2	0	27 (66)	0.0
Syphilis - Non-Infectious		(2)	43.6	0	13 (13)	0.0
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
H. influenzae type b				0	1 (0)	0.0
Influenza	2	7 (1)	2536.2	57	339 (4)	0.0
Mumps				0	0 (0)	0.0
Pertussis				0	1 (2)	0.0
Pneumococcal infection		3 (1)	58.1	3	12 (13)	0.0
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)			23.2	1	26 (51)	0.0
Varicella (shingles)		4 (3)	183.0	8	114 (206)	0.0
Varicella (unspecified)			2.9	44	251 (195)	0.0
Vector-borne diseases						
Barmah Forest virus			17.4	0	1 (4)	0.0
Chikungunya				0	0 (0)	0.0
Dengue fever				0	7 (0)	0.0
Malaria				0	4 (1)	0.0
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus			84.3	0	5 (67)	0.0
Typhus				0	0 (3)	0.0
Zika virus				0	0 (0)	0.0
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	2 (1)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			29.1	0	0 (0)	0.0
COVID-19			13962.4	0	9 (51)	0.0
Creutzfeldt-Jakob disease				0	0 (2)	0.0
Legionellosis			5.8	0	0 (8)	0.0
Leprosy				0	1 (0)	0.0
Melioidosis			11.6	0	0 (0)	0.0
Meningococcal infection			8.7	1	2 (2)	0.0
Monkeypox virus				0	0 (0)	0.0
RSV	2	28 (4)	877.4	34	243 (383)	0.0
Tuberculosis				0	5 (19)	0.0
iGAS		3 (2)	72.6	4	25 (11)	0.0
Grand Total	13	129 (102)		291	2580 (2588)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 0	
	12/11	19/11	26/11	03/12	10/12	17/12	24/12	31/12	2022	2021
	Salmonella Total	26	26	28	32	35	23	17	11	957
Serotype/Phage										
Salmonella Aberdeen									1	2
Salmonella Abony				1					1	0
Salmonella Adelaide			1						1	14
Salmonella Agona				4					15	5
Salmonella Amsterdam									1	0
Salmonella Anatum	2			1					11	9
Salmonella Anatum var 15+									2	0
Salmonella Bareilly		1			1				4	4
Salmonella Bispebjerg									1	0
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans		1				1			11	5
Salmonella Braenderup									1	2
Salmonella Brandenburg					1	1			3	0
Salmonella Bredeney									1	1
Salmonella Cerro									1	4
Salmonella Chailey									1	1
Salmonella Chester	1		2	2	2	3	3	1	33	17
Salmonella Choleraesuis bv Australia									7	6
Salmonella Choleraesuis bv Decatur								1	8	9
Salmonella Corvallis					1				6	2
Salmonella Eastbourne									5	4
Salmonella Enteritidis	2	2	1	2		1			43	11
Salmonella Essen									0	1
Salmonella Fremantle subsp II									1	4
Salmonella Give						1			8	7
Salmonella Give var 15+									1	1
Salmonella Havana									3	3
Salmonella Hessarek									1	2
Salmonella Houten subsp IV									1	3
Salmonella Hvittingfoss	1	1							9	5
Salmonella Infantis			1						13	34
Salmonella Irumu									1	1
Salmonella Javiana			1						5	0
Salmonella Johannesburg									4	3
Salmonella Kentucky			1	1					8	1
Salmonella Kiambu									11	4
Salmonella Kinondoni	1								1	0
Salmonella Lansing						1			1	1
Salmonella Litchfield						1			4	4
Salmonella Mbandaka									1	1
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo									2	2
Salmonella Mountpleasant	1								1	0
Salmonella Muenchen					1	2			20	18
Salmonella Newport	2	1					1		15	17
Salmonella Ohio		1							2	1
Salmonella Ohlstedt			1						4	1

Weekly Report for period 06-NOV-22 to 31-DEC-22

	12/11	19/11	26/11	03/12	10/12	17/12	24/12	31/12	Cumulative Total to end of Week 0	
									2022	2021
Salmonella Total	26	26	28	32	35	23	17	11	957	906
Serotype/Phage										
Salmonella Oranienburg					1	1			19	11
Salmonella Orientalis									1	3
Salmonella Orion									8	10
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	2	1	1		1	1			39	9
Salmonella Poona					1				4	10
Salmonella Potsdam				1					7	10
Salmonella Reading			1						14	6
Salmonella Rissen									3	4
Salmonella Rubislaw									4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul		1	2	1	1	1	1		43	46
Salmonella Schwarzengrund	1								2	0
Salmonella Senftenberg									4	2
Salmonella Singapore							1		2	3
Salmonella Stanley	2								20	12
Salmonella Tennessee									3	4
Salmonella Thompson					1				2	1
Salmonella Typhimurium	6	9	10	15	15	3	2		301	473
Salmonella Virchow			1						21	29
Salmonella Wandsbek subsp II									2	5
Salmonella Wandsworth									1	2
Salmonella Welikade									3	3
Salmonella Weltevreden				1					11	2
Salmonella Worthington									2	0
Salmonella Zanzibar									1	3
Salmonella species	5	8	5	3	9	5	10	9	145	42
Salmonella subsp 1 ser 4,5:d:-									5	1
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									3	0
Salmonella subsp IIIb ser									1	0