



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-FEB-17 to 08-APR-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1					2	3	9	0	2.3	0.0
Hepatitis B (unspecified)	14	10	10	17	10	14	17	10	158	132	144	51	53.0	1.0
Hepatitis C (newly acquired)		5	5	1	2	1	4	5	39	37	40	12	9.4	1.3
Hepatitis C (unspecified)	24	27	28	20	21	23	31	23	320	272	275	98	82.5	1.2
Hepatitis D	2					1			3	0	0	1	0.1	15.0
Enteric diseases														
Campylobacteriosis	65	66	63	59	69	55	49	41	937	811	772	214	175.7	1.2
Cryptosporidiosis	18	16	24	23	25	20	20	12	253	97	126	77	34.1	2.3
Hepatitis A		1			1	1	1		6	6	10	3	1.7	1.8
Hepatitis E									1	1	2	0	0.2	0.0
Listeriosis									1	1	1	0	0.6	0.0
Paratyphoid fever		1							3	8	5	0	1.3	0.0
Rotavirus	4	11	3	4	10	8	11	4	104	52	90	33	18.5	1.8
STEC/VTEC infection	2	2	1		1	1	2		18	7	0	4	0.3	12.0
Salmonellosis	62	56	61	93	88	65	72	53	970	689	599	278	141.4	2.0
Shigellosis	7	3	4	3	3	2	2	2	46	29	47	9	5.8	1.6
Typhoid	1								1	2	4	0	0.9	0.0
Vibrio parahaemolyticus	1			1	2	1			7	12	5	3	1.3	2.3
Yersiniosis				1	1				2	4	12	1	0.9	1.1
Sexually transmissible infections														
Chlamydia (genital)	264	255	276	234	212	266	245	195	3467	3388	3215	918	933.4	1.0
Gonorrhoea	92	77	90	67	89	68	75	45	1085	841	567	277	183.9	1.5
Syphilis - Infectious	7	10	8	7	11	12	6	5	105	95	31	34	9.7	3.5
Syphilis - Non-Infectious	4	1	1	1	1	4	4	5	39	16	22	14	6.6	2.1
Vaccine preventable diseases														
Influenza	28	31	25	21	31	37	41	23	440	564	592	132	136.9	1.0
Measles			1	3					11	0	2	0	0.7	0.0
Mumps			1				1		8	316	11	1	19.1	0.1
Pertussis	29	13	20	20	17	13	6	3	278	451	406	39	141.3	0.3
Pneumococcal infection	4	3	1	4		1	3	1	27	21	23	5	10.1	0.5
Rubella (non-congenital)							2		2	0	0	2	0.1	15.0
Varicella (chicken pox)	7	19	12	18	15	15	9	3	168	125	94	42	26.3	1.6
Varicella (shingles)	35	45	37	30	31	25	24	10	463	459	384	90	104.5	0.9
Varicella (unspecified)	41	39	31	40	43	38	45	41	515	438	395	167	100.7	1.7
Vector-borne diseases														
Arboviral encephalitis						1			1	7	1	1	0.3	3.8
Barmah Forest virus	1	3			1	1	3		13	4	12	5	37.3	0.1
Chikungunya	1								4	1	6	0	1.5	0.0
Dengue fever	2	5	4	5	6	2	5	4	76	227	306	17	62.3	0.3
Malaria	2	5	1	2			2	1	24	17	14	3	2.9	1.0
Ross River virus	26	31	45	47	41	37	45	38	520	142	412	161	140.9	1.1
Schistosomiasis	9	5	5	12	8	1	5	3	89	42	47	17	10.1	1.7
Typhus		1	1	1					11	9	6	1	2.1	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis					1				2	0	0	1	0.3	3.8
Q Fever			2						4	5	1	0	1.1	0.0
Other diseases														
Haemolytic Uraemic Syndrome						1			2	0	0	1	0.0	0.0
Legionellosis				2			2		10	10	22	2	4.7	0.4
Leprosy			1						1	1	0	0	0.1	0.0
Melioidosis					1			1	3	1	2	2	0.7	3.0
Meningococcal infection	1		3			1		1	9	3	3	2	1.0	2.0
Tuberculosis	4	1	7	1	2	4	3	2	33	33	39	11	9.5	1.2
Grand Total	757	742	771	738	743	719	735	532						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1					1	3	6	0	2.1	0.0
Hepatitis B (unspecified)	11	7	9	14	10	11	13	8	132	108	117	42	36.9	1.1
Hepatitis C (newly acquired)		4	4	1	2	1	2	4	29	31	28	9	7.7	1.2
Hepatitis C (unspecified)	16	20	21	16	13	18	17	18	232	195	202	66	57.5	1.1
Hepatitis D	1					1			2	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	54	52	51	45	59	45	40	31	763	649	597	175	136.2	1.3
Cryptosporidiosis	14	15	19	18	19	13	9	9	192	64	43	50	19.3	2.6
Hepatitis A		1				1	1		5	5	9	2	1.3	1.6
Hepatitis E									1	1	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.5	0.0
Paratyphoid fever		1							3	7	5	0	1.2	0.0
Rotavirus	2	4	2	4	5	5	3	2	67	46	74	15	15.1	1.0
STEC/VTEC infection	1	2	1			1	2		9	2	0	3	0.1	22.5
Salmonellosis	47	44	50	70	62	49	56	35	753	521	421	202	101.5	2.0
Shigellosis	2	1	1	1		1	1		9	19	22	2	3.2	0.6
Typhoid	1								1	2	4	0	0.6	0.0
Vibrio parahaemolyticus	1			1	2	1			7	12	4	3	1.1	2.6
Yersiniosis				1	1				2	3	11	1	0.7	1.5
Sexually transmissible infections														
Chlamydia (genital)	204	209	216	183	166	201	193	156	2704	2582	2459	716	701.6	1.0
Gonorrhoea	60	45	52	48	64	46	50	33	712	567	361	193	103.5	1.9
Syphilis - Infectious	5	7	5	6	8	6	4	4	73	79	19	22	8.2	2.7
Syphilis - Non-Infectious	4	1	1	1		4	4	5	34	12	19	13	4.4	3.0
Vaccine preventable diseases														
Influenza	22	24	19	18	23	32	33	19	357	465	475	107	100.0	1.1
Measles			1	2					10	0	2	0	0.7	0.0
Mumps			1				1		7	5	4	1	1.8	0.6
Pertussis	24	12	16	16	13	13	6	2	229	314	319	34	110.4	0.3
Pneumococcal infection	4	2	1	3		1	2		21	6	11	3	4.7	0.6
Rubella (non-congenital)							2		2	0	0	2	0.1	30.0
Varicella (chicken pox)	5	8	8	14	12	12	8	2	116	97	74	34	19.4	1.8
Varicella (shingles)	23	32	26	26	23	16	16	5	332	346	304	60	80.8	0.7
Varicella (unspecified)	37	37	29	38	39	35	40	38	475	367	341	152	85.7	1.8
Vector-borne diseases														
Arboviral encephalitis						1			1	6	1	1	0.3	3.8
Barmah Forest virus									2	2	3	0	27.9	0.0
Chikungunya	1								2	1	5	0	1.5	0.0
Dengue fever	2	5	4	5	4		5	3	63	190	249	12	51.4	0.2
Malaria	2	4		2			2	1	21	14	12	3	2.6	1.2
Ross River virus	11	16	16	13	16	11	11	17	213	83	291	55	79.7	0.7
Schistosomiasis	9	5	5	12	8	1	5	3	88	40	44	17	9.8	1.7
Typhus			1	1					5	6	4	0	1.2	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever			1						2	1	0	0	0.5	0.0
Other diseases														
Haemolytic Uraemic Syndrome						1			2	0	0	1	0.0	0.0
Legionellosis				2			2		8	6	15	2	3.7	0.5
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection	1		3					1	8	2	0	1	0.6	1.7
Tuberculosis	4	1	6	1	2	4	2	2	31	26	29	10	7.3	1.4
Grand Total	568	559	569	563	551	531	530	398						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									0.1
Hepatitis B (unspecified)	1	13 (10)	5.3	3	16 (8)	5.8	4	13 (10)	7.3
Hepatitis C (newly acquired)	2	4 (1)	0.9	2	2 (7)	1.9		3 (3)	1.2
Hepatitis C (unspecified)	5	20 (18)	7.0	3	16 (21)	10.7	10	30 (26)	14.7
Hepatitis D			0.1		1	0.1			
Enteric diseases									
Campylobacteriosis	14	61 (56)	38.5	7	48 (65)	32.9	10	66 (55)	34.2
Cryptosporidiosis	3	14 (7)	5.5	4	25 (9)	13.9	2	11 (6)	7.7
Hepatitis A							2		0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3						0.1
Rotavirus	1	7 (7)	3.0		1 (4)	2.8	1	7 (4)	3.4
STEC/VTEC infection		1	0.5		1	0.3		1	0.4
Salmonellosis	11	73 (50)	31.6	14	71 (53)	39.1	10	58 (44)	34.3
Shigellosis		(1)	0.1		1 (1)	0.4		1	0.7
Typhoid						0.1			
Vibrio parahaemolyticus		(1)	0.3		3 (2)	0.6		(3)	0.1
Yersiniosis		1	0.3						
Sexually transmissible infections									
Chlamydia (genital)	39	222 (219)	116.1	51	226 (247)	125.5	66	268 (261)	134.2
Gonorrhoea	7	54 (50)	25.9	11	60 (54)	32.1	15	79 (69)	41.1
Syphilis - Infectious	1	8 (7)	2.5		1 (3)	1.8	3	13 (10)	5.8
Syphilis - Non-Infectious		3	0.9		3 (2)	1.2	5	7	2.6
Vaccine preventable diseases									
Influenza	9	41 (52)	17.5	4	32 (41)	17.6	6	34 (36)	14.5
Measles						1.2			0.3
Mumps			0.1			0.1		1 (1)	0.7
Pertussis	2	15 (14)	12.8		9 (23)	9.2		10 (14)	9.6
Pneumococcal infection		1	0.5		1 (1)	0.4		1 (1)	1.9
Rubella (non-congenital)		2	0.3						
Varicella (chicken pox)	1	9 (9)	5.0	1	17 (9)	6.2		8 (17)	5.0
Varicella (shingles)	2	21 (34)	16.8		19 (27)	15.4	3	20 (18)	13.8
Varicella (unspecified)	13	54 (33)	22.6	9	40 (31)	21.8	16	58 (26)	21.5
Vector-borne diseases									
Arboviral encephalitis								1	0.1
Barmah Forest virus						0.3			
Chikungunya						0.3			
Dengue fever	1	3 (19)	2.4	2	6 (28)	3.3		3 (25)	3.2
Malaria	1	2	0.9			0.6		1	1.4
Ross River virus	2	12 (3)	6.4	5	23 (17)	13.6	10	20 (10)	9.9
Schistosomiasis		6 (7)	6.0		1 (1)	1.6	3	10 (3)	4.3
Typhus			0.3		(2)	0.3		(1)	0.1
Zoonotic diseases									
Psittacosis									
Q Fever						0.3			
Other diseases									
Haemolytic Uraemic Syndrome		1	0.1						0.1
Legionellosis		1	0.7			0.3		1 (1)	0.1
Leprosy									
Melioidosis					(1)	0.3			
Meningococcal infection			0.4				1	1	0.4
Tuberculosis	2	7 (2)	1.7			1.2		3	1.4
Grand Total	117	656 (600)		116	623 (657)		165	731 (644)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)	1	1 (1)	2.2			1.6	1	3 (2)	8.9
Hepatitis C (newly acquired)				1	3	9.7			1.3
Hepatitis C (unspecified)	1	7 (5)	10.3	2	7 (4)	21.0	1	5 (8)	19.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	13 (14)	33.0		5 (6)	30.7	2	4	38.0
Cryptosporidiosis	1	2 (1)	3.8			1.6	1	3 (2)	10.1
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	4.3			1.6	1	1 (2)	5.1
STEC/VTEC infection			2.2			1.6			
Salmonellosis	6	16 (14)	22.7	1	5 (7)	25.9	3	6 (1)	25.3
Shigellosis		(2)	1.1					1	3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	9	38 (31)	86.0	3	11 (12)	85.6	3	15 (17)	67.0
Gonorrhoea		3 (5)	11.4		1	8.1		(1)	11.4
Syphilis - Infectious		(1)	0.5			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza		5 (8)	7.6	1	4 (3)	14.5		2 (2)	11.4
Measles									1.3
Mumps									
Pertussis	1	1 (7)	10.8		2 (6)	21.0		(2)	1.3
Pneumococcal infection									
Rubella (non-congenital)									
Varicella (chicken pox)		3	9.7			9.7		(2)	1.3
Varicella (shingles)	3	12 (6)	28.1		4 (8)	25.9		4 (1)	22.8
Varicella (unspecified)		2 (16)	4.3		1	4.8			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus		1	1.1			1.6			
Chikungunya			0.5						
Dengue fever		(8)	1.1		1 (2)	1.6		1	2.5
Malaria									1.3
Ross River virus	1	16 (7)	46.5		4 (2)	38.8	4	10 (2)	29.1
Schistosomiasis			0.5						
Typhus						1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever					(1)	1.6		(1)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis						1.6			
Grand Total	27	121 (126)		8	48 (51)		16	55 (43)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (1)	5.7		2 (1)	6.5	1		4.3
Hepatitis C (newly acquired)		(1)	2.9						1.4
Hepatitis C (unspecified)		5 (1)	22.9	1	2 (5)	11.3	1 (3)		4.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	4 (6)	27.2	1	4 (5)	27.5	4 (4)		13.0
Cryptosporidiosis	1	7 (1)	15.7		7 (1)	19.4	4 (5)		15.9
Hepatitis A					1	1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus			5.7		6	13.0	1	10 (1)	14.5
STEC/VTEC infection			2.9		1	1.6			
Salmonellosis	3	13 (5)	45.8	1	6 (5)	34.0	2	7 (9)	42.0
Shigellosis	2	6	35.8			1.6			7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	30 (29)	124.4	7	30 (34)	152.3	5	30 (30)	153.7
Gonorrhoea	2	6 (6)	40.0	3	19 (10)	108.6		17 (13)	98.6
Syphilis - Infectious									
Syphilis - Non-Infectious						3.2			1.4
Vaccine preventable diseases									
Influenza	2	5 (3)	14.3		3 (1)	17.8		(5)	5.8
Measles								(12)	1.4
Mumps									
Pertussis		1 (2)	2.9		(2)	4.9	1		13.0
Pneumococcal infection			1.4			1.6		(5)	1.4
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	1.4		1	1.6	1	3	21.7
Varicella (shingles)		(1)	5.7	1	4 (4)	24.3		1 (3)	11.6
Varicella (unspecified)	1	7 (6)	27.2		2	3.2	1	2 (1)	2.9
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus								2	4.3
Chikungunya						1.6			
Dengue fever		1 (2)	1.4		(3)	1.6	1	2 (1)	2.9
Malaria						1.6			1.4
Ross River virus	2	6 (1)	11.4	5	27 (1)	68.1	3	16 (1)	52.2
Schistosomiasis									
Typhus		(2)	1.4			1.6			
Zoonotic diseases									
Psittacosis		1	2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(2)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection								1	1.4
Tuberculosis								1	1.4
Grand Total	20	94 (71)		19	115 (72)		14	103 (93)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (0)	0.1
Hepatitis B (unspecified)		(3)	7.4	10	51 (36)	5.8
Hepatitis C (newly acquired)				5	12 (12)	1.4
Hepatitis C (unspecified)		5 (5)	37.2	23	98 (96)	11.7
Hepatitis D			2.5	0	1 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (2)	12.4	41	214 (216)	34.3
Cryptosporidiosis		4 (2)	27.3	12	77 (34)	9.3
Hepatitis A				0	3 (1)	0.2
Hepatitis E				0	0 (1)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (0)	0.1
Rotavirus				4	33 (18)	3.8
STEC/VTEC infection			2.5	0	4 (1)	0.7
Salmonellosis	1	13 (11)	94.2	53	278 (203)	35.6
Shigellosis				2	9 (4)	1.7
Typhoid				0	0 (0)	0.0
Vibrio parahaemolyticus				0	3 (6)	0.3
Yersiniosis				0	1 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	3	39 (48)	456.3	195	918 (937)	127.1
Gonorrhoea	6	36 (32)	414.2	45	277 (244)	39.8
Syphilis - Infectious		11	71.9	5	34 (21)	3.8
Syphilis - Non-Infectious		1 (1)	2.5	5	14 (3)	1.2
Vaccine preventable diseases						
Influenza		3 (6)	39.7	23	132 (160)	16.1
Measles				0	0 (0)	0.4
Mumps				0	1 (76)	0.3
Pertussis		(7)	2.5	3	39 (77)	10.2
Pneumococcal infection	1	2	7.4	1	5 (9)	1.0
Rubella (non-congenital)				0	2 (0)	0.1
Varicella (chicken pox)		1 (3)	19.8	3	42 (43)	6.2
Varicella (shingles)		3 (3)	29.8	10	90 (110)	17.0
Varicella (unspecified)				41	167 (114)	18.9
Vector-borne diseases						
Arboviral encephalitis				0	1 (2)	0.0
Barmah Forest virus		2 (1)	12.4	0	5 (2)	0.5
Chikungunya				0	0 (0)	0.1
Dengue fever			2.5	4	17 (88)	2.8
Malaria				1	3 (0)	0.9
Ross River virus	6	26 (2)	213.3	38	161 (46)	19.1
Schistosomiasis				3	17 (11)	3.3
Typhus	1	1	5.0	1	1 (6)	0.4
Zoonotic diseases						
Psittacosis				0	1 (0)	0.1
Q Fever				0	0 (2)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	1 (0)	0.1
Legionellosis			2.5	0	2 (3)	0.4
Leprosy		(1)	2.5	0	0 (1)	0.0
Melioidosis	1	2	5.0	1	2 (0)	0.1
Meningococcal infection				1	2 (1)	0.3
Tuberculosis				2	11 (5)	0.8
Grand Total	19	151 (127)		532	2730 (2590)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 14	
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2017	2016
	Salmonella Total	62	56	61	93	88	65	72	53	970
Serotype/Phage										
Salmonella Aberdeen									1	2
Salmonella Adelaide				1		1			2	0
Salmonella Agona		1							2	4
Salmonella Albany						1			1	1
Salmonella Anatum				1					2	4
Salmonella Anatum var 15+		1							1	1
Salmonella Bahrenfeld	1								1	2
Salmonella Ball		1							1	0
Salmonella Bareilly				1	1				3	1
Salmonella Bovismorbificans	1		1		2	1			8	6
Salmonella Champaign					1				1	0
Salmonella Chester			1	2	2	2	1		11	12
Salmonella Choleraesuis bv Australia		1				2	1		6	3
Salmonella Corvallis		1				1			2	6
Salmonella Derby									1	0
Salmonella Eastbourne									1	6
Salmonella Enteritidis	2	3			2	5	5	1	40	63
Salmonella Fremantle subsp II									1	1
Salmonella Give					1	1			5	1
Salmonella Give var 15+									0	0
Salmonella Hadar									1	5
Salmonella Havana	1	1							2	4
Salmonella Hessarek	1								1	0
Salmonella Hvittingfoss				1	1		1		8	3
Salmonella Infantis				1		1	1		9	23
Salmonella Isangi									1	0
Salmonella Javiana		1					1		5	4
Salmonella Johannesburg				1				1	4	1
Salmonella Kentucky		1		2	1	2			10	4
Salmonella Kiambu					1				5	16
Salmonella Lansing						1			2	2
Salmonella Litchfield				2			1		3	2
Salmonella Liverpool									1	1
Salmonella Mbandaka		1			1	1			4	13
Salmonella Meleagridis									1	0
Salmonella Montevideo	1								2	2
Salmonella Muenchen			2		4				10	8
Salmonella Newport	4	1	1		1	1			9	6
Salmonella Ohio	1								1	0
Salmonella Ohlstedt									1	2
Salmonella Onderstepoort			1						1	0
Salmonella Oranienburg							1		1	0
Salmonella Orion					1				1	5
Salmonella Orion var 15+			1			1			2	0
Salmonella Oslo				1					1	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	1	3	2	5	5	1	2		24	28
Salmonella Poona							2	1	4	2
Salmonella Potsdam			1						1	0

Weekly Report for period 12-FEB-17 to 08-APR-17

	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	Cumulative Total to end of Week 14	
									2017	2016
Salmonella Total	62	56	61	93	88	65	72	53	970	657
Serotype/Phage										
Salmonella Ramatgan									1	0
Salmonella Reading						1			1	1
Salmonella Richmond									1	0
Salmonella Rubislaw									1	0
Salmonella Saintpaul	3	1	2	2	5	1	1		21	13
Salmonella Schwarzengrund									5	3
Salmonella Senftenberg									1	6
Salmonella Singapore	2	3	1	5	2	3	1		24	9
Salmonella Stanley		1	1	2		1	1		21	11
Salmonella Tennessee								1	2	0
Salmonella Thompson					1				1	0
Salmonella Typhimurium	37	28	40	57	52	34	45	18	576	307
Salmonella Urbana									3	0
Salmonella Virchow		3	2		1		2	2	12	16
Salmonella Wandsbek subsp II							1		1	2
Salmonella Wandsworth				1					2	0
Salmonella Waycross							1		1	0
Salmonella Welikade									1	1
Salmonella Weltevreden	1	1	2		1	1			8	6
Salmonella Weltevreden var 15+									1	0
Salmonella species	6	3	3	8	2	2	4	29	81	38