



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 19-MAR-17 to 13-MAY-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1	1	1			5	9	9	2	2.3	0.9
Hepatitis B (unspecified)	14	17	10	6	12	4	16	5	200	191	207	37	56.9	0.6
Hepatitis C (newly acquired)		5	6	2	3	2	2	1	48	49	57	8	9.8	0.8
Hepatitis C (unspecified)	24	30	20	15	18	15	28	24	419	400	362	85	82.3	1.0
Hepatitis D	1								3	0	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	57	59	42	49	58	59	72	40	1230	1087	1017	229	175.1	1.3
Cryptosporidiosis	20	20	12	11	13	6	9	5	298	128	154	33	27.5	1.2
Hepatitis A	1	1		1					7	8	10	0	0.9	0.0
Hepatitis E									1	1	2	0	0.1	0.0
Listeriosis									1	2	1	0	0.4	0.0
Paratyphoid fever									3	9	5	0	0.9	0.0
Rotavirus	10	11	11	10	13	12	22	11	194	64	130	58	26.2	2.2
STEC/VTEC infection	1	3	1		2				22	9	0	2	0.5	3.8
Salmonellosis	73	89	49	39	66	48	42	42	1236	892	780	198	123.0	1.6
Shigellosis	2	2	3	4	3	2	4	2	62	39	55	11	4.5	2.4
Typhoid				2	1				4	3	6	1	0.5	2.1
Vibrio parahaemolyticus	1					2		1	10	15	5	3	1.3	2.4
Yersiniosis							1		3	6	15	1	0.5	1.9
Sexually transmissible infections														
Chlamydia (genital)	274	266	235	203	179	190	226	176	4516	4591	4336	771	918.2	0.8
Gonorrhoea	71	82	70	85	44	55	69	51	1428	1164	789	219	181.7	1.2
Syphilis - Infectious	10	7	11	8	2	5	9	2	138	115	42	18	10.5	1.7
Syphilis - Non-Infectious	4	4	6	3	3	1	6		53	21	26	10	6.3	1.6
Vaccine preventable diseases														
Influenza	38	44	28	22	19	20	28	23	563	798	889	90	158.9	0.6
Measles						1			12	0	2	1	0.5	1.9
Mumps		1							8	373	23	0	13.7	0.0
Pertussis	15	14	11	16	19	16	10	7	368	539	536	52	128.4	0.4
Pneumococcal infection	3	3	3	4	2	4	1		42	36	37	7	13.5	0.5
Rubella (non-congenital)		2							2	0	0	0	0.0	0.0
Varicella (chicken pox)	17	11	6	8	6	8	8	2	205	171	130	24	30.3	0.8
Varicella (shingles)	31	37	33	22	32	38	30	11	644	618	528	111	102.1	1.1
Varicella (unspecified)	33	38	19	24	39	28	34	40	643	567	519	141	97.3	1.4
Vector-borne diseases														
Arboviral encephalitis					1				2	8	1	1	0.2	5.0
Barmah Forest virus	2	2	1		2	1	2		20	6	18	5	29.0	0.2
Chikungunya					1		1		6	3	8	2	2.6	0.8
Dengue fever	1	6	7	4	3	2	2		90	295	394	7	50.1	0.1
Malaria	1	1	1	1	1	1			27	22	19	2	3.7	0.5
Ross River virus	44	59	43	38	43	33	26	29	751	191	564	131	89.9	1.5
Schistosomiasis	1	5	5	9	6		6	7	118	64	71	19	11.1	1.7
Typhus	1				2	1			12	12	8	3	2.0	1.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis									2	0	0	0	0.0	0.0
Q Fever									3	7	3	0	0.8	0.0
Other diseases														
Haemolytic Uraemic Syndrome	1			1					3	0	0	0	0.0	0.0
Legionellosis		1			1		1		11	15	31	2	5.2	0.4
Leprosy									1	1	0	0	0.2	0.0
Melioidosis	1								3	2	2	0	0.4	0.0
Meningococcal infection	1		1			1			10	4	3	1	1.0	1.0
Tuberculosis	3	3	2	3	3		1	2	41	47	56	6	9.8	0.6
Grand Total	756	823	636	591	598	556	656	481						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1	1	1			4	9	6	2	2.2	0.9
Hepatitis B (unspecified)	11	13	8	5	10	3	12	5	166	157	173	30	35.8	0.8
Hepatitis C (newly acquired)		3	3	1	2	2	2	1	34	39	38	7	7.7	0.9
Hepatitis C (unspecified)	19	16	19	10	13	7	22	17	304	279	262	59	55.9	1.1
Hepatitis D	1								2	0	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	47	47	31	36	43	44	60	30	986	861	789	177	137.5	1.3
Cryptosporidiosis	13	10	9	8	8	5	3	3	220	83	54	19	16.4	1.2
Hepatitis A	1	1		1					6	7	9	0	0.9	0.0
Hepatitis E									1	1	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.3	0.0
Paratyphoid fever									3	8	5	0	0.6	0.0
Rotavirus	5	4	5	5	5	7	8	4	110	56	104	24	20.5	1.2
STEC/VTEC infection	1	3	1		2				13	2	0	2	0.2	10.0
Salmonellosis	59	65	29	29	49	37	33	30	950	675	561	149	85.9	1.7
Shigellosis	1	1	1	2	1	1			14	22	24	2	2.1	1.0
Typhoid				1	1				3	2	6	1	0.3	3.0
Vibrio parahaemolyticus	1					1		1	9	14	4	2	1.0	2.0
Yersiniosis							1		3	4	12	1	0.3	3.0
Sexually transmissible infections														
Chlamydia (genital)	208	211	180	155	141	152	178	144	3529	3498	3317	615	697.0	0.9
Gonorrhoea	47	54	45	54	33	37	49	40	945	774	483	159	98.3	1.6
Syphilis - Infectious	4	4	10	6	1	4	7	2	98	98	28	14	8.5	1.7
Syphilis - Non-Infectious	4	4	6	3	3	1	6		48	15	23	10	3.3	3.0
Vaccine preventable diseases														
Influenza	33	34	24	16	14	14	21	19	450	649	682	68	119.5	0.6
Measles						1			11	0	2	1	0.5	1.9
Mumps		1							7	5	5	0	2.1	0.0
Pertussis	15	11	8	12	14	10	8	5	294	382	426	37	100.7	0.4
Pneumococcal infection	2	2	1	2	1	1	1		28	17	19	3	7.5	0.4
Rubella (non-congenital)		2							2	0	0	0	0.0	0.0
Varicella (chicken pox)	13	10	5	5	3	6	6	2	144	135	101	17	22.7	0.7
Varicella (shingles)	22	29	25	16	17	28	24	5	464	466	412	74	77.4	1.0
Varicella (unspecified)	31	32	18	21	37	28	30	39	596	478	447	134	82.9	1.6
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.2	0.0
Barmah Forest virus					1		1		4	2	6	2	21.4	0.1
Chikungunya					1		1		4	2	6	2	2.2	0.9
Dengue fever		5	6	2	3	2	2		75	237	319	7	39.9	0.2
Malaria	1	1	1	1		1			23	17	17	1	3.1	0.3
Ross River virus	13	25	18	25	17	17	10	17	330	109	351	61	43.5	1.4
Schistosomiasis	1	5	5	8	6		5	7	115	62	68	18	10.9	1.7
Typhus					1	1			5	7	5	2	1.3	1.6
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever									1	2	1	0	0.4	0.0
Other diseases														
Haemolytic Uraemic Syndrome	1			1					3	0	0	0	0.0	0.0
Legionellosis		1			1		1		9	8	21	2	4.3	0.5
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection			1			1			9	2	0	1	0.6	1.7
Tuberculosis	3	2	2	1	3			2	36	40	42	5	7.8	0.6
Grand Total	557	596	461	427	432	412	491	373						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		2	0.4					(1)	0.1
Hepatitis B (unspecified)	1	5 (16)	6.2	1	8 (10)	7.3	3	17 (16)	9.6
Hepatitis C (newly acquired)		1	0.7		2 (4)	2.1	1	4 (5)	2.1
Hepatitis C (unspecified)	2	12 (11)	9.3	9	19 (23)	13.9	6	28 (33)	19.2
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	16	69 (62)	49.4	5	48 (53)	41.0	9	60 (58)	45.9
Cryptosporidiosis	1	5 (9)	6.8		9 (1)	15.9	2	5 (5)	8.4
Hepatitis A						0.1		(1)	0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3					(1)	0.1
Rotavirus	2	5 (6)	4.7	2	10 (1)	4.9		9 (1)	5.7
STEC/VTEC infection			0.8		2	0.6			0.4
Salmonellosis	13	61 (56)	42.2	8	42 (44)	47.0	9	46 (24)	43.0
Shigellosis		2 (1)	0.5		(2)	0.4			1.0
Typhoid					1	0.3			0.1
Vibrio parahaemolyticus		(1)	0.3	1	2	0.9		(1)	0.1
Yersiniosis			0.3		1	0.1			
Sexually transmissible infections									
Chlamydia (genital)	45	197 (253)	149.6	48	190 (238)	165.6	51	228 (256)	175.4
Gonorrhoea	11	52 (53)	35.8	14	45 (46)	41.5	15	62 (62)	54.2
Syphilis - Infectious	2	4 (6)	3.2		3 (3)	2.7		7 (8)	7.7
Syphilis - Non-Infectious		2	1.4		3 (1)	1.6		5 (2)	3.6
Vaccine preventable diseases									
Influenza	7	25 (58)	22.2	6	25 (56)	22.4	6	18 (39)	17.9
Measles						1.2		1	0.4
Mumps			0.1			0.1			0.7
Pertussis	3	22 (11)	17.4		7 (23)	11.3	2	8 (20)	11.9
Pneumococcal infection		2 (2)	0.9		(4)	0.4		1 (4)	2.5
Rubella (non-congenital)			0.3						
Varicella (chicken pox)		7 (12)	6.3	2	6 (7)	7.6		4 (18)	6.2
Varicella (shingles)	2	29 (30)	23.7		24 (26)	21.0	3	21 (23)	19.6
Varicella (unspecified)	14	54 (30)	28.5	12	36 (40)	27.7	13	44 (29)	26.5
Vector-borne diseases									
Arboviral encephalitis					(1)	0.1			
Barmah Forest virus					1	0.4		1	0.1
Chikungunya					1	0.4		1	0.1
Dengue fever		2 (18)	2.9		2 (11)	3.7		3 (8)	3.9
Malaria			0.9		1 (2)	0.9		(1)	1.4
Ross River virus	4	12 (8)	9.5	5	27 (7)	20.9	8	22 (5)	16.1
Schistosomiasis	6	9 (11)	7.8	1	2	1.9		7 (8)	5.9
Typhus			0.1		2	0.4		(1)	0.1
Zoonotic diseases									
Psittacosis									
Q Fever						0.1			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis			0.5		2	0.6		(1)	0.1
Leprosy									
Melioidosis									
Meningococcal infection		1	0.5			0.3			0.4
Tuberculosis		(4)	1.6	1	2 (1)	1.6	1	3 (4)	1.8
Grand Total	129	580 (658)		115	523 (604)		129	605 (635)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		(3)	2.2		2	4.8		1 (3)	10.1
Hepatitis C (newly acquired)					1 (1)	12.9			2.5
Hepatitis C (unspecified)		4 (9)	13.0	1	3 (3)	24.2	3	11 (3)	31.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	13 (16)	41.6	1	6 (7)	40.4	2	12 (6)	56.9
Cryptosporidiosis		3	5.4		(1)	1.6		1	11.4
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (1)	4.9			1.6	2		8.9
STEC/VTEC infection		(1)	2.2			1.6			
Salmonellosis	4	12 (9)	30.8		1 (2)	27.5		5 (6)	35.4
Shigellosis			1.1						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	9	31 (47)	110.9	4	15 (10)	116.4	2	14 (7)	91.1
Gonorrhoea		3 (11)	14.6			8.1		1 (1)	12.7
Syphilis - Infectious			1.1			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza		1 (17)	8.7	2	4 (2)	21.0		1 (3)	15.2
Measles									1.3
Mumps									
Pertussis		6 (2)	14.6		3 (3)	30.7		1 (1)	2.5
Pneumococcal infection		(1)	1.1					1 (1)	1.3
Rubella (non-congenital)									
Varicella (chicken pox)		1 (1)	10.8			9.7		1	2.5
Varicella (shingles)	2	15 (12)	38.4		6 (6)	38.8	1	4 (5)	30.4
Varicella (unspecified)		1 (5)	4.3		3 (2)	11.3			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		(7)	1.6		(1)	1.6		(7)	2.5
Malaria								1	2.5
Ross River virus	4	15 (6)	56.2	1	5 (1)	51.7	5	25 (3)	75.9
Schistosomiasis		1	1.1						
Typhus		1	0.5			1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever						1.6		(1)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		1	0.5			1.6			1.3
Grand Total	23	109 (148)		9	49 (39)		13	81 (47)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.7		1 (1)	8.1		(1)	4.3
Hepatitis C (newly acquired)			2.9					(1)	2.9
Hepatitis C (unspecified)		2 (8)	25.7	1	2 (1)	17.8	1	1 (4)	5.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis		4 (7)	37.2		6 (6)	38.9		2 (5)	24.6
Cryptosporidiosis	1	2	20.0	1	2 (4)	24.3		4 (2)	21.7
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		2	12.9	2	8 (1)	32.4	2	10	36.2
STEC/VTEC infection			2.9			1.6			
Salmonellosis	1	6 (6)	57.2		3 (1)	47.0	2	9 (2)	58.0
Shigellosis		2 (1)	40.0	1	2 (2)	4.9	1	4	14.5
Typhoid									
Vibrio parahaemolyticus								1	1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	21 (32)	163.0	2	15 (41)	189.6	2	18 (46)	200.1
Gonorrhoea	1	8 (17)	54.3	3	11 (12)	141.0		10 (17)	127.6
Syphilis - Infectious					1	1.6			1.4
Syphilis - Non-Infectious						3.2			1.4
Vaccine preventable diseases									
Influenza	2	8 (4)	27.2		3 (4)	25.9		3 (3)	10.1
Measles									
Mumps								(2)	1.4
Pertussis		2 (2)	7.2		(1)	6.5	1	1	14.5
Pneumococcal infection			1.4		(1)	1.6		1	4.3
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	1.4		2	4.9		2 (1)	26.1
Varicella (shingles)		(1)	5.7		3 (2)	32.4	1	1 (1)	14.5
Varicella (unspecified)	1	3 (3)	32.9			1.6			1.4
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus						1.6		2 (1)	7.2
Chikungunya						1.6			
Dengue fever			1.4			3.2		(3)	1.4
Malaria						1.6			1.4
Ross River virus		2	14.3	1	12 (2)	113.4		6	63.8
Schistosomiasis			1.4						
Typhus			1.4			1.6			
Zoonotic diseases									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis									2.9
Grand Total	9	62 (83)		11	71 (79)		10	75 (89)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (5)	0.2
Hepatitis B (unspecified)		3 (2)	17.4	5	37 (52)	7.3
Hepatitis C (newly acquired)				1	8 (13)	1.8
Hepatitis C (unspecified)	1	3 (4)	44.6	24	85 (100)	15.3
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis	2	5 (1)	29.8	40	229 (225)	45.1
Cryptosporidiosis		2	34.7	5	33 (23)	10.9
Hepatitis A				0	0 (1)	0.3
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (1)	0.0
Paratyphoid fever				0	0 (1)	0.1
Rotavirus	3	11	27.3	11	58 (10)	7.1
STEC/VTEC infection			2.5	0	2 (1)	0.8
Salmonellosis	5	11 (12)	129.0	42	198 (162)	45.3
Shigellosis		1 (1)	2.5	2	11 (7)	2.3
Typhoid				0	1 (1)	0.1
Vibrio parahaemolyticus				1	3 (3)	0.4
Yersiniosis				0	1 (2)	0.1
Sexually transmissible infections						
Chlamydia (genital)	8	34 (39)	572.9	176	771 (984)	165.5
Gonorrhoea	7	27 (31)	545.6	51	219 (255)	52.3
Syphilis - Infectious		2	84.3	2	18 (18)	5.1
Syphilis - Non-Infectious			2.5	0	10 (4)	1.8
Vaccine preventable diseases						
Influenza		1 (4)	44.6	23	90 (196)	20.6
Measles				0	1 (0)	0.4
Mumps				0	0 (42)	0.3
Pertussis	1	2 (4)	14.9	7	52 (68)	13.5
Pneumococcal infection		1 (1)	12.4	0	7 (14)	1.5
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)		1 (2)	22.3	2	24 (42)	7.5
Varicella (shingles)	2	4 (4)	42.2	11	111 (112)	23.6
Varicella (unspecified)				40	141 (113)	23.6
Vector-borne diseases						
Arboviral encephalitis		1	2.5	0	1 (1)	0.1
Barmah Forest virus		1	17.4	0	5 (1)	0.7
Chikungunya				0	2 (0)	0.2
Dengue fever			2.5	0	7 (57)	3.3
Malaria				0	2 (4)	1.0
Ross River virus	1	4	240.6	29	131 (32)	27.5
Schistosomiasis				7	19 (19)	4.3
Typhus		(1)	5.0	0	3 (3)	0.4
Zoonotic diseases						
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (2)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	0	2 (4)	0.4
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				0	1 (1)	0.4
Tuberculosis				2	6 (9)	1.0
Grand Total	30	114 (106)		481	2294 (2590)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 19	
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2017	2016
	Salmonella Total	73	89	49	39	66	48	42	42	1236
Serotype/Phage										
Salmonella Aberdeen									1	6
Salmonella Abony	1								1	0
Salmonella Adelaide	1				1		1		4	1
Salmonella Agona									2	5
Salmonella Albany	1								1	1
Salmonella Anatum					1	1		1	5	8
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld					1				2	2
Salmonella Ball								1	2	0
Salmonella Bareilly					1				4	1
Salmonella Bovismorbificans	1				1				9	9
Salmonella Champaign									1	0
Salmonella Chester	2	1			2	1	4	1	19	16
Salmonella Choleraesuis bv Australia	3						1		7	5
Salmonella Corvallis	1						1		3	6
Salmonella Derby									1	1
Salmonella Eastbourne				1					2	6
Salmonella Enteritidis	6	4	1	1	3	4	2		53	86
Salmonella Fremantle subsp II					1				2	1
Salmonella Give	1								5	2
Salmonella Give var 15+									0	0
Salmonella Hadar									1	6
Salmonella Havana			1						3	4
Salmonella Hessarek									1	0
Salmonella Houten subsp IV			1						1	1
Salmonella Hvittingfoss		1					1	1	10	5
Salmonella Infantis	1	2			1	1			12	24
Salmonella Isangi									1	0
Salmonella Javiana		1							5	4
Salmonella Johannesburg		1		1					5	1
Salmonella Kentucky	2								10	6
Salmonella Kiambu			1	1					7	19
Salmonella Krefeld									1	0
Salmonella Lansing	1					1			3	2
Salmonella Litchfield		1	2						5	2
Salmonella Liverpool									1	3
Salmonella Mbandaka	1								4	17
Salmonella Meleagridis									1	0
Salmonella Montevideo									2	3
Salmonella Muenchen					2		1		13	9
Salmonella Newport	1						1		10	10
Salmonella Ohio									1	0
Salmonella Ohlstedt				1					2	3
Salmonella Onderstepoort									1	0
Salmonella Oranienburg		1				1			2	4
Salmonella Orion									2	5
Salmonella Orion var 15+	1								1	0
Salmonella Oslo					1				2	0
Salmonella Panama									0	0

Weekly Report for period 19-MAR-17 to 13-MAY-17

	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	Cumulative Total to end of Week 19	
									2017	2016
Salmonella Total	73	89	49	39	66	48	42	42	1236	850
Serotype/Phage										
Salmonella Paratyphi B bv Java	1	3	2	1	3	1	3		35	37
Salmonella Poona		2	1						4	2
Salmonella Potsdam									1	2
Salmonella Ramatgan									1	0
Salmonella Reading	1				1				2	1
Salmonella Richmond									1	1
Salmonella Rubislaw					2	1			4	1
Salmonella Saintpaul	1	2			2	3		1	28	21
Salmonella Sandiego			1						1	0
Salmonella Schwarzengrund					1				6	4
Salmonella Senftenberg									1	8
Salmonella Singapore	2	1	3	2	2	1	2		34	10
Salmonella Stanley	2			2		1			24	14
Salmonella Tennessee		1						1	3	0
Salmonella Thompson					1				2	1
Salmonella Typhimurium	41	60	32	27	36	26	22	6	732	385
Salmonella Urbana									3	0
Salmonella Virchow		2	2						12	19
Salmonella Wandsbek subsp II		1							1	2
Salmonella Wandsworth									2	0
Salmonella Waycross		1							1	0
Salmonella Welikade									1	3
Salmonella Weltevreden						2			10	10
Salmonella Weltevreden var 15+		1		1					3	1
Salmonella species	1	3	2	1	3	4	3	30	92	43