



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 09-APR-17 to 03-JUN-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1	1					1	6	11	12	1	2.7	0.4
Hepatitis B (unspecified)	6	12	4	15	5	10	15	6	230	260	233	36	63.6	0.6
Hepatitis C (newly acquired)	3	2	3	4	3		1	1	54	54	65	5	10.5	0.5
Hepatitis C (unspecified)	14	19	14	26	18	11	29	21	472	483	419	79	84.3	0.9
Hepatitis D									3	1	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	50	58	61	77	55	49	43	45	1394	1273	1184	192	177.5	1.1
Cryptosporidiosis	11	13	7	9	6	3	6	4	314	144	165	19	21.0	0.9
Hepatitis A	1					1			8	8	10	1	1.1	0.9
Hepatitis E									1	1	2	0	0.0	0.0
Listeriosis									1	2	1	0	0.3	0.0
Paratyphoid fever						1			4	9	7	1	0.7	1.5
Rotavirus	11	16	11	23	27	31	28	12	284	68	205	98	33.5	2.9
STEC/VTEC infection		2			1		2		25	12	0	3	0.4	7.5
Salmonellosis	43	67	53	48	52	37	53	41	1393	985	853	183	109.0	1.7
Shigellosis	4	3	3	4	4	3	2	3	73	44	57	12	4.7	2.6
Typhoid	2	1							4	4	6	0	0.7	0.0
Vibrio parahaemolyticus			2		1				10	17	5	1	1.0	1.0
Yersiniosis				1		1		1	5	6	15	2	0.6	3.3
Sexually transmissible infections														
Chlamydia (genital)	206	184	190	245	209	207	193	187	5166	5357	4976	796	921.5	0.9
Gonorrhoea	86	44	56	75	68	60	50	48	1612	1375	926	226	184.1	1.2
Syphilis - Infectious	8	2	5	10	1	4	8	2	152	131	52	15	11.2	1.3
Syphilis - Non-Infectious	4	3	1	6	1	1	2	1	59	23	31	5	8.8	0.6
Vaccine preventable diseases														
Influenza	23	19	20	34	41	25	35	37	685	980	1144	138	224.3	0.6
Measles			1						12	0	3	0	1.0	0.0
Mumps					1	1			10	410	40	2	12.0	0.2
Pertussis	19	21	19	12	21	13	10	8	430	605	616	52	127.7	0.4
Pneumococcal infection	4	2	4	3	2	5	3	2	56	46	48	12	16.2	0.7
Rubella (non-congenital)									2	0	0	0	0.1	0.0
Varicella (chicken pox)	8	6	8	9	3	4	8	8	229	203	164	23	32.5	0.7
Varicella (shingles)	24	35	42	39	34	37	25	11	767	699	609	107	103.9	1.0
Varicella (unspecified)	23	37	23	30	36	32	49	49	749	677	601	166	99.5	1.7
Vector-borne diseases														
Arboviral encephalitis		2		1					4	8	1	0	0.1	0.0
Barmah Forest virus		2	1	2		1	1		22	7	24	2	25.3	0.1
Chikungunya	1	1							6	3	8	0	2.4	0.0
Dengue fever	4	2	3	2	2	1	4	2	99	326	419	9	43.3	0.2
Malaria	1	1	1			2		2	31	27	20	4	4.1	1.0
Ross River virus	44	50	31	30	26	20	16	11	821	215	639	73	73.0	1.0
Schistosomiasis	9	6		6	6	3	4	7	131	84	81	20	13.8	1.4
Typhus							1		10	12	12	1	2.1	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis									2	0	0	0	0.0	0.0
Q Fever						1			4	7	3	1	0.6	1.7
Other diseases														
Haemolytic Uraemic Syndrome	1								3	0	0	0	0.1	0.0
Legionellosis				1	1	1	1	2	15	23	32	5	6.5	0.8
Leprosy									1	1	0	0	0.3	0.0
Melioidosis									4	2	2	0	0.1	0.0
Meningococcal infection			1						10	4	4	0	1.3	0.0
Tuberculosis	3	3		1	2	1	1	4	47	49	61	8	11.3	0.7
Grand Total	614	614	565	713	626	566	590	516						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1	1						4	11	8	0	2.5	0.0
Hepatitis B (unspecified)	5	10	3	11	5	8	14	6	193	216	189	33	41.3	0.8
Hepatitis C (newly acquired)	1	1	2	4	3		1	1	39	43	44	5	7.7	0.6
Hepatitis C (unspecified)	10	14	7	19	11	10	20	14	340	340	291	55	57.5	1.0
Hepatitis D									2	1	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	37	43	45	65	41	35	38	38	1118	1018	920	152	139.1	1.1
Cryptosporidiosis	8	8	6	3	2	3	4	4	232	94	57	13	13.1	1.0
Hepatitis A	1								6	7	9	0	0.9	0.0
Hepatitis E									1	1	1	0	0.0	0.0
Listeriosis									1	1	1	0	0.2	0.0
Paratyphoid fever						1			4	8	6	1	0.4	2.5
Rotavirus	5	7	6	8	8	10	13	3	141	59	162	34	25.5	1.3
STEC/VTEC infection		2			1				14	3	0	1	0.1	7.5
Salmonellosis	32	48	40	36	41	29	29	32	1059	741	613	131	76.7	1.7
Shigellosis	2	1	1		1	1	1	1	18	26	24	4	2.0	2.0
Typhoid	1	1							3	3	6	0	0.5	0.0
Vibrio parahaemolyticus			1		1				9	16	4	1	0.8	1.3
Yersiniosis				1		1		1	5	4	12	2	0.3	6.0
Sexually transmissible infections														
Chlamydia (genital)	157	144	153	192	165	157	152	153	4034	4069	3834	627	702.0	0.9
Gonorrhoea	55	33	38	54	51	36	36	27	1062	911	547	150	98.9	1.5
Syphilis - Infectious	6	1	4	8	1	2	7	1	108	108	31	11	8.7	1.3
Syphilis - Non-Infectious	4	3	1	6	1	1	1	1	53	17	26	4	4.3	0.9
Vaccine preventable diseases														
Influenza	16	14	14	26	31	17	28	31	543	810	871	107	175.2	0.6
Measles			1						11	0	3	0	1.0	0.0
Mumps						1			8	10	9	1	2.2	0.5
Pertussis	15	15	13	7	12	10	6	6	335	440	485	34	101.1	0.3
Pneumococcal infection	2	1	1	3	1	3	3	2	39	23	28	9	9.4	1.0
Rubella (non-congenital)									2	0	0	0	0.1	0.0
Varicella (chicken pox)	5	3	6	7	3	3	7	6	163	161	128	19	23.8	0.8
Varicella (shingles)	16	19	32	32	24	30	14	9	554	530	476	77	79.3	1.0
Varicella (unspecified)	21	36	23	26	35	27	42	48	694	573	523	152	85.7	1.8
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.1	0.0
Barmah Forest virus		1		1			1		5	2	8	1	18.1	0.1
Chikungunya	1	1							4	2	6	0	2.0	0.0
Dengue fever	2	2	3	2	1	1	3	2	82	264	338	7	34.3	0.2
Malaria	1		1			2		2	27	20	17	4	3.2	1.3
Ross River virus	27	21	18	15	13	8	13	9	374	118	372	43	33.3	1.3
Schistosomiasis	8	6		5	6	3	4	7	128	82	77	20	13.5	1.5
Typhus									3	7	7	0	1.3	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever						1			2	2	1	1	0.3	3.8
Other diseases														
Haemolytic Uraemic Syndrome	1								3	0	0	0	0.0	0.0
Legionellosis					1	1		2	11	16	22	4	4.9	0.8
Melioidosis									1	0	0	0	0.0	0.0
Meningococcal infection			1						9	2	1	0	0.9	0.0
Tuberculosis	1	3			2	1	1	2	40	42	46	6	8.6	0.7
Grand Total	441	439	421	531	461	402	438	408						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(2)	0.4						0.1
Hepatitis B (unspecified)	3	14 (20)	7.9		4 (30)	7.9	3	15 (23)	11.0
Hepatitis C (newly acquired)			0.7		1 (3)	2.5	1	4 (7)	2.3
Hepatitis C (unspecified)	2	17 (11)	11.2	8	23 (32)	15.7	4	15 (28)	20.5
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	14	59 (63)	56.0	11	40 (69)	46.4	13	53 (70)	52.2
Cryptosporidiosis	1	4 (12)	7.2	3	6 (2)	16.7		3 (2)	8.8
Hepatitis A						0.1			0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3		1	0.1			0.1
Rotavirus	1	11 (3)	6.0	1	11	6.2	1	12 (2)	7.3
STEC/VTEC infection			0.8		1 (1)	0.7			0.4
Salmonellosis	10	50 (42)	47.5	12	33 (29)	50.8	10	48 (27)	48.9
Shigellosis		(2)	0.5		2 (1)	0.7	1	2 (1)	1.2
Typhoid						0.3		(1)	0.1
Vibrio parahaemolyticus			0.3		1 (1)	0.9		(1)	0.1
Yersiniosis	1	1	0.4			0.1	1		0.1
Sexually transmissible infections									
Chlamydia (genital)	50	202 (257)	170.9	46	182 (227)	186.4	57	243 (276)	203.4
Gonorrhoea	4	38 (58)	39.6	11	46 (49)	46.5	12	66 (68)	61.6
Syphilis - Infectious		3 (8)	3.4	1	4	3.3		4 (7)	8.3
Syphilis - Non-Infectious	1	3	1.8		(1)	1.5		1 (6)	4.0
Vaccine preventable diseases									
Influenza	13	44 (68)	27.1	9	29 (70)	25.9	9	34 (76)	22.3
Measles						1.2			0.4
Mumps		(3)	0.1			0.1		1 (2)	0.8
Pertussis	2	15 (23)	20.1	4	14 (30)	13.5		5 (23)	12.5
Pneumococcal infection		1 (2)	1.3	1	4 (4)	1.0	1	4 (3)	3.0
Rubella (non-congenital)			0.3						
Varicella (chicken pox)	2	5 (9)	7.1	3	8 (8)	8.6	1	6 (18)	7.0
Varicella (shingles)	2	25 (35)	27.5	3	22 (24)	25.0	4	30 (25)	24.3
Varicella (unspecified)	19	53 (37)	33.0	12	53 (34)	33.2	17	46 (40)	30.2
Vector-borne diseases									
Arboviral encephalitis						0.1			
Barmah Forest virus		1	0.1			0.4			0.1
Chikungunya						0.4			0.1
Dengue fever		1 (8)	3.0	2	3 (14)	4.1		3 (11)	4.3
Malaria	2	2 (2)	1.2			0.9		2 (1)	1.7
Ross River virus	4	10 (3)	10.6	3	18 (5)	24.0	2	15 (7)	18.1
Schistosomiasis	2	12 (9)	8.5		3 (2)	2.2	5	5 (14)	6.6
Typhus			0.1			0.1			0.1
Zoonotic diseases									
Psittacosis									
Q Fever					1	0.3			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis	1	3 (4)	0.9	1	1 (1)	0.4		(3)	0.1
Leprosy									
Melioidosis			0.1						
Meningococcal infection			0.5			0.3			0.4
Tuberculosis	1	1 (2)	1.7		2 (3)	1.8	1	3 (2)	2.1
Grand Total	135	575 (683)		131	513 (640)		142	621 (744)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)	1	1	1.1						
Hepatitis B (unspecified)		1 (3)	2.7			4.8		1 (2)	11.4
Hepatitis C (newly acquired)						12.9			2.5
Hepatitis C (unspecified)	1	3 (11)	14.6	1	3 (3)	27.5	3	9 (2)	40.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	18 (11)	50.3		2 (6)	42.0	1	4 (7)	59.5
Cryptosporidiosis		1 (2)	5.9			1.6		(1)	11.4
Hepatitis A		1	0.5						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	5.4			1.6		1	10.1
STEC/VTEC infection		(1)	2.2			1.6		1	1.3
Salmonellosis	2	5 (14)	34.1		1 (2)	30.7	1	3 (3)	39.2
Shigellosis	1	1	1.6						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	30 (46)	122.8	2	13 (14)	134.1	3	12 (21)	103.7
Gonorrhoea	2	5 (10)	17.3		(1)	8.1	1	2 (2)	15.2
Syphilis - Infectious	1	1 (1)	1.6			1.6			
Syphilis - Non-Infectious		1	0.5						
Vaccine preventable diseases									
Influenza	1	8 (8)	13.5		8	32.3	1	1 (2)	16.4
Measles									1.3
Mumps									
Pertussis	1	4 (4)	17.8		1 (2)	32.3		1	5.1
Pneumococcal infection		2 (1)	2.2						1.3
Rubella (non-congenital)									
Varicella (chicken pox)	1	2 (1)	11.9			9.7			2.5
Varicella (shingles)		13 (11)	45.4		1	43.6	1	4 (3)	35.4
Varicella (unspecified)		(4)	4.3		3 (1)	12.9			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		1 (4)	2.2			1.6			2.5
Malaria									2.5
Ross River virus	1	6 (11)	59.0		1 (3)	53.3	1	10 (1)	84.8
Schistosomiasis			1.1						
Typhus						1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever						1.6			1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis						1.6		1	1.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis			0.5	1	1	3.2			1.3
Grand Total	21	105 (143)		4	34 (32)		12	50 (44)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.7		1 (3)	9.7		(1)	4.3
Hepatitis C (newly acquired)			2.9			1.6		(1)	2.9
Hepatitis C (unspecified)	1	2 (6)	28.6		2 (1)	17.8		1 (3)	5.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	4 (8)	42.9	1	4 (4)	45.4		2	27.5
Cryptosporidiosis		2 (1)	21.5		2 (1)	25.9		1 (1)	23.2
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)	12.9		5	38.9		12	52.2
STEC/VTEC infection		1	4.3		(1)	1.6			
Salmonellosis		3 (2)	60.1	2	20 (3)	79.4		4 (3)	62.3
Shigellosis			40.0		3	8.1		2	15.9
Typhoid									
Vibrio parahaemolyticus									1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	18 (39)	185.9	6	21 (52)	223.6	5	24 (36)	231.9
Gonorrhoea	1	9 (16)	65.8	4	13 (14)	158.8	4	11 (14)	145.0
Syphilis - Infectious					2	4.9			1.4
Syphilis - Non-Infectious						3.2			1.4
Vaccine preventable diseases									
Influenza	4	12 (1)	41.5		1 (6)	27.5		(10)	10.1
Measles									
Mumps					1 (8)	1.6		(2)	1.4
Pertussis			7.2		(2)	6.5		2	17.4
Pneumococcal infection		1 (1)	2.9			1.6		(1)	4.3
Rubella (non-congenital)									
Varicella (chicken pox)			1.4		(3)	4.9			26.1
Varicella (shingles)		1 (1)	8.6	1	3 (1)	37.3		3 (1)	20.3
Varicella (unspecified)		2 (8)	32.9		2	4.9		1	1.4
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus					(1)	1.6		1	8.7
Chikungunya						1.6			
Dengue fever		(1)	1.4		1	4.9		(3)	1.4
Malaria						1.6			1.4
Ross River virus		2	17.2		4 (1)	121.5		3 (1)	68.1
Schistosomiasis			1.4						
Typhus			1.4		1	3.2			
Zoonotic diseases									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis	1	1	1.4						2.9
Grand Total	9	58 (86)		14	86 (101)		9	67 (77)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	1 (2)	0.2
Hepatitis B (unspecified)		(1)	17.4	6	36 (86)	8.5
Hepatitis C (newly acquired)				1	5 (12)	2.0
Hepatitis C (unspecified)	1	3 (1)	49.6	21	79 (99)	17.2
Hepatitis D			2.5	0	0 (1)	0.1
Enteric diseases						
Campylobacteriosis		4 (2)	34.7	45	192 (241)	51.1
Cryptosporidiosis		(1)	34.7	4	19 (23)	11.5
Hepatitis A				0	1 (0)	0.3
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	1 (0)	0.1
Rotavirus	9	44	129.0	12	98 (6)	10.4
STEC/VTEC infection			2.5	0	3 (3)	0.9
Salmonellosis	3	15 (8)	156.2	41	183 (134)	51.1
Shigellosis	1	1	7.4	3	12 (5)	2.7
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	1 (2)	0.4
Yersiniosis				1	2 (0)	0.2
Sexually transmissible infections						
Chlamydia (genital)	10	44 (58)	662.2	187	796*****	189.4
Gonorrhoea	8	34 (44)	612.6	48	226 (277)	59.1
Syphilis - Infectious		1 (5)	86.8	2	15 (21)	5.6
Syphilis - Non-Infectious			2.5	1	5 (7)	2.0
Vaccine preventable diseases						
Influenza		(2)	44.6	37	138 (247)	25.1
Measles				0	0 (0)	0.4
Mumps				0	2 (45)	0.4
Pertussis	1	10 (1)	39.7	8	52 (85)	15.8
Pneumococcal infection		(1)	12.4	2	12 (13)	2.1
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)		(2)	22.3	8	23 (41)	8.4
Varicella (shingles)		4 (5)	49.6	11	107 (108)	28.1
Varicella (unspecified)	1	2	5.0	49	166 (128)	27.5
Vector-borne diseases						
Arboviral encephalitis			7.4	0	0 (0)	0.1
Barmah Forest virus			17.4	0	2 (1)	0.8
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	2	9 (42)	3.6
Malaria				2	4 (6)	1.1
Ross River virus		4 (1)	248.0	11	73 (33)	30.1
Schistosomiasis				7	20 (25)	4.8
Typhus			5.0	0	1 (1)	0.4
Zoonotic diseases						
Psittacosis				0	0 (0)	0.1
Q Fever				0	1 (0)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	2	5 (9)	0.5
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				0	0 (0)	0.4
Tuberculosis				4	8 (7)	1.2
Grand Total	34	166 (132)		516	2298 (2743)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 22	
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2017	2016
	Salmonella Total	43	67	53	48	52	37	53	41	1393
Serotype/Phage										
Salmonella Aberdeen									1	6
Salmonella Abony									1	0
Salmonella Adelaide		1		1					4	2
Salmonella Agona									2	8
Salmonella Albany									1	1
Salmonella Anatum		1	1		1	1			6	9
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld		1				1			3	2
Salmonella Ball					1				2	0
Salmonella Bareilly		1							4	2
Salmonella Bovismorbificans		2				1	1		12	11
Salmonella Bredeney						1			1	2
Salmonella Champaign									1	0
Salmonella Charity						1			1	1
Salmonella Chester		2	1	4	2			1	21	17
Salmonella Choleraesuis bv Australia				1					7	5
Salmonella Corvallis				1	1				4	6
Salmonella Derby									1	1
Salmonella Eastbourne	1					1			3	6
Salmonella Enteritidis	1	4	4	2	1	2	2	1	60	97
Salmonella Fremantle subsp II		1							2	1
Salmonella Give									5	2
Salmonella Give var 15+									0	0
Salmonella Hadar									1	7
Salmonella Havana									3	4
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	1
Salmonella Hvittingfoss				2			1		11	5
Salmonella Infantis		1	2			1	2		17	25
Salmonella Isangi									1	0
Salmonella Javiana									5	4
Salmonella Johannesburg	1								5	1
Salmonella Kentucky					1				11	9
Salmonella Kiambu	1								7	21
Salmonella Krefeld									1	0
Salmonella Lansing			1						3	2
Salmonella Litchfield									5	2
Salmonella Liverpool									1	3
Salmonella Mbandaka									4	18
Salmonella Meleagridis									1	0
Salmonella Montevideo						1			3	3
Salmonella Muenchen		2	1	1	2			1	17	9
Salmonella Newport				1					10	15
Salmonella Ohio									1	0
Salmonella Ohlstedt	1								2	4
Salmonella Onderstepoort									1	0
Salmonella Oranienburg			1						2	4
Salmonella Orion									2	5
Salmonella Orion var 15+									1	0

Weekly Report for period 09-APR-17 to 03-JUN-17

	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	Cumulative Total to end of Week 22	
									2017	2016
Salmonella Total	43	67	53	48	52	37	53	41	1393	943
Serotype/Phage										
Salmonella Oslo		1							2	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	1	3	2	2	4	1	2		42	39
Salmonella Poona	1								5	2
Salmonella Potsdam									1	2
Salmonella Ramatgan									1	0
Salmonella Reading		1	1				2	1	6	1
Salmonella Richmond									1	1
Salmonella Rubislaw		2	1				1		5	1
Salmonella Saintpaul		2	3		1	1	1		30	24
Salmonella Sandiego									1	0
Salmonella Schwarzengrund		1							6	4
Salmonella Senftenberg				2			1		4	8
Salmonella Singapore	2	2	1	2		1	2		37	11
Salmonella Stanley	2		1	1	1	1			27	14
Salmonella Tennessee					1				3	0
Salmonella Thompson		1							2	1
Salmonella Typhimurium	30	36	29	26	32	19	36	9	831	427
Salmonella Urbana									3	0
Salmonella Virchow				2					15	19
Salmonella Wandsbek subsp II					1				2	2
Salmonella Wandsworth						1			3	0
Salmonella Waycross									1	0
Salmonella Welikade									1	3
Salmonella Weltevreden			2				1		11	12
Salmonella Weltevreden var 15+	1								3	1
Salmonella Zanzibar		1							1	0
Salmonella species	1	1	2		3	2	1	28	88	46
Salmonella subsp I ser 16:l,v:-						1			1	3