



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-FEB-18 to 08-APR-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1	1			3	2	3	2	2.2	0.9
Hepatitis B (unspecified)	7	13	13	5	13	13	9	8	145	154	128	43	50.5	0.9
Hepatitis C (newly acquired)	2	4	2	3	2	4			34	37	37	6	9.9	0.6
Hepatitis C (unspecified)	16	18	24	14	20	19	17	19	267	320	264	75	84.3	0.9
Hepatitis D								1	1	3	0	1	0.2	5.0
Enteric diseases														
Campylobacteriosis	80	66	57	63	50	49	29	31	848	959	810	159	199.1	0.8
Cryptosporidiosis	6	2	2	1	1	1	3	1	39	256	97	6	44.8	0.1
Hepatitis A		1	1						2	6	6	0	1.7	0.0
Listeriosis	1								3	1	1	0	0.4	0.0
Paratyphoid fever	1								2	3	8	0	1.3	0.0
Rotavirus	7	6	5	5	4	5	4	1	81	125	52	14	24.5	0.6
STEC/VTEC infection	1			1		1	2	2	22	20	7	5	1.2	4.2
Salmonellosis	47	57	43	41	46	43	40	40	645	994	688	169	172.1	1.0
Shigellosis	8	4	6	8	7	1	3	3	79	46	29	14	7.4	1.9
Typhoid	2			3			1		9	1	2	1	0.9	1.1
Vibrio parahaemolyticus						1			4	7	12	1	1.5	0.7
Yersiniosis			1			1			4	2	4	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	216	277	240	197	228	250	202	122	3184	3558	3388	802	939.9	0.9
Gonorrhoea	72	76	66	61	64	69	57	33	905	1129	840	223	210.3	1.1
Syphilis - Infectious	8	11	5	3	12	4	12	2	100	115	95	30	14.6	2.1
Syphilis - Non-Infectious	4	5	12	4	5	6	1	3	69	40	16	15	7.2	2.1
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	78	85	66	61	62	54	32	19	869	453	563	167	140.3	1.2
Measles				1	2	1	1	1	7	11	0	5	0.9	5.4
Mumps			1			1		2	8	8	316	3	19.1	0.2
Pertussis	26	16	17	13	10	22	9	9	279	310	452	50	96.5	0.5
Pneumococcal infection		2	1	1	2	3	1		27	33	21	6	9.9	0.6
Varicella (chicken pox)	11	6	10	11	8	8	4	3	126	179	125	23	32.9	0.7
Varicella (shingles)	55	37	47	34	35	40	21	10	545	531	456	106	119.1	0.9
Varicella (unspecified)	43	40	43	33	39	37	36	66	532	460	438	178	108.2	1.6
Vector-borne diseases														
Barmah Forest virus			3	1	1	4		2	14	15	4	7	34.8	0.2
Chikungunya									0	4	1	0	1.8	0.0
Dengue fever	2	1	6	4	1	2	4		39	79	227	7	49.3	0.1
Malaria	1	2		1		1	1	1	15	24	17	3	3.5	0.8
Ross River virus	23	14	20	27	28	17	9	12	239	596	139	66	137.2	0.5
Typhus				1	1		1		4	9	9	2	1.7	1.2
Zoonotic diseases														
Brucellosis					1				1	0	0	1	0.0	0.0
Leptospirosis	1								1	0	1	0	0.2	0.0
Psittacosis				1					1	2	0	0	0.2	0.0
Q Fever		1				1			4	3	5	1	1.1	0.9
Other diseases														
Acute post-streptococcal glomerulonephritis	1				1				11	0	0	1	0.0	0.0
Creutzfeldt-Jakob disease									0	1	3	0	0.3	0.0
Legionellosis		1		3	2		1		12	9	10	3	4.1	0.7
Meningococcal infection		1				2			8	9	3	2	1.3	1.5
Tuberculosis	6	6	1	3	2	3	5	3	39	31	33	13	9.4	1.4
Grand Total	725	752	692	604	648	664	505	394						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1	1			3	1	3	2	2.0	1.0
Hepatitis B (unspecified)	4	9	12	5	13	9	6	7	116	129	104	35	36.3	1.0
Hepatitis C (newly acquired)	1	4	2	2	1	2			27	26	31	3	7.8	0.4
Hepatitis C (unspecified)	11	13	18	11	18	12	11	14	193	233	188	55	57.8	1.0
Enteric diseases														
Campylobacteriosis	65	54	46	45	40	38	26	23	660	778	649	127	156.1	0.8
Cryptosporidiosis	3	1	2			1	2		23	194	64	3	27.5	0.1
Hepatitis A		1	1						2	5	5	0	1.4	0.0
Listeriosis	1								2	1	1	0	0.3	0.0
Paratyphoid fever	1								2	3	7	0	1.2	0.0
Rotavirus	6	4	5	4	4	4	3	1	69	81	46	12	17.1	0.7
STEC/VTEC infection	1					1	2	2	17	11	2	5	0.9	5.8
Salmonellosis	40	40	33	27	37	35	33	29	502	766	520	134	124.9	1.1
Shigellosis	5	1	4	3	4		1		28	9	19	5	3.3	1.5
Typhoid	2			3			1		9	1	2	1	0.7	1.4
Vibrio parahaemolyticus						1			4	7	12	1	1.3	0.8
Yersiniosis			1						3	2	3	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	172	202	190	162	187	201	164	95	2509	2772	2582	647	716.3	0.9
Gonorrhoea	44	50	41	42	47	45	37	25	588	736	566	154	129.3	1.2
Syphilis - Infectious	8	9	5	2	7	2	9	1	82	78	79	19	11.5	1.7
Syphilis - Non-Infectious	4	3	9	4	5	5	1	3	58	35	12	14	5.7	2.5
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	59	66	55	53	53	46	28	16	714	367	464	143	108.1	1.3
Measles				1	2	1	1	1	7	10	0	5	0.9	5.8
Mumps			1			1		1	6	7	5	2	1.7	1.2
Pertussis	22	15	10	10	6	10	8	7	198	253	315	31	75.4	0.4
Pneumococcal infection		1	1			2			13	25	6	2	4.8	0.4
Varicella (chicken pox)	4	4	7	9	8	6	2	3	91	125	97	19	23.8	0.8
Varicella (shingles)	36	29	35	25	23	31	11		398	381	345	65	90.8	0.7
Varicella (unspecified)	40	35	38	30	37	33	30	57	479	434	366	157	94.1	1.7
Vector-borne diseases														
Barmah Forest virus						2			2	2	2	2	26.1	0.1
Chikungunya									0	2	1	0	1.7	0.0
Dengue fever	2		5	4	1	2	4		35	66	190	7	40.5	0.2
Malaria	1	2		1		1	1		14	21	14	2	3.1	0.7
Ross River virus	17	11	16	20	20	13	5	10	177	250	82	48	67.1	0.7
Typhus				1			1		3	3	6	1	0.9	1.1
Zoonotic diseases														
Leptospirosis	1								1	0	1	0	0.1	0.0
Q Fever						1			1	1	1	1	0.5	2.1
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.2	0.0
Legionellosis		1		2	2		1		11	7	6	3	3.1	1.0
Meningococcal infection									4	8	2	0	0.9	0.0
Tuberculosis	4	5	1	2	1	1	5	2	29	29	29	9	7.7	1.2
Grand Total	554	560	538	468	517	507	393	297						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.1		2	0.3
Hepatitis B (unspecified)	2	10 (13)	5.1	1	8 (17)	3.8	4	17 (12)	6.9
Hepatitis C (newly acquired)		(1)	0.4		(1)	1.3		3 (5)	2.0
Hepatitis C (unspecified)	4	17 (22)	6.0	5	12 (17)	9.2	5	26 (28)	11.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	11	49 (64)	31.1	9	37 (50)	32.7	3	41 (71)	26.6
Cryptosporidiosis		1 (13)	0.7		1 (26)	1.3		1 (11)	1.2
Hepatitis A			0.1					(2)	0.1
Listeriosis			0.1						0.1
Paratyphoid fever									0.3
Rotavirus	1	3 (9)	3.0		4 (3)	2.8		5 (9)	3.7
STEC/VTEC infection	1	2 (3)	1.3		(1)	0.4	1	3 (1)	0.5
Salmonellosis	14	52 (82)	23.9	10	39 (75)	24.4	5	43 (62)	20.4
Shigellosis		1	1.2		3 (1)	1.5		1 (1)	1.2
Typhoid			0.4		1	0.4			0.4
Vibrio parahaemolyticus					1 (3)	0.6			
Yersiniosis		(1)	0.1						0.3
Sexually transmissible infections									
Chlamydia (genital)	35	207 (242)	105.6	21	208 (246)	115.6	39	232 (281)	122.4
Gonorrhoea	9	44 (63)	20.8	5	47 (63)	24.8	11	63 (86)	34.9
Syphilis - Infectious		7 (9)	3.0		(2)	3.1		12 (13)	5.1
Syphilis - Non-Infectious		5 (4)	2.5	1	2 (3)	1.5	2	7 (7)	3.9
Vaccine preventable diseases									
H. influenzae type b									
Influenza	5	45 (46)	34.2	5	48 (32)	34.7	6	50 (37)	28.8
Measles	1	3	0.5		1	0.1		1	0.3
Mumps	1	2	0.4					(1)	0.4
Pertussis	3	13 (24)	11.1	3	11 (15)	9.5	1	7 (13)	6.5
Pneumococcal infection		1 (2)	0.5		1 (1)	0.4		(2)	0.8
Varicella (chicken pox)		2 (11)	3.8		8 (18)	5.5	3	9 (11)	3.2
Varicella (shingles)		25 (41)	17.7		26 (28)	20.7		14 (34)	16.2
Varicella (unspecified)	25	64 (38)	23.0	13	49 (34)	25.7	19	44 (45)	17.0
Vector-borne diseases									
Barmah Forest virus					2	0.3			
Dengue fever		4 (4)	1.8		2 (7)	1.8		1 (4)	1.2
Malaria		(2)	0.5			0.6		2 (1)	0.8
Ross River virus	2	8 (18)	3.4	5	26 (31)	14.0	3	14 (32)	7.4
Typhus			0.1			0.1		1	0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis									
Q Fever								1	0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis		1	0.4			0.6		2 (1)	0.5
Meningococcal infection			0.1			0.3		(1)	0.1
Tuberculosis		2 (6)	1.2		4	1.2	2	3 (3)	1.6
Grand Total	114	568 (718)		78	541 (674)		105	605 (774)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		3 (1)	4.8				1	1 (3)	5.1
Hepatitis C (newly acquired)					1 (4)	3.2			1.3
Hepatitis C (unspecified)	1	5 (7)	9.0		2 (5)	16.0		2 (6)	8.9
Hepatitis D							1	1	1.3
Enteric diseases									
Campylobacteriosis	6	12 (14)	44.2	1	4 (5)	33.7		3 (5)	21.6
Cryptosporidiosis		(2)	3.2						
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)	0.5			1.6		(1)	2.5
STEC/VTEC infection			0.5			4.8			
Salmonellosis	4	8 (17)	19.7		3 (5)	17.6	1	4 (8)	21.6
Shigellosis			0.5						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	7	28 (42)	70.7		8 (13)	89.8	3	14 (16)	59.6
Gonorrhoea		4 (4)	20.7		(1)	1.6		2	7.6
Syphilis - Infectious		(1)	0.5			1.6		1	1.3
Syphilis - Non-Infectious			1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	5 (5)	26.6		3 (4)	16.0		4 (3)	16.5
Measles									
Mumps									
Pertussis		9 (1)	22.3	1	4 (5)	32.1		1	7.6
Pneumococcal infection						3.2			
Varicella (chicken pox)		1 (4)	4.3		2	11.2			1.3
Varicella (shingles)	6	24 (14)	37.2		4 (5)	28.9	3	7 (4)	24.1
Varicella (unspecified)	1	1 (1)	1.1	1	5	20.9	2	4	10.1
Vector-borne diseases									
Barmah Forest virus		2 (1)	2.7			3.2			
Dengue fever								(1)	1.3
Malaria									
Ross River virus		(19)	10.6		(4)	4.8		1 (16)	7.6
Typhus		1	0.5						
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis									
Meningococcal infection						1.6			
Tuberculosis		1	1.1		1	3.2	1	1	1.3
Grand Total	26	104 (134)		3	37 (51)		12	46 (63)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)	2.9		(2)	4.9		(1)	5.8
Hepatitis C (newly acquired)		1	2.9		1	1.6			
Hepatitis C (unspecified)	1	3 (5)	17.2	1	2 (1)	18.1	1	4 (1)	10.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis		4 (4)	20.0	1	4 (4)	34.5		2 (6)	20.4
Cryptosporidiosis		(7)	1.4					1 (4)	1.5
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus			2.9		(7)	1.6		1 (13)	4.4
STEC/VTEC infection									1.5
Salmonellosis		3 (14)	24.3	1	3 (9)	16.4	3	7 (9)	27.7
Shigellosis		(6)	2.9		2	18.1	3	4	14.6
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis					1	1.6			
Sexually transmissible infections									
Chlamydia (genital)	5	23 (35)	111.5	3	20 (32)	123.2	3	19 (33)	128.3
Gonorrhoea	1	9 (7)	38.6	2	9 (23)	62.4	2	16 (21)	75.8
Syphilis - Infectious		1	2.9					1 (1)	1.5
Syphilis - Non-Infectious			1.4		1	6.6			2.9
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	1	2 (5)	22.9		(3)	14.8		5	24.8
Measles									
Mumps				1	1	3.3			
Pertussis	1	4 (1)	11.4					1 (1)	2.9
Pneumococcal infection		1	7.2			3.3		2	2.9
Varicella (chicken pox)		1	2.9		(1)	1.6			
Varicella (shingles)		(3)	5.7		2 (5)	18.1		(3)	2.9
Varicella (unspecified)	2	7 (4)	32.9	2	2 (1)	3.3	1	1	2.9
Vector-borne diseases									
Barmah Forest virus				1	1 (1)	1.6	1	1 (2)	2.9
Dengue fever									2.9
Malaria									
Ross River virus		3 (6)	7.2		1 (38)	3.3	1	3 (17)	5.8
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis		(1)	1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	3.3			
Legionellosis									1.5
Meningococcal infection					1	3.3			
Tuberculosis			1.4					1 (1)	4.4
Grand Total	11	64 (100)		12	52 (127)		15	69 (113)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (0)	0.1
Hepatitis B (unspecified)		2	17.6	8	43 (51)	5.2
Hepatitis C (newly acquired)			2.5	0	6 (11)	1.2
Hepatitis C (unspecified)	1	2 (5)	22.6	19	75 (97)	9.8
Hepatitis D				1	1 (1)	0.0
Enteric diseases						
Campylobacteriosis		2 (2)	32.6	31	159 (228)	30.7
Cryptosporidiosis	1	2 (4)	20.1	1	6 (77)	1.4
Hepatitis A				0	0 (3)	0.1
Listeriosis			2.5	0	0 (0)	0.1
Paratyphoid fever				0	0 (0)	0.1
Rotavirus		1	5.0	1	14 (43)	2.9
STEC/VTEC infection				2	5 (6)	0.8
Salmonellosis		4 (13)	65.2	40	169 (303)	23.4
Shigellosis		3	65.2	3	14 (9)	2.9
Typhoid				0	1 (0)	0.3
Vibrio parahaemolyticus				0	1 (3)	0.1
Yersiniosis				0	1 (1)	0.1
Sexually transmissible infections						
Chlamydia (genital)	6	36 (43)	434.1	122	802 (992)	115.3
Gonorrhoea	2	24 (46)	336.2	33	223 (316)	32.8
Syphilis - Infectious	1	8 (12)	25.1	2	30 (39)	3.6
Syphilis - Non-Infectious				3	15 (15)	2.4
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza		(3)	47.7	19	167 (142)	31.5
Measles				1	5 (0)	0.3
Mumps				2	3 (1)	0.3
Pertussis		(1)	2.5	9	50 (62)	10.1
Pneumococcal infection		1 (3)	7.5	0	6 (9)	1.0
Varicella (chicken pox)		(2)	37.6	3	23 (51)	4.6
Varicella (shingles)	1	4 (3)	40.1	10	106 (142)	19.7
Varicella (unspecified)				66	178 (123)	19.3
Vector-borne diseases						
Barmah Forest virus		1 (3)	5.0	2	7 (7)	0.5
Dengue fever				0	7 (20)	1.4
Malaria	1	1	2.5	1	3 (3)	0.5
Ross River virus	1	8 (27)	50.2	12	66 (210)	8.7
Typhus				0	2 (1)	0.1
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	0 (1)	0.0
Q Fever			2.5	0	1 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			22.6	0	1 (0)	0.4
Legionellosis				0	3 (1)	0.4
Meningococcal infection				0	2 (2)	0.3
Tuberculosis				3	13 (10)	0.9
Grand Total	14	99 (167)		394	2212 (3006)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 14	
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2018	2017
	Salmonella Total	47	57	43	41	46	43	40	40	645
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide				1					1	2
Salmonella Agona									4	2
Salmonella Albany									1	1
Salmonella Anatum	1	1		2	2			1	11	2
Salmonella Anatum var 15+							1		1	1
Salmonella Bareilly							1		2	3
Salmonella Bovismorbificans	1			1		4			6	8
Salmonella Braenderup	1								1	0
Salmonella Bredeney				1					1	1
Salmonella Cerro			1		1				3	0
Salmonella Chester		1		1		1	1		6	11
Salmonella Choleraesuis		1							1	0
Salmonella Choleraesuis bv Australia	1	1				2	1		7	6
Salmonella Choleraesuis bv Decatur		1	1				1		4	0
Salmonella Corvallis									1	2
Salmonella Eastbourne				1					1	1
Salmonella Enteritidis	6	1	1	2	4	6	3	3	42	43
Salmonella Fremantle subsp II									1	1
Salmonella Give									1	5
Salmonella Give var 15+,34+							1		1	0
Salmonella Hadar									1	1
Salmonella Havana		1			1				2	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	1	4	1		4	1			16	8
Salmonella Infantis	1			2		1			7	11
Salmonella Irumu			1						1	0
Salmonella Javiana									1	5
Salmonella Johannesburg									1	4
Salmonella Kentucky							1		9	10
Salmonella Kiambu							1		2	6
Salmonella Kottbus									1	0
Salmonella Lindern									1	0
Salmonella Litchfield							1		1	5
Salmonella Matopeni		1							1	0
Salmonella Mbandaka									1	4
Salmonella Mississippi									1	0
Salmonella Muenchen	2	2	1	1					11	10
Salmonella Newport	1	1			1	2	1		6	9
Salmonella Oranienburg		1							2	1
Salmonella Orientalis		1							1	0
Salmonella Orion				1					4	2
Salmonella Paratyphi B bv Java	1		1	2	4	2	1		16	28
Salmonella Poona			1		1				4	3
Salmonella Potsdam			2		1				3	1
Salmonella Rissen									1	0
Salmonella Saintpaul		1	2	2					25	22
Salmonella Schwarzengrund						1			1	5

Weekly Report for period 12-FEB-18 to 08-APR-18

	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	Cumulative Total to end of Week 14	
									2018	2017
Salmonella Total	47	57	43	41	46	43	40	40	645	960
Serotype/Phage										
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore	2	1	1	2	1				10	27
Salmonella Stanley	1	2				1			8	21
Salmonella Typhimurium	22	32	25	15	14	17	17	6	298	617
Salmonella Virchow	1	1			1	1	2		10	13
Salmonella Wandsbek subsp II							2		2	1
Salmonella Wandsworth							1		1	2
Salmonella Welikade									2	1
Salmonella Weltevreden				1	3				7	8
Salmonella species	5	3	4	6	8	4	4	30	83	41
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z			1						1	0