



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 05-MAR-18 to 29-APR-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1	1	1	1			1	6	5	7	2	2.1	1.0
Hepatitis B (unspecified)	5	13	13	8	7	9	14	7	172	175	151	37	53.9	0.7
Hepatitis C (newly acquired)	3	2	4	1		1	1	2	39	43	41	4	9.6	0.4
Hepatitis C (unspecified)	14	20	19	16	17	17	14	19	315	369	352	67	84.0	0.8
Hepatitis D					1				1	3	0	1	0.2	5.0
Enteric diseases														
Campylobacteriosis	64	51	50	34	46	52	33	36	994	1129	972	167	194.6	0.9
Cryptosporidiosis	2		2	3	6	4	2		51	287	117	12	39.1	0.3
Hepatitis A						1			3	7	7	1	1.1	0.9
Listeriosis									3	1	2	0	0.3	0.0
Paratyphoid fever						1			3	3	8	1	1.1	0.9
Rotavirus	5	4	5	4	4	2	2	3	91	163	58	11	30.4	0.4
STEC/VTEC infection	3	1	1	2	3	2		2	30	22	8	7	1.2	5.8
Salmonellosis	44	44	59	46	50	41	27	37	784	1158	805	155	162.3	1.0
Shigellosis	8	7	1	4	5	3	4	1	91	55	35	13	6.1	2.1
Typhoid	3								8	4	2	0	0.9	0.0
Vibrio parahaemolyticus			1					1	5	9	14	1	1.5	0.7
Yersiniosis			1						4	2	5	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	197	233	257	206	202	216	243	169	3910	4140	4064	830	921.9	0.9
Gonorrhoea	62	66	73	56	70	59	53	29	1090	1314	1019	211	202.5	1.0
Syphilis - Infectious	5	11	5	11	7	10	4	4	126	125	102	25	13.8	1.8
Syphilis - Non-Infectious	4	5	6	1	2	2		6	76	49	18	10	7.4	1.4
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	60	62	57	40	47	35	33	23	999	517	687	138	151.8	0.9
Measles	1	2	1	1	3	1			10	12	0	4	0.6	6.7
Mumps			1		3		1		9	8	356	4	15.4	0.3
Pertussis	14	11	25	21	12	26	24	7	358	373	505	69	93.7	0.7
Pneumococcal infection	1	3	2	2	1	1	2	2	34	43	27	6	11.1	0.5
Varicella (chicken pox)	11	8	10	6	10	11	8	4	160	203	146	33	32.9	1.0
Varicella (shingles)	38	35	45	41	51	33	28	9	688	633	561	121	115.1	1.1
Varicella (unspecified)	31	39	34	25	32	31	44	58	613	542	525	165	107.5	1.5
Vector-borne diseases														
Barmah Forest virus	1	1	4	1	1		3		17	18	6	4	31.3	0.1
Chikungunya									0	6	3	0	2.1	0.0
Dengue fever	4	1	2	3	1	1	2		41	88	272	4	45.0	0.1
Malaria	1		1	1	1			1	16	27	20	2	3.7	0.5
Ross River virus	26	29	19	8	9	10	4	3	257	724	174	26	117.4	0.2
Typhus	1	1		1		1	1		6	9	10	2	1.9	1.1
Zoonotic diseases														
Brucellosis		1							1	0	0	0	0.0	0.0
Leptospirosis									1	0	2	0	0.2	0.0
Psittacosis	1						1		2	2	0	1	0.1	7.5
Q Fever			1						4	3	7	0	1.1	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1			1				12	0	0	1	0.0	0.0
Creutzfeldt-Jakob disease									1	1	4	0	0.3	0.0
Legionellosis	3	2		1			2		14	9	13	2	4.5	0.4
Melioidosis				1					1	4	2	0	0.5	0.0
Meningococcal infection			2						8	10	4	0	1.0	0.0
Tuberculosis	3	2	3	5	3	2	1	2	44	36	38	8	9.3	0.9
Grand Total	615	656	705	550	596	572	551	426						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1	1	1	1				5	4	7	1	1.9	0.5
Hepatitis B (unspecified)	5	13	9	6	6	8	11	4	138	146	125	29	38.0	0.8
Hepatitis C (newly acquired)	2	1	2	1			1	2	31	29	34	3	7.4	0.4
Hepatitis C (unspecified)	11	18	12	10	13	14	12	16	234	265	245	55	56.7	1.0
Enteric diseases														
Campylobacteriosis	46	41	37	28	37	42	30	29	779	904	774	138	152.8	0.9
Cryptosporidiosis			2	1	1	1			25	216	75	2	23.8	0.1
Hepatitis A						1			3	6	6	1	0.8	1.3
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever						1			3	3	7	1	0.9	1.2
Rotavirus	4	4	4	3	3	2	2	2	77	99	52	9	19.4	0.5
STEC/VTEC infection	2	1	1	2	3	1		2	24	13	2	6	0.7	9.0
Salmonellosis	29	36	49	33	38	30	16	31	604	887	610	115	115.9	1.0
Shigellosis	3	4		1	1				30	12	20	1	2.2	0.5
Typhoid	3								8	3	2	0	0.7	0.0
Vibrio parahaemolyticus			1						4	8	13	0	1.3	0.0
Yersiniosis									3	2	4	0	0.7	0.0
Sexually transmissible infections														
Chlamydia (genital)	162	190	205	169	153	179	184	139	3083	3228	3109	655	702.1	0.9
Gonorrhoea	43	48	47	37	54	37	38	18	715	861	684	147	121.4	1.2
Syphilis - Infectious	3	7	3	8	6	8	4	3	104	85	85	21	10.6	2.0
Syphilis - Non-Infectious	4	5	5	1	2	2		4	63	44	12	8	5.5	1.5
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	53	53	47	37	37	29	30	20	824	412	559	116	116.1	1.0
Measles	1	2	1	1	3	1			10	11	0	4	0.5	7.5
Mumps			1		3		1		8	7	5	4	1.5	2.6
Pertussis	11	6	12	13	7	11	14	4	237	296	352	36	72.7	0.5
Pneumococcal infection			2	1		1			15	29	10	1	5.7	0.2
Varicella (chicken pox)	9	8	8	3	8	9	5	4	117	141	113	26	23.8	1.1
Varicella (shingles)	26	23	35	26	33	20	20	1	494	448	423	74	86.7	0.9
Varicella (unspecified)	29	37	31	21	29	28	39	57	561	514	441	153	93.5	1.6
Vector-borne diseases														
Barmah Forest virus			2				1		3	3	2	1	23.3	0.0
Chikungunya									0	4	2	0	1.8	0.0
Dengue fever	4	1	2	3	1		1		36	73	225	2	35.8	0.1
Malaria	1		1	1				1	15	23	16	1	3.1	0.3
Ross River virus	20	21	15	5	7	8	2	3	191	317	99	20	52.5	0.4
Typhus	1			1		1			4	3	7	1	1.0	1.0
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.1	0.0
Psittacosis							1		1	0	0	1	0.1	15.0
Q Fever			1						1	1	2	0	0.5	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.2	0.0
Legionellosis	2	2		1			2		13	7	8	2	3.6	0.6
Meningococcal infection									4	9	2	0	0.5	0.0
Tuberculosis	2	1	1	5	2	2	1	1	33	33	34	6	7.7	0.8
Grand Total	476	523	537	419	448	436	415	341						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.1		1	0.5
Hepatitis B (unspecified)		7 (6)	5.7	1	10 (10)	5.1	3	12 (9)	8.0
Hepatitis C (newly acquired)		1 (2)	0.5	1	1 (1)	1.5	1	1 (3)	2.3
Hepatitis C (unspecified)	4	16 (14)	7.7	5	17 (9)	10.9	7	22 (28)	13.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	7	40 (51)	35.0	15	56 (42)	39.8	7	42 (66)	32.1
Cryptosporidiosis		1 (12)	0.8		1 (14)	1.5		(5)	1.2
Hepatitis A			0.1		1 (1)	0.1			0.1
Listeriosis			0.1						0.1
Paratyphoid fever								1	0.4
Rotavirus	1	4 (5)	3.4	1	2 (7)	3.1		3 (11)	4.1
STEC/VTEC infection	1	3 (1)	1.6		(2)	0.6	1	3	1.1
Salmonellosis	5	40 (61)	28.4	12	45 (44)	30.2	14	30 (44)	24.2
Shigellosis		(1)	1.2			1.5		1 (2)	1.5
Typhoid			0.4		(1)	0.3		(1)	0.4
Vibrio parahaemolyticus					(1)	0.6			
Yersiniosis			0.1						0.3
Sexually transmissible infections									
Chlamydia (genital)	47	209 (173)	128.6	40	206 (217)	142.9	52	240 (246)	150.8
Gonorrhoea	3	40 (50)	25.2	9	46 (44)	30.8	6	61 (77)	41.9
Syphilis - Infectious	2	7 (2)	3.6		3 (3)	3.8	1	11 (10)	6.8
Syphilis - Non-Infectious	1	3 (2)	2.9	1	2 (1)	1.6	2	3 (12)	4.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza	8	41 (29)	39.4	4	37 (20)	40.1	8	38 (19)	33.3
Measles		3	0.8			0.1		1 (1)	0.4
Mumps		4	0.7						0.4
Pertussis	3	16 (32)	13.0		12 (11)	11.4	1	8 (11)	8.0
Pneumococcal infection		(3)	0.7		1	0.6		(2)	0.8
Varicella (chicken pox)	1	8 (8)	4.9	3	12 (6)	7.3		6 (7)	3.9
Varicella (shingles)	1	28 (31)	22.3		27 (30)	26.1		19 (32)	19.5
Varicella (unspecified)	18	55 (35)	26.3	18	45 (31)	29.5	21	53 (31)	21.2
Vector-borne diseases									
Barmah Forest virus						0.3		1 (1)	0.1
Dengue fever		2 (4)	2.1		(5)	1.6		(4)	1.2
Malaria		(1)	0.5	1	1 (2)	0.7			0.8
Ross River virus		5 (13)	3.8	1	8 (42)	14.7	2	7 (31)	8.3
Typhus		1	0.3			0.1			0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis					1	0.1			
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis			0.4			0.6		2	0.8
Melioidosis									
Meningococcal infection		(1)	0.1			0.3		(1)	0.1
Tuberculosis		1 (2)	1.3	1	2 (2)	1.5		3 (2)	1.8
Grand Total	102	535 (539)		113	536 (546)		126	569 (656)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)	1	1	0.5						
Hepatitis B (unspecified)		(1)	4.3				1	3 (2)	6.3
Hepatitis C (newly acquired)		1	0.5		(3)	3.2		(1)	1.3
Hepatitis C (unspecified)	1	3 (4)	10.1		1 (3)	17.6		1 (5)	10.1
Hepatitis D								1	1.3
Enteric diseases									
Campylobacteriosis	3	13 (14)	50.5	2	7 (4)	44.9		2 (11)	24.1
Cryptosporidiosis		1 (2)	3.7		4	8.0			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	1.1			1.6	1	1 (4)	3.8
STEC/VTEC infection			0.5			4.8			
Salmonellosis	3	11 (15)	25.0		7 (2)	28.9		4 (10)	26.6
Shigellosis		1	1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	10	47 (36)	93.1		5 (15)	97.8	5	16 (14)	76.1
Gonorrhoea	2	4 (3)	22.9		1	3.2	2	2 (1)	10.1
Syphilis - Infectious			0.5			1.6	1	2	2.5
Syphilis - Non-Infectious			1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	6 (3)	29.3		2 (2)	19.2		1 (2)	17.7
Measles									
Mumps									
Pertussis	2	15 (9)	34.0	1	3 (5)	40.1			6.3
Pneumococcal infection	1	2 (2)	1.1			3.2			
Varicella (chicken pox)		5 (1)	6.9		1	12.8			1.3
Varicella (shingles)	5	23 (18)	48.4		1 (8)	30.5	1	7 (5)	34.2
Varicella (unspecified)			0.5		5	27.3			5.1
Vector-borne diseases									
Barmah Forest virus		1	3.2			3.2			
Dengue fever		1	0.5						
Malaria									
Ross River virus		2 (11)	11.2		(4)	4.8		(24)	7.6
Typhus			0.5		1	1.6			
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis									
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis			1.1	1	1	4.8		1 (1)	1.3
Grand Total	29	138 (119)		4	39 (46)		11	41 (80)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1	4.3			4.9	1		7.3
Hepatitis C (newly acquired)			2.9			1.6			
Hepatitis C (unspecified)	1	1 (2)	17.2	1	2 (3)	19.7	2		11.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis		(7)	20.0		2 (6)	36.1	2	4 (8)	26.2
Cryptosporidiosis		(2)	1.4				1 (3)		2.9
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)	2.9		(8)	1.6		(12)	4.4
STEC/VTEC infection		1	1.4						1.5
Salmonellosis		2 (8)	27.2		(8)	16.4		3 (6)	29.2
Shigellosis		(3)	2.9	1		19.7	1	7 (4)	21.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	1	14 (22)	125.8	6	21 (23)	152.7	1	11 (27)	142.9
Gonorrhoea		5 (7)	44.3	4	20 (14)	92.0		5 (13)	83.1
Syphilis - Infectious			2.9		(1)	1.6		1	4.4
Syphilis - Non-Infectious			1.4			6.6	1	1	4.4
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	1	7 (7)	32.9		(3)	14.8		(2)	24.8
Measles									
Mumps						1.6			
Pertussis		14 (3)	30.0		1	1.6			2.9
Pneumococcal infection		1	8.6		1	4.9		(2)	2.9
Varicella (chicken pox)			2.9		(2)	1.6		1 (5)	1.5
Varicella (shingles)		2 (1)	10.0		4 (5)	26.3		3 (1)	7.3
Varicella (unspecified)		3 (2)	32.9						1.5
Vector-borne diseases									
Barmah Forest virus						1.6		1 (1)	2.9
Dengue fever								1 (1)	4.4
Malaria									
Ross River virus		(3)	7.2		(23)	3.3		3 (9)	8.7
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						3.3			
Creutzfeldt-Jakob disease									1.5
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection						3.3			
Tuberculosis			1.4						4.4
Grand Total	4	51 (68)		11	52 (96)		5	45 (94)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	2 (3)	0.2
Hepatitis B (unspecified)		(3)	17.6	7	37 (31)	6.1
Hepatitis C (newly acquired)			2.5	2	4 (11)	1.4
Hepatitis C (unspecified)		2 (2)	25.1	19	67 (70)	11.4
Hepatitis D				0	1 (0)	0.0
Enteric diseases						
Campylobacteriosis		(3)	32.6	36	167 (214)	36.0
Cryptosporidiosis		3 (2)	25.1	0	12 (43)	1.8
Hepatitis A				0	1 (1)	0.1
Listeriosis			2.5	0	0 (0)	0.1
Paratyphoid fever				0	1 (0)	0.1
Rotavirus		(1)	5.0	3	11 (49)	3.3
STEC/VTEC infection				2	7 (3)	1.1
Salmonellosis	2	9 (8)	87.8	37	155 (211)	28.4
Shigellosis		3 (1)	72.8	1	13 (11)	3.3
Typhoid				0	0 (3)	0.3
Vibrio parahaemolyticus				1	1 (2)	0.2
Yersiniosis				0	0 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	6	50 (35)	544.5	169	830 (818)	141.6
Gonorrhoea	2	24 (46)	391.4	29	211 (256)	39.5
Syphilis - Infectious		1 (4)	25.1	4	25 (20)	4.6
Syphilis - Non-Infectious				6	10 (15)	2.6
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza	1	5 (2)	60.2	23	138 (91)	36.2
Measles				0	4 (1)	0.4
Mumps				0	4 (0)	0.3
Pertussis		(6)	2.5	7	69 (77)	13.0
Pneumococcal infection	1	1 (2)	10.0	2	6 (13)	1.2
Varicella (chicken pox)		(1)	37.6	4	33 (30)	5.8
Varicella (shingles)	2	6 (1)	52.7	9	121 (136)	24.9
Varicella (unspecified)		2	5.0	58	165 (100)	22.2
Vector-borne diseases						
Barmah Forest virus		1 (2)	7.5	0	4 (4)	0.6
Dengue fever				0	4 (16)	1.5
Malaria		1	2.5	1	2 (4)	0.6
Ross River virus		1 (10)	52.7	3	26 (171)	9.3
Typhus				0	2 (0)	0.2
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	1 (0)	0.1
Q Fever			2.5	0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	25.1	0	1 (0)	0.4
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis				0	2 (0)	0.5
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	0 (2)	0.3
Tuberculosis				2	8 (7)	1.2
Grand Total	14	110 (129)		426	2146 (2439)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 17	
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2018	2017
	Salmonella Total	44	44	59	46	50	41	27	37	784
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide	1								1	3
Salmonella Agona							1		5	2
Salmonella Albany							1		2	1
Salmonella Anatum	2	2	1						11	4
Salmonella Anatum var 15+				1					1	1
Salmonella Bareilly				1					2	4
Salmonella Bovismorbificans	1		4		3	1			10	10
Salmonella Braenderup									1	0
Salmonella Bredeney	1								1	1
Salmonella Cerro		1							3	0
Salmonella Chester	1		1	1	2	1	1		10	14
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia			2	1					7	6
Salmonella Choleraesuis bv Decatur				1					4	0
Salmonella Corvallis						1	1		3	2
Salmonella Eastbourne	1					1			2	2
Salmonella Enteritidis	3	4	7	3	3	4		1	49	52
Salmonella Fremantle subsp II									1	2
Salmonella Give									1	5
Salmonella Give var 15+,34+				1					1	0
Salmonella Hadar									1	1
Salmonella Havana	1						1		3	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss		4	1		1	1		1	19	8
Salmonella Infantis	2		2	1					9	14
Salmonella Irumu									1	0
Salmonella Jangwani						1			1	0
Salmonella Javiana					1				2	5
Salmonella Johannesburg								1	2	5
Salmonella Kentucky				1		1		1	10	10
Salmonella Kiambu				1					2	7
Salmonella Kottbus									1	0
Salmonella Lindern									1	0
Salmonella Litchfield			1						1	5
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	4
Salmonella Meleagridis					1				1	1
Salmonella Mississippi				1					2	0
Salmonella Muenchen	1		1		3	1			16	13
Salmonella Newport		1	2	2					7	9
Salmonella Oranienburg									2	2
Salmonella Orientalis					1				2	0
Salmonella Orion	1								4	2
Salmonella Oslo					1				1	2
Salmonella Paratyphi B bv Java	2	4	2	2	2	1	2		22	34
Salmonella Poona		1							4	4
Salmonella Potsdam		1							3	1

Weekly Report for period 05-MAR-18 to 29-APR-18

	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	Cumulative Total to end of Week 17	
									2018	2017
Salmonella Total	44	44	59	46	50	41	27	37	784	1119
Serotype/Phage										
Salmonella Rissen									1	0
Salmonella Saintpaul	2				3		2	1	31	27
Salmonella Schwarzengrund			1						1	6
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore	2	1					1		11	32
Salmonella Stanley			1			1			9	24
Salmonella Thompson						1			1	2
Salmonella Typhimurium	15	14	27	20	22	23	12	14	377	713
Salmonella Urbana					1				1	3
Salmonella Virchow		1	1	3					11	13
Salmonella Wandsbek subsp II			1	1					2	1
Salmonella Wandsworth			1						1	2
Salmonella Welikade									2	1
Salmonella Weltevreden	1	3					2		9	10
Salmonella species	6	7	3	5	6	3	3	18	83	44
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z									1	0
Salmonella subsp IIIb 61:l,v:z35	1								1	0