



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 16-APR-18 to 10-JUN-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 23			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1	1		1				8	6	11	1	2.6	0.4
Hepatitis B (unspecified)	14	7	11	5	6	7	11	6	218	234	263	30	58.7	0.5
Hepatitis C (newly acquired)	1	4	2	1	3	2	1		50	52	55	6	10.3	0.6
Hepatitis C (unspecified)	14	17	22	18	14	14	13	11	403	494	482	52	85.7	0.6
Hepatitis D						1			2	3	1	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	43	48	54	67	46	36	55	30	1305	1464	1319	167	198.7	0.8
Cryptosporidiosis	1	1		6	2		1	3	64	327	148	6	22.5	0.3
Hepatitis A			1						4	8	8	0	0.7	0.0
Listeriosis			1						4	1	2	0	0.4	0.0
Paratyphoid fever									3	4	9	0	0.8	0.0
Rotavirus	3	4	2	2	2	7	2	1	109	307	68	12	43.3	0.3
STEC/VTEC infection	2	1	2	1		2			36	25	12	2	0.8	2.5
Salmonellosis	33	43	73	58	54	39	39	25	1095	1451	1011	157	126.4	1.2
Shigellosis	7	2	7	4	2	6	7		122	73	45	15	6.1	2.5
Typhoid									8	6	4	0	0.9	0.0
Vibrio parahaemolyticus	1	1	1		1				8	10	17	1	1.1	0.9
Yersiniosis						1	1		6	8	6	2	1.1	1.8
Sexually transmissible infections														
Chlamydia (genital)	254	194	213	217	240	214	211	159	5229	5438	5564	824	897.4	0.9
Gonorrhoea	55	52	76	71	74	52	60	39	1492	1696	1432	225	197.1	1.1
Syphilis - Infectious	2	6	5	3	11	6	14	8	167	155	139	39	13.5	2.9
Syphilis - Non-Infectious	4	6	2	5	5	6	6	1	107	66	26	18	9.3	1.9
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	38	27	38	56	36	61	49	45	1294	740	1037	191	234.4	0.8
Measles			1						11	12	0	0	1.3	0.0
Mumps	1			1	1	1	1		13	11	416	3	11.6	0.3
Pertussis	30	19	24	28	27	19	18	7	516	509	624	71	100.7	0.7
Pneumococcal infection	2	3	6	4	7	1	2	4	61	64	50	14	17.1	0.8
Rubella (non-congenital)					1				1	2	0	1	0.0	0.0
Varicella (chicken pox)	10	13	4	18	9	17	5	7	236	254	214	38	37.4	1.0
Varicella (shingles)	43	39	44	39	48	33	36	18	966	847	729	135	114.5	1.2
Varicella (unspecified)	33	37	34	36	42	34	39	56	818	745	693	171	109.6	1.6
Vector-borne diseases														
Barmah Forest virus	3	1	3			1	1	1	24	25	7	3	21.6	0.1
Chikungunya									0	7	3	0	2.4	0.0
Dengue fever	3	1	2	2	1	4	1		53	104	336	6	35.8	0.2
Malaria		2	1		1			2	21	38	27	3	4.3	0.7
Ross River virus	3	5	11	5	5	5	7	5	304	846	215	22	72.1	0.3
Typhus	3		1						9	11	13	0	1.8	0.0
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									1	1	3	0	0.2	0.0
Psittacosis	1								2	2	0	0	0.0	0.0
Q Fever									3	5	7	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1							13	0	0	0	0.0	0.0
Creutzfeldt-Jakob disease									1	3	4	0	0.4	0.0
Haemolytic Uraemic Syndrome							1		1	3	0	1	0.1	15.0
Legionellosis	2	1	1	1		1	1		18	15	23	2	5.9	0.3
Melioidosis									1	4	2	0	0.1	0.0
Meningococcal infection						1	1		10	10	4	2	1.5	1.4
Tuberculosis	1	2	3	1	4	1	3	3	58	45	55	11	10.3	1.1
Grand Total	607	538	646	649	643	572	586	431						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 23			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1						6	4	11	0	2.3	0.0
Hepatitis B (unspecified)	12	4	10	4	5	6	9	5	178	198	215	25	39.7	0.6
Hepatitis C (newly acquired)	1	4			3	2	1		39	37	44	6	7.7	0.8
Hepatitis C (unspecified)	12	14	17	17	10	9	11	9	304	355	336	39	58.1	0.7
Hepatitis D						1			1	2	1	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	38	39	46	57	39	28	44	27	1039	1173	1055	138	154.7	0.9
Cryptosporidiosis		1		3			1	2	32	239	98	3	14.6	0.2
Hepatitis A			1						4	6	7	0	0.5	0.0
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever									3	4	8	0	0.5	0.0
Rotavirus	2	4	2	2	2	4	2		91	148	59	8	27.3	0.3
STEC/VTEC infection	2	1	1	1		1			28	14	3	1	0.4	2.5
Salmonellosis	21	32	58	47	38	28	34	20	844	1104	758	120	89.7	1.3
Shigellosis	2		3	2			1		38	16	26	1	2.4	0.4
Typhoid									8	5	3	0	0.7	0.0
Vibrio parahaemolyticus		1	1		1				7	9	16	1	0.8	1.3
Yersiniosis						1	1		5	7	4	2	0.9	2.3
Sexually transmissible infections														
Chlamydia (genital)	192	146	174	169	190	165	169	137	4122	4243	4235	661	690.0	1.0
Gonorrhoea	40	26	52	42	46	35	40	28	970	1113	944	149	115.6	1.3
Syphilis - Infectious	2	4	3	3	7	3	9	7	131	109	115	26	10.1	2.6
Syphilis - Non-Infectious	4	4	2	5	5	4	5	1	90	58	19	15	5.1	3.0
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	33	24	30	50	31	52	45	41	1081	582	849	169	185.0	0.9
Measles			1						11	11	0	0	1.3	0.0
Mumps	1			1	1	1	1		12	9	11	3	2.3	1.3
Pertussis	18	11	17	10	16	8	12	6	328	386	459	42	78.1	0.5
Pneumococcal infection			5	1	5		1	2	30	44	26	8	10.5	0.8
Varicella (chicken pox)	7	13	3	15	9	13	2	6	178	179	169	30	28.5	1.1
Varicella (shingles)	30	27	36	29	39	20	26	3	695	612	555	88	85.7	1.0
Varicella (unspecified)	32	35	32	36	38	31	32	55	754	703	587	156	97.1	1.6
Vector-borne diseases														
Barmah Forest virus	1	1	1						5	5	2	0	15.3	0.0
Chikungunya									0	5	2	0	2.1	0.0
Dengue fever	1	1	2	2	1	3	1		46	86	270	5	28.4	0.2
Malaria		2	1					2	19	32	20	2	3.5	0.6
Ross River virus	2	3	8	2	3	4	5	4	222	389	118	16	32.7	0.5
Typhus			1						5	4	8	0	1.1	0.0
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.0	0.0
Psittacosis	1								1	0	0	0	0.0	0.0
Q Fever									0	2	2	0	0.2	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.2	0.0
Legionellosis	2		1			1	1		15	11	16	2	4.5	0.4
Meningococcal infection						1	1		6	9	2	2	1.0	2.0
Tuberculosis	1	1	3		4	1	3	3	46	40	50	11	8.2	1.3
Grand Total	457	398	512	498	493	422	457	358						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1			0.1			0.5
Hepatitis B (unspecified)		6 (13)	6.9	2	10 (8)	7.1	3	9 (15)	10.3
Hepatitis C (newly acquired)			0.4		5 (1)	2.3		1 (3)	2.7
Hepatitis C (unspecified)	3	10 (19)	10.7	3	12 (21)	13.7	3	17 (17)	17.3
Hepatitis D								1	0.1
Enteric diseases									
Campylobacteriosis	11	43 (68)	46.2	7	43 (49)	52.6	9	52 (48)	43.7
Cryptosporidiosis	1	2 (5)	1.4		(8)	1.6	1	1 (5)	1.4
Hepatitis A			0.3			0.1			0.1
Listeriosis			0.1						0.1
Paratyphoid fever									0.4
Rotavirus		6 (11)	4.2		(9)	3.5		2 (12)	4.7
STEC/VTEC infection		1	1.8			0.6			1.4
Salmonellosis	6	39 (55)	39.3	9	45 (29)	41.9	5	36 (57)	34.5
Shigellosis			1.3		1 (1)	1.8		(2)	2.2
Typhoid			0.4			0.3		(2)	0.4
Vibrio parahaemolyticus		1	0.3			0.6			0.1
Yersiniosis		(4)	0.1		2	0.3			0.3
Sexually transmissible infections									
Chlamydia (genital)	36	204 (217)	169.1	44	196 (183)	190.8	57	261 (255)	204.9
Gonorrhoea	4	36 (38)	32.9	13	55 (47)	44.5	11	58 (62)	55.7
Syphilis - Infectious	4	10 (3)	5.3		4 (5)	4.5	3	12 (6)	8.0
Syphilis - Non-Infectious		5 (3)	3.8		2	2.2	1	8 (2)	6.2
Vaccine preventable diseases									
H. influenzae type b									
Influenza	18	71 (51)	53.4	11	54 (27)	52.2	12	44 (34)	42.3
Measles			0.9			0.1			0.4
Mumps		1	0.8		2	0.3		(2)	0.5
Pertussis	3	22 (28)	19.1	3	13 (25)	15.5		7 (9)	10.1
Pneumococcal infection	1	4 (2)	1.4	1	3 (7)	1.2		1 (4)	1.5
Rubella (non-congenital)									
Varicella (chicken pox)	2	10 (8)	6.9	2	12 (10)	10.8	2	8 (10)	6.9
Varicella (shingles)		26 (33)	31.1	1	31 (34)	35.9	2	31 (38)	28.4
Varicella (unspecified)	26	65 (42)	36.3	13	42 (46)	37.6	16	49 (42)	29.4
Vector-borne diseases									
Barmah Forest virus		(1)	0.1			0.4			0.1
Dengue fever		2 (2)	2.7		1 (4)	1.9		2 (3)	1.6
Malaria	1	1 (6)	0.8			0.9	1	1 (3)	0.9
Ross River virus	2	4 (10)	5.1		5 (18)	16.2	2	7 (15)	9.7
Typhus		(1)	0.4			0.1			0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis						0.1			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		(2)	0.4		2	1.0		(1)	0.7
Melioidosis									
Meningococcal infection			0.1		1	0.4		1	0.3
Tuberculosis	1	3 (1)	1.7		1 (2)	1.6	2	7 (3)	3.0
Grand Total	119	572 (623)		109	542 (534)		130	616 (650)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.5						
Hepatitis B (unspecified)			4.3					1 (1)	7.6
Hepatitis C (newly acquired)			0.5			6.4		(1)	1.3
Hepatitis C (unspecified)		(5)	11.7		1 (3)	19.2	2	5 (5)	16.5
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis		9 (13)	60.1		5 (2)	56.1		4 (5)	33.0
Cryptosporidiosis		(2)	4.8		1 (1)	9.6			
Hepatitis A									
Listeriosis						1.6			
Paratyphoid fever									
Rotavirus		(1)	1.1		2 (1)	4.8		(1)	3.8
STEC/VTEC infection			1.1		1	6.4			
Salmonellosis	2	10 (6)	33.5	2	5 (1)	38.5		2 (3)	35.5
Shigellosis		(1)	1.1						1.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	28 (35)	127.7	1	12 (11)	128.3	3	12 (12)	98.9
Gonorrhoea		7 (8)	30.9			11.2	1	2 (2)	16.5
Syphilis - Infectious			0.5			3.2		1 (1)	3.8
Syphilis - Non-Infectious		(1)	1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	5 (8)	32.4		2 (7)	25.7	1	3 (4)	22.8
Measles									
Mumps									
Pertussis		16 (6)	60.1		7 (7)	54.5		2 (4)	7.6
Pneumococcal infection		(1)	1.6		1	4.8		2	2.5
Rubella (non-congenital)									
Varicella (chicken pox)		4 (7)	10.6		1 (1)	16.0		(1)	1.3
Varicella (shingles)	12	22 (12)	64.4	1	4 (4)	38.5		9 (4)	52.0
Varicella (unspecified)			0.5		7 (3)	36.9			6.3
Vector-borne diseases									
Barmah Forest virus	1	1	3.7		1	4.8			1.3
Dengue fever		1 (1)	1.1						
Malaria									
Ross River virus		1 (4)	14.9		(1)	4.8		(7)	7.6
Typhus			1.1			3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome					1	1.6			
Legionellosis			0.5		(1)	1.6			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis			1.1			4.8			2.5
Grand Total	19	104 (112)		4	51 (43)		7	43 (51)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.7	1 (1)		8.2	1	2 (1)	10.2
Hepatitis C (newly acquired)			4.3			1.6			
Hepatitis C (unspecified)		2 (3)	24.3	2 (1)		21.3		2 (1)	14.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	4 (7)	27.2		1 (3)	42.7		2 (3)	30.6
Cryptosporidiosis		(1)	1.4					1 (2)	5.8
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus			2.9	1	1 (2)	3.3		(7)	4.4
STEC/VTEC infection		(1)	1.4						1.5
Salmonellosis		6 (4)	40.0	1	5 (20)	27.9		5 (6)	51.0
Shigellosis		5	11.4		3 (2)	26.3		2 (1)	27.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	2	17 (17)	165.9	3	22 (23)	216.8	2	16 (27)	192.4
Gonorrhoea		4 (13)	55.8	2	24 (19)	165.9	4	16 (12)	119.5
Syphilis - Infectious	1	1	2.9		2 (2)	4.9		3	8.7
Syphilis - Non-Infectious			2.9		2	9.9		1	5.8
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	1	11 (13)	55.8		(2)	14.8	1	1	29.2
Measles						1.6			
Mumps						3.3		(1)	2.9
Pertussis	1	3	40.0		1	6.6			11.7
Pneumococcal infection		(1)	8.6		(1)		1	2	
Rubella (non-congenital)		1	1.4						
Varicella (chicken pox)			2.9	1	2 (1)	4.9		1 (1)	2.9
Varicella (shingles)		2 (2)	17.2	1	2 (4)	31.2		1 (1)	8.7
Varicella (unspecified)		4 (2)	37.2		2	3.3	1	1	2.9
Vector-borne diseases									
Barmah Forest virus						1.6		(2)	2.9
Dengue fever									2.9
Malaria									
Ross River virus		(3)	7.2		(3)	4.9		2 (2)	11.7
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						4.9			
Creutzfeldt-Jakob disease									1.5
Haemolytic Uraemic Syndrome									
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection						3.3			
Tuberculosis		(1)	1.4						4.4
Grand Total	8	60 (68)		9	70 (84)		10	58 (67)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.3
Hepatitis B (unspecified)			17.6	6	30 (39)	7.9
Hepatitis C (newly acquired)			2.5	0	6 (5)	1.8
Hepatitis C (unspecified)		1 (2)	27.6	11	52 (78)	14.6
Hepatitis D				0	1 (0)	0.1
Enteric diseases						
Campylobacteriosis		1 (2)	37.6	30	167 (204)	47.3
Cryptosporidiosis	1	1	27.6	3	6 (24)	2.3
Hepatitis A				0	0 (1)	0.1
Listeriosis			2.5	0	0 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus		1 (45)	7.5	1	12 (90)	3.9
STEC/VTEC infection				0	2 (2)	1.3
Salmonellosis		3 (10)	112.9	25	157 (192)	39.6
Shigellosis		4 (1)	92.8	0	15 (10)	4.4
Typhoid				0	0 (2)	0.3
Vibrio parahaemolyticus				0	1 (0)	0.3
Yersiniosis				0	2 (5)	0.2
Sexually transmissible infections						
Chlamydia (genital)	7	51 (48)	720.1	159	824 (837)	189.3
Gonorrhoea	4	20 (34)	491.8	39	225 (238)	54.0
Syphilis - Infectious		6 (2)	42.7	8	39 (19)	6.0
Syphilis - Non-Infectious				1	18 (7)	3.7
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza		(1)	70.3	45	191 (148)	46.9
Measles				0	0 (0)	0.4
Mumps				0	3 (2)	0.5
Pertussis		(12)	2.5	7	71 (92)	18.7
Pneumococcal infection			10.0	4	14 (16)	2.2
Rubella (non-congenital)				0	1 (0)	0.0
Varicella (chicken pox)			42.7	7	38 (41)	8.5
Varicella (shingles)		4 (4)	87.8	18	135 (137)	35.0
Varicella (unspecified)			2.5	56	171 (140)	29.6
Vector-borne diseases						
Barmah Forest virus		1 (2)	12.5	1	3 (5)	0.9
Dengue fever				0	6 (11)	1.9
Malaria		(1)	2.5	2	3 (11)	0.8
Ross River virus	1	2 (2)	65.2	5	22 (66)	11.0
Typhus				0	0 (2)	0.3
Zoonotic diseases						
Leptospirosis				0	0 (1)	0.0
Psittacosis				0	0 (0)	0.1
Q Fever			2.5	0	0 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			25.1	0	0 (0)	0.5
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Haemolytic Uraemic Syndrome				0	1 (0)	0.0
Legionellosis				0	2 (4)	0.7
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	2 (0)	0.4
Tuberculosis				3	11 (7)	1.5
Grand Total	13	95 (166)		431	2233 (2462)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 23	
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2018	2017
	Salmonella Total	33	43	73	58	54	39	39	25	1095
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide									1	4
Salmonella Agona			1	1					7	3
Salmonella Albany	1								2	1
Salmonella Anatum			1		1				13	6
Salmonella Anatum var 15+	1			1					3	1
Salmonella Bareilly					1				3	4
Salmonella Bonn									1	0
Salmonella Bovismorbificans					1	1			12	13
Salmonella Braenderup									1	0
Salmonella Bredeney									1	2
Salmonella Cerro			1		1	1	1		7	0
Salmonella Chester	1		1			1	1		13	24
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia			1						8	7
Salmonella Choleraesuis bv Decatur									4	0
Salmonella Corvallis	1								3	5
Salmonella Eastbourne									2	3
Salmonella Enteritidis		4	5	3	5	4	2		71	65
Salmonella Fremantle subsp II				1					2	2
Salmonella Give									1	5
Salmonella Give var 15+,34+									1	0
Salmonella Hadar					1				2	1
Salmonella Havana	1						1		4	3
Salmonella Heidelberg									1	2
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	1		1	1		1	1		23	11
Salmonella Indiana		1							1	0
Salmonella Infantis		1				2			12	17
Salmonella Irumu									1	0
Salmonella Jangwani									1	0
Salmonella Javiana			1	1		1			5	5
Salmonella Johannesburg		1							2	5
Salmonella Kentucky			1	1	1		2	1	16	11
Salmonella Kiambu									2	8
Salmonella Kottbus				1					2	0
Salmonella Krefeld									1	1
Salmonella Lindern									1	0
Salmonella Litchfield									1	5
Salmonella Livingstone				1					1	0
Salmonella London									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka			2						3	4
Salmonella Meleagridis									1	1
Salmonella Mississippi									2	0
Salmonella Muenchen		1			1				18	17
Salmonella Newport			3						10	12
Salmonella Ohio			1						1	1
Salmonella Oranienburg				1					3	2

Weekly Report for period 16-APR-18 to 10-JUN-18

	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	Cumulative Total to end of Week 23	
										2018
Salmonella Total	33	43	73	58	54	39	39	25	1095	1402
Serotype/Phage										
Salmonella Orientalis									2	0
Salmonella Orion									4	2
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java	2	1			3	1			27	46
Salmonella Poona					1				5	4
Salmonella Potsdam	1		1						5	1
Salmonella Reading			1						1	6
Salmonella Rissen									1	0
Salmonella Saintpaul	3	2	3	2	1	1	3		43	34
Salmonella Schwarzengrund									1	7
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore	1	1							12	43
Salmonella Stanley		1		1	1		1		13	29
Salmonella Thompson									1	2
Salmonella Typhimurium	16	27	40	41	33	22	17	5	558	879
Salmonella Urbana									1	3
Salmonella Virchow			1		1	1			14	16
Salmonella Wandsbek subsp II			1						3	3
Salmonella Wandsworth									1	3
Salmonella Welikade		1	1						4	1
Salmonella Weltevreden	2	1	1	1	1		2		15	15
Salmonella species	1	1	5	1	1	3	8	19	98	53
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp 1 ser 4,12:i:-									1	0
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp IIIb 50:k:z									1	0
Salmonella subsp IIIb 61:l,v:z35	1								2	0
Salmonella subsp IIIb 61:z52:z53									1	0