



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 14-MAY-18 to 08-JUL-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1					1	1		10	9	15	2	2.3	0.9
Hepatitis B (unspecified)	6	7	10	6	12	13	9	12	263	281	372	46	63.6	0.7
Hepatitis C (newly acquired)	4	2	2	1	2	4	1	2	62	57	67	9	10.4	0.9
Hepatitis C (unspecified)	13	14	11	10	20	17	21	12	470	588	579	70	86.2	0.8
Hepatitis D		1				1		1	4	3	1	2	0.1	15.0
Enteric diseases														
Campylobacteriosis	46	38	62	53	49	52	46	46	1530	1679	1585	193	209.1	0.9
Cryptosporidiosis	2		2	2	2		3	1	70	338	165	6	16.5	0.4
Hepatitis A							1		5	9	8	1	1.1	0.9
Listeriosis					1				5	4	2	1	0.4	2.5
Paratyphoid fever									3	4	10	0	0.3	0.0
Rotavirus	2	7	2	3	8	6	4	3	132	362	78	21	47.2	0.4
STEC/VTEC infection		2						1	37	26	12	1	1.2	0.8
Salmonellosis	58	43	37	41	30	22	35	34	1239	1592	1133	121	112.9	1.1
Shigellosis	4	4	9	4	3	6	3	2	141	88	50	14	6.5	2.2
Typhoid									8	7	4	0	1.0	0.0
Vibrio parahaemolyticus	1								8	10	18	0	0.9	0.0
Yersiniosis		1	1			2			8	9	7	2	1.1	1.8
Sexually transmissible infections														
Chlamydia (genital)	245	219	225	208	214	233	203	147	6105	6348	6446	797	885.8	0.9
Gonorrhoea	72	54	59	64	65	57	62	33	1737	1961	1659	217	199.3	1.1
Syphilis - Infectious	10	6	12	8	8	7	8	6	193	167	165	29	14.9	2.0
Syphilis - Non-Infectious	5	6	6	1	6	8	4	2	127	73	31	20	11.5	1.7
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	36	64	58	76	92	113	134	139	1816	1053	1450	478	455.5	1.0
Measles									11	12	1	0	1.9	0.0
Mumps	1	1	1		2	1			16	11	439	3	12.0	0.3
Pertussis	28	25	22	16	21	24	16	11	622	628	699	72	112.0	0.6
Pneumococcal infection	7	3	4	6	7	8	3	1	86	89	65	19	21.3	0.9
Rubella (non-congenital)								1	1	2	0	1	0.1	7.5
Varicella (chicken pox)	9	19	9	17	17	14	12	3	299	309	265	46	42.9	1.1
Varicella (shingles)	50	38	48	46	40	39	26	9	1139	987	851	114	114.9	1.0
Varicella (unspecified)	40	32	28	38	33	36	32	28	903	865	811	129	109.9	1.2
Vector-borne diseases														
Barmah Forest virus		1	1						23	25	7	0	16.1	0.0
Chikungunya									0	7	3	0	2.5	0.0
Dengue fever	1	4	1	2	2	2	2	1	63	120	389	7	33.1	0.2
Japanese encephalitis virus									1	0	0	0	0.0	0.0
Malaria	1			2			1		22	40	29	1	4.8	0.2
Murray Valley encephalitis virus						1			1	0	0	1	0.0	0.0
Ross River virus	6	6	6	5	3	2	2	4	317	875	229	11	48.7	0.2
Typhus					1				10	11	16	1	1.8	0.6
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									1	1	3	0	0.1	0.0
Psittacosis									2	2	0	0	0.0	0.0
Q Fever		1							4	5	7	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis				2					15	0	0	0	0.0	0.0
Creutzfeldt-Jakob disease									1	3	5	0	0.3	0.0
Haemolytic Uraemic Syndrome			1						1	3	0	0	0.1	0.0
Legionellosis		1	1			1	1	1	20	19	30	3	5.9	0.5
Melioidosis						2			3	5	2	2	0.3	7.5
Meningococcal infection		1	1		1			1	12	15	6	2	1.4	1.4
Tuberculosis	4	1	3	3	2	2		5	67	54	64	9	10.9	0.8
Grand Total	652	601	622	614	641	674	630	506						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1	1		8	5	14	2	1.9	1.1
Hepatitis B (unspecified)	5	6	9	5	10	11	8	9	216	238	319	38	42.9	0.9
Hepatitis C (newly acquired)	4	2	2	1	1	3	1	2	49	41	51	7	7.5	0.9
Hepatitis C (unspecified)	9	9	10	8	11	15	15	9	351	423	400	50	57.8	0.9
Hepatitis D		1				1		1	3	2	1	2	0.1	15.0
Enteric diseases														
Campylobacteriosis	39	29	51	43	39	45	34	40	1221	1336	1262	158	164.3	1.0
Cryptosporidiosis			2	1			1		33	249	107	1	11.4	0.1
Hepatitis A							1		5	7	7	1	0.7	1.4
Listeriosis					1				3	4	1	1	0.4	2.5
Paratyphoid fever									3	4	9	0	0.3	0.0
Rotavirus	2	4	2	1	6	2	1	1	102	184	68	10	30.3	0.3
STEC/VTEC infection		1							29	15	3	1	0.7	1.5
Salmonellosis	41	32	30	31	24	17	29	27	956	1207	849	97	80.1	1.2
Shigellosis			2	3	1	2	1	2	48	23	29	6	3.2	1.9
Typhoid									8	6	3	0	0.9	0.0
Vibrio parahaemolyticus	1								7	9	17	0	0.7	0.0
Yersiniosis		1	1			2			7	8	5	2	0.9	2.3
Sexually transmissible infections														
Chlamydia (genital)	196	169	178	161	164	191	150	117	4790	4945	4931	622	678.9	0.9
Gonorrhoea	46	36	41	40	44	39	43	28	1140	1291	1092	154	116.8	1.3
Syphilis - Infectious	7	3	7	6	3	7	7	4	148	116	135	21	10.6	2.0
Syphilis - Non-Infectious	5	4	5	1	3	6	2	2	103	64	23	13	5.6	2.3
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	31	53	56	65	80	101	115	122	1535	819	1192	418	361.2	1.2
Measles									11	11	1	0	1.5	0.0
Mumps	1	1	1		2	1			15	9	16	3	2.7	1.1
Pertussis	17	10	16	9	17	21	15	9	409	456	524	62	87.7	0.7
Pneumococcal infection	5		2	3	3	6	2	1	44	63	36	12	13.1	0.9
Rubella (non-congenital)								1	1	2	0	1	0.1	7.5
Varicella (chicken pox)	9	15	2	12	14	7	9	3	219	228	209	33	32.5	1.0
Varicella (shingles)	39	23	36	30	30	32	16	8	827	701	647	86	86.5	1.0
Varicella (unspecified)	38	29	26	37	31	35	29	26	843	818	691	121	96.6	1.3
Vector-borne diseases														
Barmah Forest virus									5	5	2	0	10.9	0.0
Chikungunya									0	5	2	0	2.3	0.0
Dengue fever	1	3	1	1	2	2	2	1	54	98	317	7	26.7	0.3
Japanese encephalitis virus									1	0	0	0	0.0	0.0
Malaria				2			1		20	34	21	1	3.8	0.3
Murray Valley encephalitis virus						1			1	0	0	1	0.0	0.0
Ross River virus	3	4	5	4	3	1	1	4	231	408	123	9	26.8	0.3
Typhus									5	4	10	0	1.3	0.0
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.0	0.0
Psittacosis									1	0	0	0	0.0	0.0
Q Fever									0	2	2	0	0.3	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	2	0	0.3	0.0
Legionellosis		1	1			1		1	17	14	21	2	4.7	0.4
Meningococcal infection		1	1					1	7	13	4	1	1.1	0.9
Tuberculosis	4	1	3	3	2	2		3	53	48	57	7	8.9	0.8
Grand Total	503	438	490	467	491	552	484	423						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1			0.1		2 (1)	0.8
Hepatitis B (unspecified)	2	10 (9)	8.2	1	10 (8)	8.6	6	18 (23)	12.7
Hepatitis C (newly acquired)		1 (1)	0.7	1	3 (1)	2.9	1	3 (2)	3.2
Hepatitis C (unspecified)	2	16 (16)	12.6	5	16 (19)	15.8	2	18 (33)	19.8
Hepatitis D							1	2	0.4
Enteric diseases									
Campylobacteriosis	19	59 (62)	55.4	12	51 (48)	60.8	9	48 (53)	51.1
Cryptosporidiosis		1 (6)	1.6		(2)	1.6		(2)	1.4
Hepatitis A			0.3			0.1		1 (1)	0.3
Listeriosis			0.1					1 (3)	0.3
Paratyphoid fever									0.4
Rotavirus		4 (14)	4.7	1	4 (11)	4.2		2 (11)	5.0
STEC/VTEC infection			1.8	1	1	0.7		(1)	1.4
Salmonellosis	9	29 (29)	43.9	10	33 (35)	47.8	8	35 (39)	39.4
Shigellosis		2 (1)	1.8	2	2	2.0		2 (6)	2.7
Typhoid			0.4		(1)	0.3			0.4
Vibrio parahaemolyticus			0.3			0.6			0.1
Yersiniosis		1	0.3		1 (1)	0.4			0.3
Sexually transmissible infections									
Chlamydia (genital)	32	180 (208)	194.8	38	215 (227)	224.4	47	227 (267)	237.3
Gonorrhoea	5	37 (55)	38.5	5	52 (48)	52.6	18	65 (75)	65.3
Syphilis - Infectious	1	8 (2)	6.2	1	3 (1)	4.8	2	10 (4)	9.1
Syphilis - Non-Infectious	2	4 (3)	4.3		2 (1)	2.5		7 (2)	7.2
Vaccine preventable diseases									
H. influenzae type b									
Influenza	59	171 (86)	77.3	29	105 (71)	69.4	34	142 (80)	62.9
Measles			0.9			0.1			0.4
Mumps		2	1.0			0.3		1	0.7
Pertussis	5	40 (46)	25.4	2	8 (17)	17.8	2	14 (6)	12.4
Pneumococcal infection		4 (6)	2.1	1	3 (3)	1.6		5 (10)	2.3
Rubella (non-congenital)								1	0.1
Varicella (chicken pox)	1	13 (14)	9.4		7 (19)	11.8	2	13 (16)	8.9
Varicella (shingles)	2	33 (31)	37.2	5	21 (21)	41.1	1	32 (37)	35.0
Varicella (unspecified)	10	42 (35)	40.2	9	44 (39)	42.9	7	35 (41)	32.5
Vector-borne diseases									
Barmah Forest virus			0.1			0.4			0.1
Dengue fever		1 (4)	2.9		3 (4)	2.5	1	3 (4)	2.0
Japanese encephalitis virus						0.1			
Malaria		1	0.9		(1)	0.9		(1)	0.9
Murray Valley encephalitis virus		1	0.1						
Ross River virus	2	2 (6)	5.3	1	3 (4)	16.6	1	4 (9)	10.3
Typhus			0.4			0.1			0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis						0.1			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		1 (2)	0.5			1.0	1	1 (1)	0.8
Melioidosis									
Meningococcal infection		(2)	0.1		(1)	0.4	1	1 (1)	0.4
Tuberculosis	2	5 (4)	2.3	1	2 (1)	1.9		(3)	3.0
Grand Total	153	668 (642)		125	589 (584)		145	693 (732)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(2)	0.5						
Hepatitis B (unspecified)	1	3	5.9		1	1.6		(2)	7.6
Hepatitis C (newly acquired)			0.5			6.4		1	2.5
Hepatitis C (unspecified)		4 (7)	14.4	1	2 (3)	22.5		5 (3)	22.8
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis	2	11 (21)	67.0		4 (8)	62.6		1 (5)	36.8
Cryptosporidiosis	1	2	5.9			9.6		2	2.5
Hepatitis A									
Listeriosis						1.6			
Paratyphoid fever									
Rotavirus		(1)	1.1			4.8			3.8
STEC/VTEC infection			1.1			6.4			
Salmonellosis	1	4 (11)	37.8		2 (1)	41.7	2	3 (3)	41.8
Shigellosis			1.1		1	1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	9	45 (42)	155.3	3	12 (10)	154.0	2	11 (10)	112.8
Gonorrhoea		7 (7)	34.6		1	12.8		(1)	16.5
Syphilis - Infectious	1	1 (1)	1.1		(1)	3.2		(1)	3.8
Syphilis - Non-Infectious			1.1		1	1.6		1	1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza	6	28 (16)	47.9		6 (1)	35.3	2	4 (5)	30.4
Measles									
Mumps									
Pertussis	1	3 (11)	64.4		4 (22)	73.8	1	2 (7)	11.4
Pneumococcal infection		1 (1)	3.2		1	6.4		1	5.1
Rubella (non-congenital)									
Varicella (chicken pox)		8 (2)	16.5			20.9			1.3
Varicella (shingles)		13 (16)	72.3		6 (9)	54.5	1	2 (9)	57.0
Varicella (unspecified)					1	30.5		1 (1)	6.3
Vector-borne diseases									
Barmah Forest virus			3.2			4.8			1.3
Dengue fever		(1)	1.1						
Japanese encephalitis virus									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(1)	14.9			6.4		(5)	8.9
Typhus			1.1		1	4.8			
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever			0.5						1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
Creutzfeldt-Jakob disease						1.6			
Haemolytic Uraemic Syndrome								2	2.5
Legionellosis									
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis		(1)	1.1			4.8			2.5
Grand Total	22	130 (141)		4	43 (55)		8	36 (52)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(2)	5.7		1	8.2	1	1 (1)	11.7
Hepatitis B (unspecified)		(1)	4.3			1.6		1	1.5
Hepatitis C (newly acquired)		1 (4)	25.7	1	4 (2)	27.9		(3)	13.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	6 (6)	37.2	2	3 (4)	49.3		3 (3)	35.0
Cryptosporidiosis			1.4						5.8
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (4)	4.3		2 (1)	8.2		(2)	4.4
STEC/VTEC infection			1.4						1.5
Salmonellosis		3 (5)	44.3	1	1 (6)	31.2		2 (3)	55.4
Shigellosis		1	12.9		(4)	26.3		(2)	27.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	2	14 (27)	187.3	5	35 (22)	274.2	4	26 (34)	237.6
Gonorrhoea		(13)	57.2	3	29 (10)	215.1		11 (15)	138.5
Syphilis - Infectious	1	2	4.3		2	8.2		1	11.7
Syphilis - Non-Infectious		1	4.3		1 (1)	11.5		1	7.3
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	9	16 (36)	81.5		2 (1)	18.1		2 (8)	33.5
Measles						1.6			
Mumps						3.3		(1)	4.4
Pertussis		1 (1)	41.5		(1)	11.5		(1)	4.4
Pneumococcal infection			8.6		2 (3)	11.5		1 (2)	13.1
Rubella (non-congenital)									
Varicella (chicken pox)		1	7.2		1 (1)	8.2		3	7.3
Varicella (shingles)		(8)	21.5		4 (1)	39.4		2 (2)	11.7
Varicella (unspecified)		1 (4)	34.3				1	1	4.4
Vector-borne diseases									
Barmah Forest virus						1.6			2.9
Dengue fever								(1)	5.8
Japanese encephalitis virus									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(1)	7.2			4.9		1 (1)	13.1
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						4.9			1.5
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection		1	1.4			3.3			
Tuberculosis			1.4	2	2	3.3			4.4
Grand Total	13	49 (112)		14	89 (57)		6	56 (78)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (3)	0.4
Hepatitis B (unspecified)		1 (1)	20.1	12	46 (47)	9.5
Hepatitis C (newly acquired)			2.5	2	9 (5)	2.2
Hepatitis C (unspecified)	1	2 (3)	32.6	12	70 (94)	17.0
Hepatitis D				1	2 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (4)	42.7	46	193 (215)	55.4
Cryptosporidiosis		1	30.1	1	6 (11)	2.5
Hepatitis A				0	1 (1)	0.2
Listeriosis			2.5	0	1 (3)	0.2
Paratyphoid fever				0	0 (0)	0.1
Rotavirus	2	7 (9)	25.1	3	21 (55)	4.8
STEC/VTEC infection				1	1 (1)	1.3
Salmonellosis		3 (5)	120.4	34	121 (141)	44.9
Shigellosis		6 (2)	112.9	2	14 (15)	5.1
Typhoid				0	0 (1)	0.3
Vibrio parahaemolyticus				0	0 (0)	0.3
Yersiniosis				0	2 (1)	0.3
Sexually transmissible infections						
Chlamydia (genital)	3	27 (56)	828.0	147	797 (910)	221.1
Gonorrhoea	1	13 (37)	544.5	33	217 (265)	62.9
Syphilis - Infectious		2 (2)	50.2	6	29 (12)	7.0
Syphilis - Non-Infectious		2	5.0	2	20 (7)	4.3
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza		2 (5)	77.8	139	478 (313)	65.8
Measles				0	0 (0)	0.4
Mumps				0	3 (0)	0.6
Pertussis		(6)	2.5	11	72 (118)	22.5
Pneumococcal infection		1	12.5	1	19 (25)	3.1
Rubella (non-congenital)				1	1 (0)	0.0
Varicella (chicken pox)		(3)	42.7	3	46 (55)	10.8
Varicella (shingles)		(4)	90.3	9	114 (140)	41.2
Varicella (unspecified)		2	7.5	28	129 (120)	32.7
Vector-borne diseases						
Barmah Forest virus			12.5	0	0 (0)	0.8
Dengue fever				1	7 (16)	2.3
Japanese encephalitis virus				0	0 (0)	0.0
Malaria			2.5	0	1 (2)	0.8
Murray Valley encephalitis virus				0	1 (0)	0.0
Ross River virus		(2)	65.2	4	11 (29)	11.5
Typhus				0	1 (0)	0.4
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	0 (0)	0.1
Q Fever			2.5	0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			30.1	0	0 (0)	0.5
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis				1	3 (4)	0.7
Melioidosis				0	2 (1)	0.1
Meningococcal infection				1	2 (5)	0.4
Tuberculosis				5	9 (9)	1.7
Grand Total	7	71 (139)		506	2451 (2651)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 27	
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2018	2017
	Salmonella Total	58	43	37	41	30	22	35	34	1239
Serotype/Phage										
Salmonella Aberdeen									1	3
Salmonella Adelaide									1	4
Salmonella Agona					1				8	4
Salmonella Albany					1				3	2
Salmonella Anatum	1							1	14	9
Salmonella Anatum var 15+							1		4	1
Salmonella Bareilly	1				1				4	4
Salmonella Bonn									1	0
Salmonella Bovismorbificans	1	1		2	1				15	14
Salmonella Braenderup				1	1	1			4	0
Salmonella Bredeney									1	2
Salmonella Cerro	1	1	1						7	0
Salmonella Chester		1	1		1				14	27
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia							1		9	7
Salmonella Choleraesuis bv Decatur									4	0
Salmonella Corvallis									3	5
Salmonella Eastbourne									2	3
Salmonella Enteritidis	6	4	3	1	3	4	3	1	85	83
Salmonella Fremantle subsp II						1			3	3
Salmonella Give									1	5
Salmonella Give var 15+,34+									1	0
Salmonella Hadar	1								2	1
Salmonella Havana			2	1					6	5
Salmonella Heidelberg									1	2
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss		1	1				1		24	12
Salmonella Indiana									1	0
Salmonella Infantis		1							12	18
Salmonella Irumu									1	0
Salmonella Jangwani									1	0
Salmonella Javiana		1							5	5
Salmonella Johannesburg				1					3	6
Salmonella Kentucky	1		2	1	1				18	14
Salmonella Kiambu									2	8
Salmonella Kottbus			1						3	0
Salmonella Krefeld									1	1
Salmonella Lindern									1	0
Salmonella Litchfield									1	5
Salmonella Livingstone									1	0
Salmonella London									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									3	5
Salmonella Meleagridis									1	1
Salmonella Mississippi									2	0
Salmonella Muenchen	1				1				19	18
Salmonella Newport				2		2			14	12
Salmonella Ohio									1	1
Salmonella Oranienburg									3	3

Weekly Report for period 14-MAY-18 to 08-JUL-18

	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	Cumulative Total to end of Week 27	
									2018	2017
Salmonella Total	58	43	37	41	30	22	35	34	1239	1544
Serotype/Phage										
Salmonella Orientalis									2	0
Salmonella Orion				1					5	3
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java	3	1					1		28	53
Salmonella Poona	1				1			1	7	5
Salmonella Potsdam				1					6	1
Salmonella Reading									1	7
Salmonella Rissen									1	0
Salmonella Saintpaul	1	2	2		1				44	38
Salmonella Schwarzengrund									1	8
Salmonella Senftenberg					1				1	7
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore				1					13	48
Salmonella Stanley	1	1		2		2			17	32
Salmonella Thompson									1	2
Salmonella Typhimurium	35	26	19	24	16	11	14	3	629	942
Salmonella Urbana									1	3
Salmonella Virchow	1	1					2		16	21
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	3
Salmonella Welikade								1	5	1
Salmonella Weltevreden	1		1	1			1		16	16
Salmonella species	2	2	2	2		1	11	27	112	54
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp 1 ser 4,12:i:-									1	0
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp IIIb 50:k:z									1	0
Salmonella subsp IIIb 61:l,v:z35			1						3	0
Salmonella subsp IIIb 61:z52:z53			1						2	1