



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 05-FEB-19 to 01-APR-19

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 13			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	2019	2018	2017			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	2							8	4	2	0	1.9	0.0
Hepatitis B (unspecified)	9	11	10	9	12	9	8	9	121	135	144	38	43.6	0.9
Hepatitis C (newly acquired)	1		1	1	1		4	2	19	33	31	7	10.1	0.7
Hepatitis C (unspecified)	20	19	15	18	18	32	19	25	241	250	300	94	81.1	1.2
Hepatitis D	2		5	1	1				9	0	3	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	62	69	66	40	62	63	43	25	763	830	914	193	217.9	0.9
Cryptosporidiosis	5	5	5	1	1	8	4	7	52	39	244	20	37.2	0.5
Hepatitis A		2		1		2		1	13	2	6	3	2.0	1.5
Hepatitis E									2	0	1	0	0.1	0.0
Listeriosis		2							5	3	1	0	0.3	0.0
Paratyphoid fever	1	2			1				5	2	3	2	0.9	2.1
Rotavirus	17	4	5	5	6	4	6	3	66	80	114	19	24.3	0.8
STEC/VTEC infection	5	1	6	1	1	6	1		32	23	19	8	2.5	3.2
Salmonellosis	65	50	40	39	35	63	36	31	575	631	945	165	187.8	0.9
Shigellosis	11	7	10	7	4	8	8	4	126	79	44	24	10.9	2.2
Typhoid	3				2	1			10	8	1	3	1.1	2.8
Vibrio parahaemolyticus		1		1					8	4	7	0	1.7	0.0
Yersiniosis									1	4	2	0	1.1	0.0
Sexually transmissible infections														
Chlamydia (genital)	287	246	249	204	215	255	225	137	3112	3103	3320	832	934.6	0.9
Gonorrhoea	111	75	70	72	98	85	82	29	1099	887	1057	294	230.2	1.3
Syphilis - Infectious	17	14	11	6	10	11	11	7	149	97	105	39	18.6	2.1
Syphilis - Non-Infectious	4	3	3	4	1	3	6	3	44	67	34	13	8.7	1.5
Vaccine preventable diseases														
H. influenzae type b								1	1	1	0	1	0.1	15.0
Influenza	132	108	143	122	114	94	63	46	1478	868	426	317	166.9	1.9
Measles	2	1	1	1	1				15	6	11	1	1.5	0.7
Mumps			1	1	1				6	5	8	1	18.7	0.1
Pertussis	12	16	12	17	13	13	4	3	157	307	296	33	92.1	0.4
Pneumococcal infection	2		1	4	2	2	3		26	29	29	7	8.8	0.8
Rubella (non-congenital)				1					1	0	2	0	0.2	0.0
Varicella (chicken pox)	18	11	14	14	15	11	17	6	156	134	170	49	37.1	1.3
Varicella (shingles)	61	56	44	34	42	52	27	9	514	600	497	130	135.9	1.0
Varicella (unspecified)	24	23	30	28	37	40	33	37	395	420	442	147	117.2	1.3
Vector-borne diseases														
Barmah Forest virus		1							3	13	14	0	4.4	0.0
Dengue fever	5	11	7	8	11	7	8	4	91	38	72	30	44.0	0.7
Malaria	2		1	2	1	1	1		9	15	23	3	3.6	0.8
Ross River virus	8	9	9	10	7	6	12	2	119	237	552	27	119.4	0.2
Typhus		1	1			1			3	5	9	1	1.9	0.5
Zoonotic diseases														
Leptospirosis	1								2	1	0	0	0.3	0.0
Q Fever									1	4	3	0	1.0	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			1						3	11	0	0	0.5	0.0
Haemolytic Uraemic Syndrome			1						1	0	2	0	0.1	0.0
Legionellosis		1	2		1	1			7	11	9	2	4.3	0.5
Melioidosis					1				1	1	4	1	0.5	1.9
Meningococcal infection		1				2		1	7	8	8	3	1.3	2.4
Tuberculosis	2	1	2	2	4	7	3		31	35	29	14	8.9	1.6
Grand Total	890	753	766	653	718	787	624	393						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 13			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	2019	2018	2017			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1							5	4	1	0	1.6	0.0
Hepatitis B (unspecified)	8	9	9	7	10	8	7	7	103	109	121	32	35.9	0.9
Hepatitis C (newly acquired)			1		1		2	2	11	26	22	5	7.6	0.7
Hepatitis C (unspecified)	17	16	12	15	10	18	8	17	163	180	215	53	57.8	0.9
Hepatitis D	2		4	1	1				8	0	2	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	50	59	53	35	51	52	36	22	628	644	744	161	171.4	0.9
Cryptosporidiosis	4	4	4			2	2	1	28	23	185	5	23.5	0.2
Hepatitis A		2		1		2			12	2	5	2	1.6	1.3
Hepatitis E									2	0	1	0	0.1	0.0
Listeriosis		2							5	2	1	0	0.3	0.0
Paratyphoid fever	1	2			1			1	5	2	3	2	0.9	2.1
Rotavirus	17	3	5	4	6	3	4	2	59	68	76	15	17.5	0.9
STEC/VTEC infection	5		3		1	1	1		20	18	10	3	1.9	1.6
Salmonellosis	45	41	27	33	26	54	30	27	468	490	735	137	139.9	1.0
Shigellosis	6	5	5	4	3	5	4	3	80	30	9	15	4.9	3.1
Typhoid	3				1	1			9	8	1	2	1.0	2.0
Vibrio parahaemolyticus		1		1					7	4	7	0	1.4	0.0
Yersiniosis									1	3	2	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	225	195	189	159	174	182	176	112	2398	2442	2590	644	719.9	0.9
Gonorrhoea	88	58	49	48	74	70	60	26	810	572	689	230	148.3	1.6
Syphilis - Infectious	11	12	6	3	8	7	5	3	93	81	70	23	14.3	1.6
Syphilis - Non-Infectious	3	2	2	4	1	2	4		32	54	29	7	7.3	1.0
Vaccine preventable diseases														
H. influenzae type b								1	1	0	0	1	0.0	0.0
Influenza	82	81	105	71	74	69	47	40	1068	714	344	230	133.5	1.7
Measles	1	1	1	1	1				10	6	10	1	1.5	0.7
Mumps			1	1	1				5	4	7	1	1.3	0.8
Pertussis	8	10	7	9	9	12	3	3	115	213	242	27	67.5	0.4
Pneumococcal infection	1			2		2	2		16	15	23	4	4.1	1.0
Rubella (non-congenital)				1					1	0	2	0	0.2	0.0
Varicella (chicken pox)	13	7	9	9	13	7	11	4	115	93	119	35	27.2	1.3
Varicella (shingles)	42	40	30	25	31	43	20	4	367	429	354	98	99.8	1.0
Varicella (unspecified)	24	22	29	28	31	37	31	33	372	405	417	132	104.9	1.3
Vector-borne diseases														
Barmah Forest virus		1							1	2	2	0	1.3	0.0
Dengue fever	5	11	5	4	9	7	7	3	80	34	60	26	36.6	0.7
Malaria	2		1	2	1	1			8	14	20	2	3.1	0.7
Ross River virus	7	8	8	6	2	5	6	1	85	175	231	14	64.3	0.2
Typhus			1						1	4	3	0	0.9	0.0
Zoonotic diseases														
Leptospirosis	1								2	1	0	0	0.2	0.0
Q Fever									0	0	1	0	0.3	0.0
Other diseases														
Legionellosis			2		1	1			6	10	7	2	3.1	0.7
Meningococcal infection						1			2	4	7	1	0.7	1.4
Tuberculosis	2	1	2	2	3	7	3		29	27	27	13	7.7	1.7
Grand Total	674	594	570	475	544	599	469	312						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3					(3)	0.4
Hepatitis B (unspecified)	1	6 (9)	3.8	3	12 (8)	4.1	3	14 (16)	5.8
Hepatitis C (newly acquired)	1	1 (2)	0.3	1	1	0.4		3 (3)	0.8
Hepatitis C (unspecified)	3	7 (16)	4.2	6	19 (10)	8.0	8	27 (25)	9.8
Hepatitis D			0.1			0.3		1	0.7
Enteric diseases									
Campylobacteriosis	9	54 (59)	27.5	4	56 (47)	29.6	9	51 (47)	27.0
Cryptosporidiosis		(1)	0.8		1 (1)	1.6	1	4 (1)	1.5
Hepatitis A			0.3		1	0.3		1	1.1
Hepatitis E									0.3
Listeriosis			0.1			0.3			0.3
Paratyphoid fever			0.3		1	0.1	1	1	0.3
Rotavirus		2 (2)	2.4	2	6 (4)	2.8		7 (9)	2.6
STEC/VTEC infection		1 (1)	0.9		(1)	0.6		2 (4)	1.2
Salmonellosis	6	45 (55)	21.2	5	34 (44)	16.5	16	58 (48)	24.5
Shigellosis		3 (1)	2.0	1	4 (5)	3.8	2	8 (3)	4.9
Typhoid		1	0.1		(1)	0.3		1 (2)	0.8
Vibrio parahaemolyticus			0.5		(1)	0.1			0.3
Yersiniosis						0.1			
Sexually transmissible infections									
Chlamydia (genital)	37	204 (222)	89.8	30	203 (243)	113.0	45	237 (269)	118.9
Gonorrhoea	3	60 (51)	27.2	12	73 (59)	34.5	11	97 (66)	46.8
Syphilis - Infectious		8 (5)	2.7		4 (2)	4.4	3	11 (11)	5.4
Syphilis - Non-Infectious		4 (5)	2.0		2 (2)	0.9		1 (8)	1.3
Vaccine preventable diseases									
H. influenzae type b				1	1	0.1			
Influenza	14	90 (68)	52.9	16	78 (68)	47.7	10	62 (55)	42.1
Measles		(2)	0.3		(1)	0.6		1 (2)	0.5
Mumps		1 (1)	0.3			0.3			0.1
Pertussis		5 (21)	4.1	2	14 (19)	8.0	1	8 (11)	3.6
Pneumococcal infection		3 (2)	0.9		1 (1)	0.6			0.7
Rubella (non-congenital)									0.1
Varicella (chicken pox)	4	20 (6)	6.1		8 (12)	5.0		7 (11)	4.2
Varicella (shingles)	1	33 (43)	16.2	2	31 (42)	18.0	1	34 (30)	15.0
Varicella (unspecified)	11	38 (45)	15.3	13	57 (42)	21.5	9	37 (30)	13.3
Vector-borne diseases									
Barmah Forest virus									0.1
Dengue fever	1	11 (4)	3.6	1	8 (3)	3.4	1	7 (3)	3.7
Malaria		2	0.8		(1)	0.1		(2)	0.1
Ross River virus		3 (6)	2.0	1	7 (34)	6.7		4 (24)	2.9
Typhus		(2)	0.1						
Zoonotic diseases									
Leptospirosis			0.3						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	0.3		1	0.3		1 (3)	0.3
Meningococcal infection					1	0.3			
Tuberculosis		5 (2)	1.3		3 (3)	1.4		5 (3)	1.2
Grand Total	91	607 (632)		100	627 (654)		121	690 (689)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)	1	1 (2)	1.0		1	3.2			
Hepatitis C (newly acquired)			0.5		(1)	4.8		1	1.3
Hepatitis C (unspecified)	1	12 (4)	13.0	1	7 (3)	19.0	1	5 (2)	12.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	8 (18)	24.5		2 (6)	27.0	2	4 (4)	18.9
Cryptosporidiosis			1.6		(1)	1.6			
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		3	1.6				1	1	1.3
STEC/VTEC infection		2 (1)	2.1		1	1.6			1.3
Salmonellosis	1	8 (10)	15.1		1 (3)	7.9		1 (6)	17.7
Shigellosis			0.5			1.6			1.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	40 (32)	81.3	4	25 (14)	71.4		13 (12)	69.4
Gonorrhoea		7 (6)	16.2		1	4.8		4 (2)	13.9
Syphilis - Infectious			0.5		(1)	1.6			1.3
Syphilis - Non-Infectious		1	1.0						
Vaccine preventable diseases									
H. influenzae type b									
Influenza	2	11 (5)	23.5		3 (3)	58.7	1	3 (4)	25.2
Measles			1.0			3.2			
Mumps			0.5						
Pertussis		(20)	3.6		(6)	3.2		1 (1)	6.3
Pneumococcal infection			1.0		(1)	1.6			
Rubella (non-congenital)									
Varicella (chicken pox)	1	4 (3)	6.3		(2)	4.8	1	2	2.5
Varicella (shingles)	3	15 (25)	29.7	1	3 (5)	28.6	1	5 (9)	22.7
Varicella (unspecified)		2	2.1		2 (3)	11.1		1 (1)	1.3
Vector-borne diseases									
Barmah Forest virus		(2)	0.5						
Dengue fever	1	3	4.7						
Malaria									
Ross River virus	1	7 (2)	9.9		1	9.5		2 (1)	3.8
Typhus					1	1.6			
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.5						
Haemolytic Uraemic Syndrome			0.5						
Legionellosis									
Meningococcal infection									
Tuberculosis		1 (1)	0.5		(1)	1.6			
Grand Total	15	125 (131)		6	48 (50)		7	43 (42)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									1.4
Hepatitis B (unspecified)		1 (2)	1.4	1	1	6.5		2	4.3
Hepatitis C (newly acquired)		(1)	1.4		1 (1)	1.6			1.4
Hepatitis C (unspecified)	2	6 (2)	14.2		5 (2)	16.4	1	4 (3)	7.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (4)	15.6		3 (6)	9.8		8 (3)	30.2
Cryptosporidiosis	1	1	2.8			1.6		4 (1)	7.2
Hepatitis A	1	1	1.4						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus						1.6		(2)	1.4
STEC/VTEC infection		1	4.3			1.6			1.4
Salmonellosis	2	2 (4)	15.6	1	3 (3)	16.4		6 (9)	23.0
Shigellosis	1	1	7.1		1 (4)	19.6		4 (2)	11.5
Typhoid								1	1.4
Vibrio parahaemolyticus						1.6			
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	22 (22)	96.4	4	26 (22)	165.4	3	17 (27)	126.7
Gonorrhoea		5 (10)	36.8	2	13 (10)	78.6	1	7 (18)	87.8
Syphilis - Infectious		1	4.3		2 (1)	13.1	3	7 (1)	31.7
Syphilis - Non-Infectious				2	3 (1)	11.5			1.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		28 (3)	148.8		8	49.1		4 (7)	74.9
Measles									
Mumps									
Pertussis		(4)	1.4					(1)	1.4
Pneumococcal infection		(1)	1.4		3	6.5			
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	1.4		2	8.2		1	15.8
Varicella (shingles)		1 (6)	7.1		5 (5)	34.4		1	11.5
Varicella (unspecified)		2	2.8					2	2.9
Vector-borne diseases									
Barmah Forest virus									
Dengue fever									1.4
Malaria								1	1.4
Ross River virus					2 (1)	3.3			
Typhus			1.4						
Zoonotic diseases									
Leptospirosis									
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					(1)	1.6			
Haemolytic Uraemic Syndrome									
Legionellosis									
Meningococcal infection	1	1	1.4						4.3
Tuberculosis									
Grand Total	11	76 (61)		10	78 (57)		8	69 (74)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)			2.5	0	0 (3)	0.3
Hepatitis B (unspecified)		(2)	5.0	9	38 (39)	4.3
Hepatitis C (newly acquired)				2	7 (9)	0.6
Hepatitis C (unspecified)	2	2 (2)	12.4	25	94 (69)	8.5
Hepatitis D			2.5	0	1 (0)	0.3
Enteric diseases						
Campylobacteriosis		4 (4)	22.3	25	193 (199)	27.1
Cryptosporidiosis	5	10 (2)	29.8	7	20 (7)	1.8
Hepatitis A				1	3 (0)	0.5
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.2
Paratyphoid fever				1	2 (0)	0.2
Rotavirus				3	19 (18)	2.3
STEC/VTEC infection				0	8 (7)	1.1
Salmonellosis		3 (7)	37.2	31	165 (193)	20.4
Shigellosis		3 (6)	42.2	4	24 (21)	4.5
Typhoid				0	3 (3)	0.4
Vibrio parahaemolyticus				0	0 (1)	0.3
Yersiniosis				0	0 (1)	0.0
Sexually transmissible infections						
Chlamydia (genital)	6	34 (36)	401.9	137	832 (908)	110.4
Gonorrhoea		25 (33)	233.2	29	294 (260)	39.0
Syphilis - Infectious	1	6 (7)	47.1	7	39 (28)	5.3
Syphilis - Non-Infectious				3	13 (17)	1.2
Vaccine preventable diseases						
H. influenzae type b				1	1 (0)	0.0
Influenza	2	25 (2)	233.2	46	317 (221)	52.4
Measles				0	1 (5)	0.5
Mumps				0	1 (1)	0.2
Pertussis		5	62.0	3	33 (83)	5.6
Pneumococcal infection		(1)	5.0	0	7 (8)	0.9
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		5	14.9	6	49 (37)	5.5
Varicella (shingles)		2 (5)	42.2	9	130 (170)	18.2
Varicella (unspecified)	1	2	5.0	37	147 (121)	14.0
Vector-borne diseases						
Barmah Forest virus		(1)	2.5	0	0 (7)	0.1
Dengue fever		1	2.5	4	30 (10)	3.2
Malaria				0	3 (4)	0.3
Ross River virus		1 (11)	7.4	2	27 (85)	4.2
Typhus				0	1 (3)	0.1
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Q Fever				0	0 (1)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			5.0	0	0 (1)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis				0	2 (5)	0.2
Meningococcal infection				1	3 (2)	0.2
Tuberculosis				0	14 (12)	0.9
Grand Total	17	128 (119)		393	2522 (2563)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 13	
	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	2019	2018
	Salmonella Total	65	50	40	39	35	63	36	31	575
Serotype/Phage										
Salmonella Adelaide	1								1	1
Salmonella Agona						1			2	4
Salmonella Albany		1							1	1
Salmonella Anatum	2		1	1					5	11
Salmonella Anatum var 15+					1				1	1
Salmonella Ball					1				1	0
Salmonella Bareilly	1			1					2	2
Salmonella Bootle									1	0
Salmonella Bovismorbificans			1	1	1				4	6
Salmonella Chailey									0	0
Salmonella Chester			1						4	6
Salmonella Choleraesuis bv Australia	1			2		2			6	8
Salmonella Choleraesuis bv Decatur									0	4
Salmonella Corvallis									2	1
Salmonella Eastbourne		1							1	1
Salmonella Enteritidis	3	5	2	2	2	5	2		45	41
Salmonella Fremantle subsp II									2	1
Salmonella Give var 15+	1								1	0
Salmonella Havana	1						1	1	3	3
Salmonella Heidelberg			1		1	1			7	1
Salmonella Houten subsp IV									1	3
Salmonella Hvitvingfoss			2				1		3	16
Salmonella Infantis			1		1				4	9
Salmonella Javiana									1	1
Salmonella Kentucky	1		2	1		1			8	8
Salmonella Kiambu					1				1	2
Salmonella Litchfield									2	1
Salmonella London									1	0
Salmonella Mbandaka						1			1	1
Salmonella Mississippi									1	2
Salmonella Muenchen			1						2	12
Salmonella Newport	2	1			2	1	2		9	7
Salmonella Ohio				1					1	0
Salmonella Oranienburg		1	1						3	2
Salmonella Orion									0	4
Salmonella Oslo									1	0
Salmonella Papuana									1	0
Salmonella Paratyphi B bv Java	5	3	3		1	2			27	18
Salmonella Poona	1								2	4
Salmonella Potsdam									0	3
Salmonella Reading			1		1	1			3	0
Salmonella Rissen		1							1	1
Salmonella Saintpaul	4	1	1		1		1		13	25
Salmonella Schwarzengrund									2	1
Salmonella Senftenberg			1						1	0
Salmonella Singapore									1	10
Salmonella Stanley	1		1						4	8
Salmonella Tennessee									1	0
Salmonella Thompson									1	0

Weekly Report for period 05-FEB-19 to 01-APR-19

	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	Cumulative Total to end of Week 13	
									2019	2018
Salmonella Total	65	50	40	39	35	63	36	31	575	605
Serotype/Phage										
Salmonella Typhimurium	35	28	16	25	15	38	21	5	295	311
Salmonella Uganda	1								1	0
Salmonella Urbana									1	0
Salmonella Virchow				1		1	1		7	11
Salmonella Wandsbek subsp II									1	2
Salmonella Wangata	1								1	0
Salmonella Welikade			1		1				2	2
Salmonella Weltevreden	1								1	8
Salmonella Weltevreden var 15+						1			1	0
Salmonella species	3	8	3	4	6	8	7	25	80	41