



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 08-JAN-19 to 04-MAR-19

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2019	2018	2017			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1	1		2	1	2			8	1	1	3	1.3	2.3
Hepatitis B (unspecified)	9	18	8	6	9	11	10	10	84	96	87	40	43.7	0.9
Hepatitis C (newly acquired)	1		3	2	1		1	1	12	24	24	3	10.9	0.3
Hepatitis C (unspecified)	15	19	20	15	20	19	15	21	150	181	204	75	81.9	0.9
Hepatitis D					2		5	1	8	0	2	8	0.2	40.0
<b>Enteric diseases</b>														
Campylobacteriosis	77	48	53	71	61	64	59	36	553	631	670	220	231.7	0.9
Cryptosporidiosis	2	3	3	6	4	7	2	3	31	32	155	16	38.7	0.4
Hepatitis A	1	3	1	2		2			9	2	3	2	1.9	1.0
Hepatitis E	1								2	0	1	0	0.3	0.0
Listeriosis	1	2				2			5	3	1	2	0.5	3.8
Paratyphoid fever					1	2			3	2	3	3	1.3	2.3
Rotavirus	4	2	5	2	17	4	6	1	43	62	78	28	26.0	1.1
STEC/VTEC infection	2	2	3	2	3	2	4		21	16	14	9	2.7	3.3
Salmonellosis	39	47	36	53	66	41	37	32	394	438	592	176	193.9	0.9
Shigellosis	22	14	6	14	11	5	10	4	97	58	34	30	12.7	2.4
Typhoid			2	1	3				6	5	1	3	1.1	2.6
Vibrio parahaemolyticus	1	1	1	2		1			7	3	3	1	1.9	0.5
Yersiniosis	1						2		3	3	0	2	1.3	1.5
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	282	296	211	284	284	238	241	160	2215	2195	2330	923	982.1	0.9
Gonorrhoea	100	97	80	108	110	70	66	38	762	627	744	284	239.7	1.2
Syphilis - Infectious	13	11	16	12	18	11	12	10	112	69	71	51	21.1	2.4
Syphilis - Non-Infectious	6	3	4	1	1	3	3	1	24	50	24	8	9.7	0.8
<b>Vaccine preventable diseases</b>														
Influenza	138	166	121	116	133	104	135	68	1093	648	290	440	171.7	2.6
Measles	4	2	2	2	2	1	1	1	15	1	8	5	2.0	2.5
Mumps		1	1						3	4	7	0	19.6	0.0
Pertussis	16	9	15	9	10	13	4	12	104	224	228	39	104.2	0.4
Pneumococcal infection	5	1	2	2	2		1	2	17	21	19	5	8.0	0.6
Varicella (chicken pox)	16	8	6	11	18	11	11	2	92	95	108	42	36.2	1.2
Varicella (shingles)	47	34	25	40	58	51	33	1	328	414	355	143	137.3	1.0
Varicella (unspecified)	28	33	25	38	25	29	37	41	278	316	299	132	125.1	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus		1				2			3	6	8	2	3.7	0.5
Dengue fever	10	5	5	8	4	10	8	1	55	28	54	23	48.0	0.5
Malaria				1	1		2	1	5	11	19	4	4.8	0.8
Ross River virus	14	10	9	8	9	9	9	6	85	152	333	33	127.9	0.3
Typhus						1	1	1	3	2	8	3	2.1	1.5
<b>Zoonotic diseases</b>														
Leptospirosis	1				1				2	1	0	1	0.1	7.5
Psittacosis							1		1	0	1	1	0.3	3.8
Q Fever		1			1		1	1	4	3	3	3	0.7	4.1
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis	1		1						2	10	0	0	0.7	0.0
Legionellosis		1				1	2		5	6	6	3	4.9	0.6
Melioidosis				1					1	0	2	0	0.7	0.0
Meningococcal infection		1	2			1			4	6	7	1	1.5	0.7
Tuberculosis	2	3		6	2	1	2	2	18	23	20	7	10.3	0.7
<b>Grand Total</b>	<b>860</b>	<b>843</b>	<b>666</b>	<b>825</b>	<b>878</b>	<b>718</b>	<b>721</b>	<b>457</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2019	2018	2017			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1	1		1	1	1			5	1	0	2	1.1	1.8
Hepatitis B (unspecified)	8	17	6	5	8	9	9	8	72	76	74	34	35.8	0.9
Hepatitis C (newly acquired)	1		1				1	1	7	21	17	2	8.4	0.2
Hepatitis C (unspecified)	10	15	11	11	17	16	12	15	110	129	151	60	58.7	1.0
Hepatitis D					2		4	1	7	0	1	7	0.1	52.5
<b>Enteric diseases</b>														
Campylobacteriosis	54	41	46	58	49	54	49	33	455	491	546	185	183.3	1.0
Cryptosporidiosis	1	1	3	5	4	5	2	1	22	20	125	12	25.3	0.5
Hepatitis A	1	3	1	2		2			9	2	3	2	1.5	1.4
Hepatitis E	1								2	0	1	0	0.2	0.0
Listeriosis	1	2				2			5	2	1	2	0.5	4.3
Paratyphoid fever					1	2			3	2	3	3	1.3	2.4
Rotavirus	4	2	4	2	17	3	6	1	41	53	56	27	20.2	1.3
STEC/VTEC infection	1	2	3	2	3	1	2		16	12	6	6	1.7	3.5
Salmonellosis	35	41	31	44	47	34	25	24	316	343	473	130	146.4	0.9
Shigellosis	12	11	4	11	6	4	5	3	63	21	6	18	5.7	3.2
Typhoid			2	1	3				6	5	1	3	1.1	2.6
Vibrio parahaemolyticus	1	1	1	1		1			6	3	3	1	1.8	0.6
Yersiniosis	1						2		3	3	0	2	1.1	1.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	212	237	158	213	222	188	185	131	1710	1708	1817	726	754.6	1.0
Gonorrhoea	69	68	59	72	87	55	48	29	556	396	474	219	152.8	1.4
Syphilis - Infectious	8	7	9	9	12	9	7	9	74	63	49	37	16.1	2.3
Syphilis - Non-Infectious	6	3	2	1	1	2	2	1	20	39	20	6	8.1	0.7
<b>Vaccine preventable diseases</b>														
Influenza	104	124	95	97	83	78	96	51	805	524	234	308	140.1	2.2
Measles	2	2	1	1	1	1	1	1	10	1	8	4	1.9	2.1
Mumps		1	1						2	3	6	0	1.6	0.0
Pertussis	13	8	12	8	8	8	3	10	82	162	185	29	76.8	0.4
Pneumococcal infection	3		2	2	1			2	12	12	16	3	4.1	0.7
Varicella (chicken pox)	12	7	4	11	13	7	8	2	72	64	70	30	26.1	1.1
Varicella (shingles)	36	24	15	31	39	36	24		229	312	250	99	103.1	1.0
Varicella (unspecified)	27	30	24	36	25	27	33	32	255	290	280	117	110.9	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus						1			1	0	2	1	0.9	1.2
Dengue fever	10	5	5	7	4	10	6	1	52	24	46	21	39.8	0.5
Malaria				1	1		2	1	5	11	16	4	4.2	1.0
Ross River virus	11	8	8	5	8	7	9	5	69	111	154	29	72.2	0.4
Typhus							1		1	2	3	1	1.1	0.9
<b>Zoonotic diseases</b>														
Leptospirosis	1				1				2	1	0	1	0.1	7.5
Q Fever					1			1	2	0	1	2	0.1	15.0
<b>Other diseases</b>														
Legionellosis		1					2		4	6	4	2	3.5	0.6
Melioidosis				1					1	0	1	0	0.1	0.0
Meningococcal infection		1							1	4	7	0	0.9	0.0
Tuberculosis	2	3		5	2	1	2	2	17	19	19	7	9.0	0.8
<b>Grand Total</b>	<b>648</b>	<b>666</b>	<b>508</b>	<b>643</b>	<b>667</b>	<b>564</b>	<b>546</b>	<b>365</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.3				2	2	0.4
Hepatitis B (unspecified)	4	12 (11)	3.2	2	9 (11)	2.4	2	13 (17)	4.0
Hepatitis C (newly acquired)	1	1 (1)	0.3		1 (5)	0.3		(3)	0.4
Hepatitis C (unspecified)	2	15 (19)	3.2	3	17 (18)	5.3	10	28 (29)	6.3
Hepatitis D	1	1	0.1		2	0.3		4	0.5
<b>Enteric diseases</b>									
Campylobacteriosis	8	61 (77)	19.7	17	61 (81)	21.4	8	63 (68)	19.9
Cryptosporidiosis		2 (2)	0.8		5 (7)	1.4	1	5 (3)	0.8
Hepatitis A		(1)	0.1			0.1		2 (1)	0.9
Hepatitis E									0.3
Listeriosis		1 (1)	0.1			0.3		1	0.3
Paratyphoid fever		2	0.3					1 (1)	0.1
Rotavirus		12 (7)	2.2	1	10 (6)	1.7		5 (7)	1.6
STEC/VTEC infection		3 (3)	0.8		1	0.6		2	0.8
Salmonellosis	9	45 (46)	14.8	2	31 (54)	11.4	13	54 (45)	15.8
Shigellosis		2 (5)	1.5	2	8 (1)	3.1	1	8 (6)	3.8
Typhoid					1	0.1		2 (1)	0.7
Vibrio parahaemolyticus		1	0.5						0.3
Yersiniosis		2 (1)	0.3			0.1			
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	37	197 (236)	62.2	42	234 (229)	81.5	52	295 (295)	85.8
Gonorrhoea	6	57 (51)	18.7	10	63 (49)	23.1	13	99 (77)	32.7
Syphilis - Infectious	2	7 (7)	2.0	2	15 (11)	3.8	5	15 (12)	4.1
Syphilis - Non-Infectious	1	2 (4)	1.3		(4)	0.4		4 (9)	0.9
<b>Vaccine preventable diseases</b>									
Influenza	23	135 (86)	39.6	9	76 (80)	35.1	19	97 (79)	32.8
Measles		1	0.3			0.6	1	3	0.5
Mumps			0.1			0.1			
Pertussis	1	7 (25)	3.1	7	17 (26)	5.6	2	5 (19)	2.5
Pneumococcal infection		(1)	0.5			0.4	2	3 (2)	0.7
Varicella (chicken pox)		14 (7)	3.5		9 (16)	3.4	2	7 (7)	2.8
Varicella (shingles)		36 (42)	10.6		37 (60)	11.7		26 (40)	8.4
Varicella (unspecified)	15	39 (51)	11.1	9	46 (52)	14.5	8	32 (40)	8.7
<b>Vector-borne diseases</b>									
Barmah Forest virus								1	0.1
Dengue fever		4 (3)	2.3		6 (2)	2.1	1	11 (2)	2.5
Malaria	1	3 (1)	0.4		(2)	0.1		1 (1)	0.1
Ross River virus		4 (14)	1.7	3	18 (30)	5.4	2	7 (13)	2.4
Typhus		1	0.1						
<b>Zoonotic diseases</b>									
Leptospirosis		1	0.3						
Psittacosis									
Q Fever							1	2	0.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis		2	0.3		(2)	0.1			0.1
Melioidosis			0.1						
Meningococcal infection						0.1			
Tuberculosis		1 (4)	0.6	1	5 (4)	1.1	1	1 (6)	0.5
<b>Grand Total</b>	<b>111</b>	<b>671 (706)</b>		<b>110</b>	<b>672 (750)</b>		<b>144</b>	<b>799 (783)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	0.5						
Hepatitis B (unspecified)		(4)	0.5		1	1.6			
Hepatitis C (newly acquired)			0.5			3.2			
Hepatitis C (unspecified)	1	2 (3)	6.8	2	3 (1)	9.5	1	3 (2)	7.6
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	3	12 (30)	19.3		4 (7)	19.0		6 (5)	13.9
Cryptosporidiosis		1 (1)	1.6			1.6			
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus									
STEC/VTEC infection		1	1.0						
Salmonellosis	3	13 (17)	10.9		2 (4)	6.3	1	4 (6)	15.1
Shigellosis		(1)	0.5			1.6			1.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	6	39 (48)	59.9	2	11 (12)	31.7	2	18 (21)	49.2
Gonorrhoea	1	2 (17)	12.0		1 (1)	3.2		3 (2)	8.8
Syphilis - Infectious			0.5			1.6			
Syphilis - Non-Infectious		(1)	0.5						
<b>Vaccine preventable diseases</b>									
Influenza	4	15 (23)	16.2	1	7 (2)	53.9	1	8 (4)	18.9
Measles			1.0			3.2			
Mumps			0.5						
Pertussis		2 (14)	3.1		1 (4)	3.2	1	2	3.8
Pneumococcal infection			0.5		1	1.6			
Varicella (chicken pox)		2 (3)	3.1		2 (1)	3.2			
Varicella (shingles)	1	13 (23)	18.2		8 (8)	22.2		8 (7)	16.4
Varicella (unspecified)	4	5	3.1		2 (5)	11.1			
<b>Vector-borne diseases</b>									
Barmah Forest virus		(1)	0.5						
Dengue fever		1	1.0						
Malaria									
Ross River virus	1	3 (5)	4.2			7.9		(3)	1.3
Typhus							1	1	1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Psittacosis								1	1.3
Q Fever								1	1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis		1	0.5						
Melioidosis									
Meningococcal infection									
Tuberculosis					(1)	1.6			
<b>Grand Total</b>	<b>24</b>	<b>113 (191)</b>		<b>5</b>	<b>43 (46)</b>		<b>7</b>	<b>55 (50)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									1.4
Hepatitis B (unspecified)				1	2	4.9		(3)	1.4
Hepatitis C (newly acquired)			1.4				1	1	1.4
Hepatitis C (unspecified)	1	2 (4)	5.7		1 (3)	8.2	1	1 (1)	2.9
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		3 (5)	11.3		1 (7)	4.9		5 (4)	18.7
Cryptosporidiosis		(1)	1.4			1.6	1	1	1.4
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus								(1)	1.4
STEC/VTEC infection		1	2.8		1	1.6			
Salmonellosis	2	4 (8)	12.8		5 (2)	11.5		7 (3)	14.4
Shigellosis	1	3 (1)	5.7		5 (2)	16.4		1	4.3
Typhoid									
Vibrio parahaemolyticus						1.6			
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	2	13 (24)	59.5	8	31 (24)	116.3	5	25 (26)	96.5
Gonorrhoea	2	7 (7)	28.3	3	12 (13)	55.7	1	16 (18)	67.7
Syphilis - Infectious		2	2.8		3	11.5	1	5 (1)	20.2
Syphilis - Non-Infectious					1 (2)	3.3		1 (1)	1.4
<b>Vaccine preventable diseases</b>									
Influenza	4	42 (10)	102.0	1	9 (2)	31.1	2	30 (7)	60.5
Measles									
Mumps									
Pertussis		(2)	1.4					(1)	1.4
Pneumococcal infection			1.4						
Varicella (chicken pox)		1 (1)	1.4			1.6		7	13.0
Varicella (shingles)					8 (5)	24.6		3 (1)	8.6
Varicella (unspecified)	1	3 (5)	5.7	3	3	4.9	1	1	1.4
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever								1 (1)	1.4
Malaria									
Ross River virus									
Typhus		1	1.4						
<b>Zoonotic diseases</b>									
Leptospirosis									
Psittacosis									
Q Fever			1.4						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
Legionellosis									
Melioidosis									
Meningococcal infection							1		4.3
Tuberculosis									
<b>Grand Total</b>	<b>13</b>	<b>82 (68)</b>		<b>16</b>	<b>82 (60)</b>		<b>12</b>	<b>106 (68)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)			2.5	0	3 (0)	0.3
Hepatitis B (unspecified)		2 (2)	5.0	10	40 (50)	3.0
Hepatitis C (newly acquired)				1	3 (10)	0.4
Hepatitis C (unspecified)		3 (3)	7.4	21	75 (84)	5.4
Hepatitis D		1	2.5	1	8 (0)	0.3
<b>Enteric diseases</b>						
Campylobacteriosis		2 (4)	12.4	36	220 (289)	19.6
Cryptosporidiosis	1	2 (2)	5.0	3	16 (16)	1.1
Hepatitis A				0	2 (2)	0.3
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	2 (1)	0.2
Paratyphoid fever				0	3 (1)	0.1
Rotavirus				1	28 (23)	1.5
STEC/VTEC infection				0	9 (4)	0.7
Salmonellosis	2	9 (6)	29.8	32	176 (192)	14.0
Shigellosis		2 (4)	32.2	4	30 (20)	3.4
Typhoid				0	3 (2)	0.2
Vibrio parahaemolyticus				0	1 (0)	0.2
Yersiniosis				0	2 (1)	0.1
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	4	48 (66)	305.1	160	923 (990)	78.6
Gonorrhoea		20 (45)	148.8	38	284 (284)	27.0
Syphilis - Infectious		3	29.8	10	51 (33)	4.0
Syphilis - Non-Infectious				1	8 (24)	0.6
<b>Vaccine preventable diseases</b>						
Influenza	3	17 (8)	143.9	68	440 (311)	38.8
Measles				1	5 (0)	0.5
Mumps				0	0 (0)	0.1
Pertussis	1	5	19.8	12	39 (92)	3.7
Pneumococcal infection		1 (1)	5.0	2	5 (4)	0.6
Varicella (chicken pox)				2	42 (50)	3.3
Varicella (shingles)		4 (4)	32.2	1	143 (197)	11.6
Varicella (unspecified)		1	2.5	41	132 (155)	9.9
<b>Vector-borne diseases</b>						
Barmah Forest virus		1 (1)	2.5	0	2 (3)	0.1
Dengue fever				1	23 (9)	2.0
Malaria				1	4 (4)	0.2
Ross River virus		(8)	2.5	6	33 (77)	3.0
Typhus				1	3 (1)	0.1
<b>Zoonotic diseases</b>						
Leptospirosis				0	1 (1)	0.1
Psittacosis				0	1 (0)	0.0
Q Fever				1	3 (1)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		(4)	2.5	0	0 (4)	0.1
Legionellosis				0	3 (2)	0.2
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	1 (1)	0.1
Tuberculosis				2	7 (17)	0.5
<b>Grand Total</b>	<b>11</b>	<b>121 (158)</b>		<b>457</b>	<b>2774 (2957)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 9	
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2019	2018
	<b>Salmonella Total</b>	<b>39</b>	<b>47</b>	<b>36</b>	<b>53</b>	<b>66</b>	<b>41</b>	<b>37</b>	<b>32</b>	<b>394</b>
<b>Serotype/Phage</b>										
Salmonella Adelaide					1				1	0
Salmonella Agona									1	4
Salmonella Anatum	1				2		1		4	6
Salmonella Bareilly					1				1	1
Salmonella Bootle				1					1	0
Salmonella Bovismorbificans	1						1		2	1
Salmonella Chailey									0	0
Salmonella Chester	2	1					1		4	3
Salmonella Choleraesuis bv Australia				1	1				2	5
Salmonella Choleraesuis bv Decatur									0	3
Salmonella Corvallis	1								2	1
Salmonella Eastbourne						1			1	0
Salmonella Enteritidis	2	7	3	6	3	5			32	24
Salmonella Fremantle subsp II				2					2	1
Salmonella Give var 15+					1				1	0
Salmonella Havana					1				1	2
Salmonella Heidelberg	1	1		2			1		5	1
Salmonella Houten subsp IV	1								1	3
Salmonella Hvittingfoss							1		1	11
Salmonella Infantis			2				1		3	4
Salmonella Javiana		1							1	1
Salmonella Kentucky		1	2				1		4	7
Salmonella Litchfield		1							2	0
Salmonella London		1							1	0
Salmonella Mississippi				1					1	1
Salmonella Muenchen			1				1		2	10
Salmonella Newport					2	1			4	2
Salmonella Oranienburg	1					1	1		3	2
Salmonella Orion	1								1	3
Salmonella Oslo			1						1	0
Salmonella Papuana									1	0
Salmonella Paratyphi B bv Java	3	2	2	3	5	2	3		22	8
Salmonella Poona		1			1				2	3
Salmonella Potsdam									0	2
Salmonella Rissen							1		1	1
Salmonella Saintpaul	1	1	1	1	4	1	1		11	23
Salmonella Schwarzengrund	1								2	0
Salmonella Senftenberg							1		1	0
Salmonella Singapore									1	7
Salmonella Stanley	2				1		1		4	7
Salmonella Tennessee		1							1	0
Salmonella Thompson				1					1	0
Salmonella Typhimurium	17	22	19	29	35	21	15	6	189	232
Salmonella Uganda					1				1	0
Salmonella Urbana				1					1	0
Salmonella Virchow		3	1					1	5	6
Salmonella Wandsbek subsp II				1					1	0
Salmonella Wangata					1				1	0
Salmonella Welikade							1		1	2



# Weekly Report for period 08-JAN-19 to 04-MAR-19

	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	Cumulative Total to end of Week 9	
									2019	2018
<b>Salmonella Total</b>	39	47	36	53	66	41	37	32	394	417
<b>Serotype/Phage</b>										
Salmonella Weltevreden					1				1	3
Salmonella species	4	4	4	4	5	9	5	25	62	27