



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 01-JUL-20 to 25-AUG-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 34			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	07/07	14/07	21/07	28/07	04/08	11/08	18/08	25/08	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			2			1	1	1	12	16	17	3	1.5	2.0
Hepatitis B (unspecified)	16	16	12	13	10	11	8	13	342	291	312	42	40.5	1.0
Hepatitis C (newly acquired)	2	2	2	2	2	2	2	6	65	74	73	4	10.9	0.4
Hepatitis C (unspecified)	22	13	18	17	18	19	14	20	529	604	601	71	72.8	1.0
Hepatitis D					1	1			2	7	6	2	0.3	6.0
Enteric diseases														
Campylobacteriosis	52	36	43	54	54	43	46	27	1649	2141	2102	170	271.9	0.6
Cryptosporidiosis	2	1	1			1		1	466	126	79	2	9.7	0.2
Hepatitis A									6	20	6	0	1.0	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis			2						3	7	7	0	0.7	0.0
Paratyphoid fever									0	6	4	0	0.4	0.0
Rotavirus	5	4	4	8	4	5		1	144	323	194	10	37.9	0.3
STEC/VTEC infection	2	2	1		1	2	2	3	79	101	51	8	4.3	1.8
Salmonellosis	25	30	36	20	23	16	15	6	1256	1384	1498	60	121.4	0.5
Shigellosis	2	4	2	3	2	3		1	171	274	180	6	15.3	0.4
Typhoid									3	14	9	0	0.9	0.0
Vibrio parahaemolyticus									2	15	10	0	0.7	0.0
Yersiniosis					2		1		11	15	8	3	1.9	1.6
Sexually transmissible infections														
Chlamydia (genital)	213	213	212	182	199	210	207	108	7102	7793	7734	724	862.8	0.8
Gonorrhoea	58	56	82	48	72	59	73	22	2473	2679	2182	226	248.7	0.9
Syphilis (congenital)									1	1	0	0	0.0	0.0
Syphilis - Infectious	25	8	11	11	16	15	20	9	470	387	256	60	30.0	2.0
Syphilis - Non-Infectious	2	4	1	4	5	9	3	2	141	152	158	19	10.5	1.8
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza		2	3	3	2	1	2	1	1199	22174	3156	6	1363.5	0.0
Measles									4	26	26	0	2.2	0.0
Mumps									9	18	18	0	12.8	0.0
Pertussis	1	1	4	2		1	1		110	394	896	2	119.6	0.0
Pneumococcal infection	4	4	8	6	4	2	2	1	101	164	128	9	26.5	0.3
Varicella (chicken pox)	4	15	14	9	13	12	8	1	302	424	410	34	58.2	0.6
Varicella (shingles)	49	46	57	43	47	48	30	1	1535	1432	1501	126	145.4	0.9
Varicella (unspecified)	26	35	42	45	50	47	56	58	1071	931	1013	211	109.3	1.9
Vector-borne diseases														
Barmah Forest virus			2						15	11	29	0	1.8	0.0
Chikungunya				1					7	5	1	0	0.9	0.0
Dengue fever									62	240	86	0	19.4	0.0
Malaria		2							27	41	30	0	4.3	0.0
Ross River virus		3	1	3		1		2	188	294	362	3	28.1	0.1
Typhus				1					16	18	13	0	1.9	0.0
Zoonotic diseases														
Leptospirosis									1	3	2	0	0.3	0.0
Q Fever									4	6	9	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis						1			2	6	18	1	0.4	2.5
COVID-19	19	18	2	5	1	3	6	2	683	0	0	12	0.0	0.0
Creutzfeldt-Jakob disease									3	4	5	0	0.3	0.0
Haemolytic Uraemic Syndrome		1							4	1	1	0	0.1	0.0
Legionellosis	1		2	1			1	1	50	20	26	2	4.1	0.5
Leprosy						1			1	0	0	1	0.4	2.5
Melioidosis	1								5	4	4	0	0.3	0.0
Meningococcal infection	1								7	14	21	0	3.2	0.0
Tuberculosis		5	4	3	2	5	3	1	81	78	73	11	10.4	1.1
Grand Total	532	521	566	484	526	519	501	282						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 34			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	07/07	14/07	21/07	28/07	04/08	11/08	18/08	25/08	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1			1			7	11	13	1	1.3	0.8
Hepatitis B (unspecified)	14	13	10	11	8	9	7	11	289	252	258	35	34.0	1.0
Hepatitis C (newly acquired)	2	1		2		1	2		49	53	58	3	7.9	0.4
Hepatitis C (unspecified)	15	8	14	15	12	11	11	15	376	414	443	49	51.3	1.0
Hepatitis D						1			1	7	5	1	0.3	3.0
Enteric diseases														
Campylobacteriosis	44	26	34	46	40	29	42	24	1325	1739	1664	135	215.9	0.6
Cryptosporidiosis	2	1	1			1		1	407	68	38	2	7.5	0.3
Hepatitis A									5	17	5	0	0.9	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis			2						2	7	4	0	0.7	0.0
Paratyphoid fever									0	6	4	0	0.4	0.0
Rotavirus	4	4	4	4	2	4		1	113	274	130	7	27.1	0.3
STEC/VTEC infection	1					2	2	3	60	79	42	7	3.5	2.0
Salmonellosis	20	21	25	15	20	12	12	6	956	1076	1150	50	93.6	0.5
Shigellosis	1		1	1	2	1			82	190	74	3	9.3	0.3
Typhoid									3	12	9	0	0.7	0.0
Vibrio parahaemolyticus									2	11	9	0	0.5	0.0
Yersiniosis					2		1		10	14	7	3	1.7	1.8
Sexually transmissible infections														
Chlamydia (genital)	161	171	172	138	152	155	158	94	5523	6117	6021	559	662.0	0.8
Gonorrhoea	36	37	54	37	58	38	42	19	1709	1961	1426	157	167.3	0.9
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	20	6	6	9	12	10	14	7	311	210	189	43	20.5	2.1
Syphilis - Non-Infectious	2	2	1	2	5	7	1	2	118	96	118	15	7.6	2.0
Vaccine preventable diseases														
Influenza		2	2	2	2		2	1	960	17519	2645	5	1057.0	0.0
Measles									4	15	25	0	1.8	0.0
Mumps									6	13	17	0	1.5	0.0
Pertussis	1	1	3	2		1	1		89	317	601	2	88.8	0.0
Pneumococcal infection	2	1	1	1	1	1	2	1	34	102	72	5	16.3	0.3
Varicella (chicken pox)	3	12	9	8	10	11	6		219	312	295	27	42.1	0.6
Varicella (shingles)	37	36	40	29	32	35	20	1	1115	1014	1058	88	105.4	0.8
Varicella (unspecified)	24	34	38	40	49	39	55	54	1005	889	984	197	101.3	1.9
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.5	0.0
Chikungunya				1					3	5	1	0	0.7	0.0
Dengue fever									48	195	72	0	15.7	0.0
Malaria		2							21	35	28	0	3.4	0.0
Ross River virus		2		1		1		1	105	196	255	2	18.0	0.1
Typhus									8	10	8	0	1.2	0.0
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.2	0.0
Q Fever									2	2	4	0	0.5	0.0
Other diseases														
COVID-19	11	11	1	3	1	2	6	1	445	0	0	10	0.0	0.0
Creutzfeldt-Jakob disease									3	3	3	0	0.3	0.0
Legionellosis			2	1			1	1	32	17	20	2	2.9	0.7
Leprosy						1			1	0	0	1	0.3	3.8
Meningococcal infection	1								3	5	13	0	2.1	0.0
Tuberculosis		5	4	1	2	4	3	1	71	70	58	10	9.7	1.0
Grand Total	401	396	425	369	410	377	388	244						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.3		1	0.3			0.4
Hepatitis B (unspecified)	5	11 (9)	11.0	1	11 (5)	11.6	5	13 (15)	15.2
Hepatitis C (newly acquired)		(2)	0.8		1 (3)	2.4		2 (3)	3.2
Hepatitis C (unspecified)	1	10 (9)	9.2	5	15 (16)	19.4	9	24 (30)	21.0
Hepatitis D								1	0.1
Enteric diseases									
Campylobacteriosis	6	42 (94)	57.6	11	44 (72)	59.7	7	49 (90)	56.2
Cryptosporidiosis		1 (3)	26.2		(2)	13.1	1	1 (3)	13.4
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis		(1)	0.3						
Rotavirus		2 (16)	5.3		1 (18)	3.9	1	4 (10)	5.5
STEC/VTEC infection	1	1 (3)	3.0	1	5 (3)	1.7	1	1 (3)	3.1
Salmonellosis	3	13 (31)	44.2	1	15 (30)	37.7	2	22 (31)	42.8
Shigellosis		3 (11)	3.6		(5)	3.3		(11)	3.7
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis		(3)	0.4		2 (4)	0.7		1 (2)	0.3
Sexually transmissible infections									
Chlamydia (genital)	37	182 (254)	211.0	18	163 (217)	248.7	39	214 (249)	262.3
Gonorrhoea	8	47 (53)	59.3	2	47 (72)	76.3	9	63 (92)	87.6
Syphilis (congenital)									0.1
Syphilis - Infectious		11 (7)	11.8	3	12 (7)	11.3	4	20 (13)	17.2
Syphilis - Non-Infectious		5 (3)	4.8	1	3 (3)	3.3	1	7 (4)	7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (241)	47.1		(250)	38.3	1	4 (263)	39.9
Measles			0.3			0.3			
Mumps			0.5		(1)	0.1		(2)	0.1
Pertussis		1 (7)	4.0		1 (14)	5.3		(7)	2.3
Pneumococcal infection		1 (3)	1.8	1	2 (9)	1.4		2 (9)	1.3
Varicella (chicken pox)		11 (17)	9.5		10 (15)	10.7		6 (25)	8.5
Varicella (shingles)		39 (45)	51.9	1	28 (38)	54.0		21 (27)	40.2
Varicella (unspecified)	27	66 (25)	43.9	16	76 (42)	52.9	11	55 (24)	35.4
Vector-borne diseases									
Barmah Forest virus					(1)	0.3		(1)	0.1
Chikungunya						0.1			0.3
Dengue fever		(5)	1.9		(10)	2.2		(4)	2.2
Malaria		(1)	0.6		(1)	0.6		(1)	1.5
Ross River virus		(7)	2.0	1	2 (5)	9.5		(4)	2.7
Typhus		(1)	0.4		(1)	0.3			0.4
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	20.3	1	7	21.2		2	16.8
Creutzfeldt-Jakob disease			0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis	1	2 (2)	1.6			1.3			1.3
Leprosy		1	0.1						
Melioidosis									
Meningococcal infection									0.4
Tuberculosis	1	2 (3)	3.3		4 (5)	2.9		4 (3)	3.1
Grand Total	90	453 (857)		63	450 (849)		91	516 (926)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)	1	1	1.0						
Hepatitis B (unspecified)			3.1			1.6		(1)	11.3
Hepatitis C (newly acquired)			3.1		(1)	3.1	1		2.5
Hepatitis C (unspecified)	1	6 (5)	25.0	1	4 (4)	36.1	1	(6)	23.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	13 (23)	62.8		4 (7)	45.5		7 (9)	60.3
Cryptosporidiosis		(1)	12.3			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(2)	5.6			1.6			6.3
STEC/VTEC infection			3.6		(1)	3.1		(1)	2.5
Salmonellosis		7 (10)	50.0		(2)	22.0		(2)	40.2
Shigellosis		(1)	0.5		(1)	3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	1	39 (41)	195.5	3	13 (18)	164.7	1	13 (11)	111.9
Gonorrhoea	1	5 (11)	52.1		3 (7)	22.0		(1)	26.4
Syphilis (congenital)									
Syphilis - Infectious	1	1	8.2		2 (1)	7.8		(1)	2.5
Syphilis - Non-Infectious		1	1.5					1 (1)	2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (49)	29.1		(28)	43.9		(10)	30.2
Measles									
Mumps									
Pertussis		(1)	6.6			1.6			
Pneumococcal infection		1 (2)	2.0			1.6			7.5
Varicella (chicken pox)		1 (1)	14.3		(4)	6.3		2 (6)	7.5
Varicella (shingles)		17 (22)	103.1		5 (11)	91.0		5 (1)	45.3
Varicella (unspecified)	2	4	2.0	2	5 (3)	36.1		(2)	10.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0					(1)	2.5
Malaria			0.5						
Ross River virus	1	1 (6)	10.7			11.0		(1)	6.3
Typhus		(1)	1.0			1.6		(1)	2.5
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			8.7			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	10	98 (176)		6	36 (88)		1	30 (55)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4					1	1.4
Hepatitis B (unspecified)			7.0	1	3 (3)	14.7	1	2 (2)	12.8
Hepatitis C (newly acquired)			2.8		(2)	3.3		(1)	2.8
Hepatitis C (unspecified)	1	6 (7)	30.9	2	3 (3)	31.1		1	17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (6)	51.9	1	5 (3)	54.0		2 (8)	34.1
Cryptosporidiosis			7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		2 (8)	5.6			3.3		1 (1)	7.1
STEC/VTEC infection		1	11.2						
Salmonellosis		1 (1)	42.1		1 (2)	34.3		1 (3)	66.8
Shigellosis	1	2 (1)	39.3		(5)	9.8			18.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	18 (17)	255.5	1	12 (24)	310.7	3	24 (29)	287.1
Gonorrhoea	1	9 (7)	94.1		7 (7)	129.2		14 (20)	211.8
Syphilis (congenital)									
Syphilis - Infectious		3	12.6		1	18.0	1	3 (10)	62.5
Syphilis - Non-Infectious		(1)	1.4		1 (5)	11.4		(1)	7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(80)	63.2		(12)	32.7		(24)	37.0
Measles									
Mumps						1.6			2.8
Pertussis		(1)	2.8			1.6			1.4
Pneumococcal infection		(1)	16.8		1 (1)	29.4		(1)	9.9
Varicella (chicken pox)		(2)	7.0		2 (1)	29.4	1	2	18.5
Varicella (shingles)		(3)	25.3		4 (4)	58.9		2 (2)	32.7
Varicella (unspecified)		3 (2)	32.3					2	2.8
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever		(2)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus			5.6		(2)	4.9		(1)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6	1		1.4
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6			1.4
Tuberculosis									1.4
Grand Total	6	48 (139)		5	40 (74)		6	56 (103)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	3 (1)	0.4
Hepatitis B (unspecified)		2 (1)	32.0	13	42 (37)	11.9
Hepatitis C (newly acquired)				0	4 (13)	2.3
Hepatitis C (unspecified)		1	19.7	20	71 (80)	18.4
Hepatitis D		1	2.5	0	2 (0)	0.1
Enteric diseases						
Campylobacteriosis		(1)	46.8	27	170 (319)	57.4
Cryptosporidiosis		(1)	2.5	1	2 (10)	16.2
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (2)	0.1
Rotavirus			2.5	1	10 (56)	5.0
STEC/VTEC infection				3	8 (11)	2.7
Salmonellosis		(4)	103.4	6	60 (118)	43.7
Shigellosis		1 (1)	86.2	1	6 (39)	5.9
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	3 (9)	0.4
Sexually transmissible infections						
Chlamydia (genital)	2	37 (42)	873.9	108	724 (909)	247.0
Gonorrhoea	1	29 (26)	745.9	22	226 (299)	86.0
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious		7 (11)	150.2	9	60 (50)	16.3
Syphilis - Non-Infectious		(2)	2.5	2	19 (21)	4.7
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(24)	29.5	1	6 (996)	41.7
Measles				0	0 (1)	0.1
Mumps				0	0 (4)	0.3
Pertussis		(1)	7.4	0	2 (31)	3.8
Pneumococcal infection		2 (3)	41.8	1	9 (31)	3.5
Varicella (chicken pox)			12.3	1	34 (72)	10.5
Varicella (shingles)		4 (4)	81.2	1	126 (163)	53.4
Varicella (unspecified)				58	211 (99)	37.2
Vector-borne diseases						
Barmah Forest virus		(1)	14.8	0	0 (3)	0.5
Chikungunya				0	0 (3)	0.2
Dengue fever		(1)	2.5	0	0 (25)	2.2
Malaria				0	0 (3)	0.9
Ross River virus			64.0	2	3 (26)	6.5
Typhus			2.5	0	0 (5)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	1 (1)	0.1
COVID-19			49.2	2	12 (0)	23.8
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				1	2 (2)	1.7
Leprosy				0	1 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection				0	0 (1)	0.2
Tuberculosis			4.9	1	11 (11)	2.1
Grand Total	3	84 (123)		282	1829 (3454)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 34	
	07/07	14/07	21/07	28/07	04/08	11/08	18/08	25/08	2020	2019
	Salmonella Total	25	30	36	20	23	16	15	6	1256
Serotype/Phage										
Salmonella Adelaide									3	1
Salmonella Agona					1				5	6
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum		1	3						13	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans		1		1			1	1	9	11
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Charity			1						1	0
Salmonella Chester				1	1				21	15
Salmonella Choleraesuis bv Australia									13	9
Salmonella Choleraesuis bv Decatur							1		10	3
Salmonella Corvallis									3	5
Salmonella Derby									1	3
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis		1	1						45	132
Salmonella Fremantle subsp II									3	4
Salmonella Give		1							3	2
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana									3	7
Salmonella Hessarek									1	0
Salmonella Houten subsp IV				1					1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis			2		1	1			21	17
Salmonella Jangwani									1	0
Salmonella Javiana							1		4	10
Salmonella Johannesburg									1	1
Salmonella Kentucky									3	13
Salmonella Kiambu			1						2	4
Salmonella Kottbus									3	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen									21	25
Salmonella Newport					1				10	20
Salmonella Oranienburg							1		4	6
Salmonella Orientalis									2	1
Salmonella Orion									2	0

Weekly Report for period 01-JUL-20 to 25-AUG-20

	07/07	14/07	21/07	28/07	04/08	11/08	18/08	25/08	Cumulative Total to end of Week 34	
									2020	2019
Salmonella Total	25	30	36	20	23	16	15	6	1256	1343
Serotype/Phage										
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	59
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam									9	4
Salmonella Reading									2	7
Salmonella Richmond		1							1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul	1		2		3				34	29
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg						1			3	3
Salmonella Singapore									3	2
Salmonella Stanley									8	28
Salmonella Thompson									3	3
Salmonella Typhimurium	22	20	23	15	14	13	9	1	800	714
Salmonella Urbana	1								1	2
Salmonella Virchow		1			1		1		18	22
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross	1								2	0
Salmonella Welikade			1						4	3
Salmonella Weltevreden									6	11
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species		4	2	2	1		2	4	68	78
Salmonella subsp 1 ser 4,5:d:-									1	11
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0