



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 08-JUL-20 to 01-SEP-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 35			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/07	21/07	28/07	04/08	11/08	18/08	25/08	01/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		2			1	1	1		12	16	17	3	1.5	2.0
Hepatitis B (unspecified)	16	12	13	9	11	8	13	8	348	297	324	40	40.2	1.0
Hepatitis C (newly acquired)	2		2		2	1	4		68	76	73	7	10.9	0.6
Hepatitis C (unspecified)	13	17	17	18	19	15	16	16	541	621	619	66	72.9	0.9
Hepatitis D				1	1				2	7	6	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	36	43	54	54	43	51	44	31	1702	2222	2189	169	273.5	0.6
Cryptosporidiosis	1	1			1		1		466	130	79	2	9.8	0.2
Hepatitis A									6	20	7	0	1.0	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis		2							3	7	7	0	0.9	0.0
Paratyphoid fever									0	6	4	0	0.5	0.0
Rotavirus	4	4	8	4	5		2	4	149	344	206	11	35.6	0.3
STEC/VTEC infection	2	1		1	2	2	5	1	82	104	52	10	4.4	2.3
Salmonellosis	30	37	19	23	17	17	14	7	1274	1415	1528	55	118.7	0.5
Shigellosis	4	2	3	2	3	1	5		176	281	183	9	15.3	0.6
Typhoid									3	15	9	0	0.9	0.0
Vibrio parahaemolyticus									2	15	11	0	0.7	0.0
Yersiniosis				2		1			11	16	8	1	1.9	0.5
Sexually transmissible infections														
Chlamydia (genital)	213	212	182	200	216	207	202	122	7326	8000	7964	747	850.2	0.9
Gonorrhoea	56	82	48	72	59	76	64	27	2545	2740	2247	226	247.6	0.9
Syphilis (congenital)									1	1	0	0	0.0	0.0
Syphilis - Infectious	8	11	10	16	13	17	20	13	488	397	263	63	30.4	2.1
Syphilis - Non-Infectious	4	1	5	5	10	4	2	2	146	155	160	18	10.7	1.7
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	2	3	3	2	1	3		1	1200	22365	3410	5	1272.6	0.0
Measles									4	26	26	0	2.9	0.0
Mumps									9	18	18	0	13.5	0.0
Pertussis	1	5	2		1	1			111	405	926	2	121.9	0.0
Pneumococcal infection	4	8	6	4	2	2	6		106	173	136	10	25.5	0.4
Varicella (chicken pox)	15	14	9	13	14	11	11	4	321	435	423	40	57.2	0.7
Varicella (shingles)	46	57	43	47	54	47	20	4	1581	1481	1548	125	145.9	0.9
Varicella (unspecified)	35	42	45	50	42	47	52	51	1102	954	1036	192	108.3	1.8
Vector-borne diseases														
Barmah Forest virus		2							15	11	30	0	1.9	0.0
Chikungunya			1						7	5	2	0	0.9	0.0
Dengue fever									62	244	88	0	17.9	0.0
Malaria	1								27	41	34	0	4.6	0.0
Ross River virus	3	1	3		1		3	1	190	307	371	5	28.5	0.2
Typhus			1						16	18	13	0	1.9	0.0
Zoonotic diseases														
Leptospirosis								1	2	3	2	1	0.3	3.8
Q Fever									4	6	9	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulon					1				2	6	18	1	0.5	1.9
COVID-19	18	2	5	1	3	6	2	2	685	0	0	13	0.0	0.0
Creutzfeldt-Jakob disease									3	5	5	0	0.4	0.0
Haemolytic Uraemic Syndrome	1								4	1	1	0	0.1	0.0
Legionellosis		2	1			1	1		50	20	28	2	4.5	0.4
Leprosy					1				1	0	0	1	0.3	3.0
Melioidosis									5	4	4	0	0.3	0.0
Meningococcal infection									7	15	23	0	3.3	0.0
Tuberculosis	5	4	3	2	5	3	1	4	85	79	74	13	10.1	1.3
Grand Total	520	567	483	526	528	522	489	299						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 35			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/07	21/07	28/07	04/08	11/08	18/08	25/08	01/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1			1				7	11	13	1	1.3	0.8
Hepatitis B (unspecified)	13	10	11	7	9	7	11	7	294	258	269	34	33.6	1.0
Hepatitis C (newly acquired)	1		2		1	1	4		52	54	58	6	7.9	0.8
Hepatitis C (unspecified)	8	13	15	12	11	12	11	12	384	430	453	46	51.4	0.9
Hepatitis D					1				1	7	5	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	26	34	46	40	29	43	34	26	1362	1809	1729	132	218.1	0.6
Cryptosporidiosis	1	1			1		1		407	72	38	2	7.7	0.3
Hepatitis A									5	17	6	0	0.9	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis		2							2	7	4	0	0.8	0.0
Paratyphoid fever									0	6	4	0	0.5	0.0
Rotavirus	4	4	4	2	4		2	4	118	293	139	10	25.8	0.4
STEC/VTEC infection					2	2	5	1	63	81	43	10	3.7	2.7
Salmonellosis	21	26	14	20	13	14	12	6	971	1105	1173	45	91.9	0.5
Shigellosis		1	1	2	1		3		85	197	76	4	9.4	0.4
Typhoid									3	13	9	0	0.7	0.0
Vibrio parahaemolyticus									2	11	10	0	0.6	0.0
Yersiniosis				2		1			10	15	7	1	1.7	0.6
Sexually transmissible infections														
Chlamydia (genital)	171	172	138	153	159	159	169	104	5708	6288	6192	591	651.3	0.9
Gonorrhoea	37	54	37	58	38	44	41	20	1753	2005	1473	143	166.3	0.9
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	6	6	8	12	8	12	14	12	325	218	193	46	20.5	2.2
Syphilis - Non-Infectious	2	1	3	5	8	2	1	1	121	98	119	12	7.9	1.5
Vaccine preventable diseases														
Influenza	2	2	2	2		3		1	961	17642	2857	4	975.7	0.0
Measles									4	15	25	0	2.5	0.0
Mumps									6	13	17	0	1.3	0.0
Pertussis	1	3	2		1	1			89	325	623	2	90.1	0.0
Pneumococcal infection	1	1	1	1	1	2	3		36	107	77	6	15.5	0.4
Varicella (chicken pox)	12	9	8	10	12	9	9	3	235	321	306	33	40.9	0.8
Varicella (shingles)	36	40	29	32	38	38	14	1	1150	1055	1091	91	105.3	0.9
Varicella (unspecified)	34	38	40	49	36	46	49	45	1033	910	1007	176	100.6	1.7
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.5	0.0
Chikungunya			1						3	5	1	0	0.7	0.0
Dengue fever									48	199	74	0	14.4	0.0
Malaria	1								21	35	31	0	3.7	0.0
Ross River virus	2		1		1		2	1	107	204	261	4	18.1	0.2
Typhus									8	10	8	0	1.2	0.0
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.2	0.0
Q Fever									2	2	4	0	0.4	0.0
Other diseases														
COVID-19	11	1	3	1	2	6	1		445	0	0	9	0.0	0.0
Creutzfeldt-Jakob disease									3	4	3	0	0.4	0.0
Legionellosis		2	1			1	1		32	17	22	2	3.1	0.6
Leprosy					1				1	0	0	1	0.2	5.0
Meningococcal infection									3	5	14	0	2.1	0.0
Tuberculosis	5	4	1	2	4	3	1	4	75	71	59	12	9.3	1.3
Grand Total	395	425	368	410	382	406	388	248						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3		1	0.3			0.4
Hepatitis B (unspecified)	3	11 (10)	11.2		9 (7)	11.6	4	14 (12)	15.7
Hepatitis C (newly acquired)		(2)	0.8		1 (3)	2.4		5 (3)	3.6
Hepatitis C (unspecified)	3	11 (8)	9.5	4	16 (20)	19.8	5	19 (26)	21.2
Hepatitis D								1	0.1
Enteric diseases									
Campylobacteriosis	7	35 (100)	58.8	8	42 (72)	61.1	11	55 (83)	58.4
Cryptosporidiosis		1 (4)	26.2		(3)	13.1		1 (1)	13.4
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis		(1)	0.3						
Rotavirus	1	1 (20)	5.4		1 (22)	3.9	3	8 (14)	6.0
STEC/VTEC infection		2 (2)	3.1		5 (2)	1.7	1	3 (4)	3.3
Salmonellosis	1	11 (29)	44.5	1	14 (36)	38.4	4	20 (26)	43.7
Shigellosis		2 (7)	3.8		(6)	3.3		2 (9)	4.0
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis		(2)	0.4		1 (3)	0.7		(2)	0.3
Sexually transmissible infections									
Chlamydia (genital)	37	200 (231)	219.0	32	168 (222)	256.3	35	223 (242)	271.1
Gonorrhoea	10	49 (53)	61.6	5	35 (72)	78.0	5	59 (78)	89.4
Syphilis (congenital)									0.1
Syphilis - Infectious	2	10 (6)	12.0	2	11 (8)	11.8	8	25 (16)	18.4
Syphilis - Non-Infectious		4 (2)	5.0	1	3 (2)	3.3		5 (4)	7.2
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	2 (207)	47.2		(211)	38.3		2 (226)	39.9
Measles			0.3			0.3			
Mumps			0.5		(1)	0.1		(2)	0.1
Pertussis		1 (8)	4.0		1 (14)	5.3		(7)	2.3
Pneumococcal infection		2 (6)	1.9		2 (6)	1.4		2 (9)	1.4
Varicella (chicken pox)	1	20 (13)	10.9	2	8 (12)	11.1		5 (25)	8.7
Varicella (shingles)		36 (54)	53.6		33 (43)	56.0	1	22 (32)	41.3
Varicella (unspecified)	18	59 (23)	44.9	14	62 (43)	54.0	13	55 (27)	36.9
Vector-borne diseases									
Barmah Forest virus					(1)	0.3			0.1
Chikungunya						0.1			0.3
Dengue fever		(3)	1.9		(12)	2.2		(3)	2.2
Malaria			0.6		(1)	0.6		(1)	1.5
Ross River virus		1 (7)	2.1	1	3 (5)	9.6		(7)	2.7
Typhus			0.4		(1)	0.3			0.4
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	20.3		6	21.2		2	16.8
Creutzfeldt-Jakob disease			0.1					(1)	0.3
Haemolytic Uraemic Syndrome									
Legionellosis		2 (2)	1.6			1.3			1.3
Leprosy		1	0.1						
Melioidosis									
Meningococcal infection									0.4
Tuberculosis	1	3 (3)	3.4	1	4 (3)	3.1	2	5 (1)	3.3
Grand Total	85	465 (803)		71	426 (831)		92	533 (862)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.0						
Hepatitis B (unspecified)			3.1			1.6		(1)	11.3
Hepatitis C (newly acquired)		(1)	3.1			3.1		1	2.5
Hepatitis C (unspecified)	1	5 (3)	25.5	2	5 (4)	39.2		1 (6)	23.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	13 (21)	66.4	1	7 (6)	50.2		8 (9)	64.1
Cryptosporidiosis		(1)	12.3			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(3)	5.6			1.6			6.3
STEC/VTEC infection		(1)	3.6			3.1			2.5
Salmonellosis		6 (7)	51.0		(1)	22.0	1	1	41.5
Shigellosis			0.5		(1)	3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	3	30 (45)	199.6		9 (12)	164.7	3	14 (11)	116.9
Gonorrhoea	1	5 (11)	52.6		2 (4)	22.0	1	2 (1)	28.9
Syphilis (congenital)									
Syphilis - Infectious			7.7		1	7.8			2.5
Syphilis - Non-Infectious		1	1.5					1 (1)	2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (45)	29.1		(27)	43.9		(7)	30.2
Measles									
Mumps									
Pertussis			7.1			1.6			
Pneumococcal infection		1 (3)	2.0			1.6			7.5
Varicella (chicken pox)		3 (1)	15.3		(4)	6.3	1	1 (5)	8.8
Varicella (shingles)	3	21 (20)	108.2		3 (10)	91.0		5	46.5
Varicella (unspecified)	2	2	1.0	2	7 (4)	39.2		(2)	10.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0						2.5
Malaria			0.5						
Ross River virus		1 (5)	10.7			11.0		(1)	6.3
Typhus		(1)	1.0			1.6		(1)	2.5
Zoonotic diseases									
Leptospirosis	1	1	1.0						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			8.7			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	14	91 (168)		5	34 (73)		6	34 (45)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4					1	1.4
Hepatitis B (unspecified)			7.0		2 (2)	14.7	1	2 (2)	14.2
Hepatitis C (newly acquired)			2.8		(2)	3.3			2.8
Hepatitis C (unspecified)		4 (4)	30.9		3 (1)	31.1			17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		2 (6)	54.7		3 (3)	54.0	1	3 (5)	35.5
Cryptosporidiosis			7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		1 (6)	5.6			3.3		(1)	7.1
STEC/VTEC infection			11.2						
Salmonellosis		1 (1)	42.1		1 (2)	34.3		1 (2)	66.8
Shigellosis		2 (1)	39.3		1 (4)	11.4		1	19.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	19 (16)	262.5	5	15 (18)	320.5	2	20 (29)	289.9
Gonorrhoea	1	10 (6)	96.9	4	12 (5)	139.0		18 (18)	223.1
Syphilis (congenital)									
Syphilis - Infectious	1	2	12.6		1	18.0		6 (10)	66.8
Syphilis - Non-Infectious		1 (1)	2.8	1	2 (6)	13.1			7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(103)	63.2		(9)	32.7		(24)	37.0
Measles									
Mumps						1.6			2.8
Pertussis		(3)	2.8			1.6			1.4
Pneumococcal infection			16.8		2 (1)	32.7		1 (1)	11.4
Varicella (chicken pox)		(2)	7.0		1 (1)	29.4		2	18.5
Varicella (shingles)		(1)	25.3		1 (3)	58.9		2 (2)	32.7
Varicella (unspecified)		3 (3)	33.7	1	1	1.6	1	3	4.3
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus			5.6		(3)	4.9		(2)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6		1	1.4
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6		(1)	1.4
Tuberculosis									1.4
Grand Total	3	45 (154)		11	45 (60)		5	61 (97)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	3 (0)	0.4
Hepatitis B (unspecified)		2	32.0	8	40 (34)	12.1
Hepatitis C (newly acquired)				0	7 (12)	2.4
Hepatitis C (unspecified)		1 (1)	19.7	16	66 (73)	19.0
Hepatitis D			2.5	0	1 (0)	0.1
Enteric diseases						
Campylobacteriosis		(1)	46.8	31	169 (312)	59.2
Cryptosporidiosis		(1)	2.5	0	2 (10)	16.2
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (2)	0.1
Rotavirus			2.5	4	11 (66)	5.2
STEC/VTEC infection				1	10 (9)	2.9
Salmonellosis		(4)	103.4	7	55 (111)	44.3
Shigellosis		1 (1)	86.2	0	9 (32)	6.1
Typhoid				0	0 (2)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (7)	0.4
Sexually transmissible infections						
Chlamydia (genital)	2	43 (39)	905.9	122	747 (872)	254.8
Gonorrhoea		33 (23)	768.0	27	226 (274)	88.5
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious		7 (6)	155.1	13	63 (46)	17.0
Syphilis - Non-Infectious		(2)	2.5	2	18 (19)	4.8
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(18)	29.5	1	5 (896)	41.7
Measles				0	0 (1)	0.1
Mumps				0	0 (3)	0.3
Pertussis		(2)	7.4	0	2 (34)	3.9
Pneumococcal infection		(4)	41.8	0	10 (31)	3.7
Varicella (chicken pox)			12.3	4	40 (64)	11.2
Varicella (shingles)		2 (5)	81.2	4	125 (174)	55.0
Varicella (unspecified)				51	192 (103)	38.3
Vector-borne diseases						
Barmah Forest virus			14.8	0	0 (1)	0.5
Chikungunya				0	0 (2)	0.2
Dengue fever			2.5	0	0 (20)	2.2
Malaria				0	0 (2)	0.9
Ross River virus			64.0	1	5 (30)	6.6
Typhus			2.5	0	0 (4)	0.6
Zoonotic diseases						
Leptospirosis				1	1 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	1 (1)	0.1
COVID-19			49.2	2	13 (0)	23.8
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	2 (2)	1.7
Leprosy				0	1 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection				0	0 (2)	0.2
Tuberculosis			4.9	4	13 (7)	2.3
Grand Total	2	89 (107)		300	1839 (3261)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 35	
	14/07	21/07	28/07	04/08	11/08	18/08	25/08	01/09	2020	2019
	Salmonella Total	30	37	19	23	17	17	14	7	1274
Serotype/Phage										
Salmonella Adelaide									3	1
Salmonella Agona				1					5	6
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum	1	3							13	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans	1		1			1	1		9	11
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Charity		1							1	0
Salmonella Chester			1	1					21	15
Salmonella Choleraesuis bv Australia									13	9
Salmonella Choleraesuis bv Decatur					1				10	3
Salmonella Corvallis									3	5
Salmonella Derby									1	3
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis	1	1					1		46	133
Salmonella Fremantle subsp II									3	4
Salmonella Give	1								3	2
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana							1		4	7
Salmonella Hessarek									1	0
Salmonella Houten subsp IV			1						1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis		2		1	1				21	18
Salmonella Jangwani									1	0
Salmonella Javiana						1			4	11
Salmonella Johannesburg									1	1
Salmonella Kentucky									3	16
Salmonella Kiambu		1							2	4
Salmonella Kottbus									3	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen									21	26
Salmonella Newport				1					10	20
Salmonella Oranienburg						1			4	6
Salmonella Orientalis									2	1
Salmonella Orion									2	0

Weekly Report for period 08-JUL-20 to 01-SEP-20

	14/07	21/07	28/07	04/08	11/08	18/08	25/08	01/09	Cumulative Total to end of Week 35	
									2020	2019
Salmonella Total	30	37	19	23	17	17	14	7	1274	1373
Serotype/Phage										
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	63
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam									9	4
Salmonella Reading									2	7
Salmonella Richmond	1								1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul		2		3					34	32
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg					1				3	3
Salmonella Singapore									3	2
Salmonella Stanley									8	28
Salmonella Thompson									3	3
Salmonella Typhimurium	20	24	14	14	14	12	10	5	818	725
Salmonella Urbana									1	2
Salmonella Virchow	1			1		1			18	23
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross									2	0
Salmonella Welikade		1							4	3
Salmonella Weltevreden									6	12
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species	4	2	2	1		1	1	2	66	81
Salmonella subsp 1 ser 4,5:d:-									1	11
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0